The Kinsey Institute for Research in Sex, Gender, and Reproduction, Inc.

# The Kinsey Interview Kit

**Code Book** 



Compiled and Edited by Thomas G. Albright

# The Kinsey Interview Kit Code Book

# 2nd Edition

Compiled and Edited by Thomas G. Albright



The Kinsey Institute for Research in Sex, Gender, and Reproduction, Inc.

INDIANA UNIVERSITY: MORRISON HALL: BLOOMINGTON, INDIANA 47405



Logotype Designed for The Kinsey Institute by David Enock

This Code Book Has Been
Recompiled from Existing Materials and Edited by
Thomas G. Albright

# 2nd Edition

• Copyright 1991 ,2006 Kinsey Institute for Research in Sex, Gender, and Reproduction, Inc.

#### TABLE OF CONTENTS

PREFACE AND INSTRUCTIONS	i
DEMOGRAPHIC DATA	1
FAMILY BACKGROUND	8
PUBERTY AND SEX EDUCATION: FEMALE  AGE AT PUBERTY  FIRST AGE AND SOURCE OF SPECIFIC SEX	17 17
KNOWLEDGE ITEMS	20
PUBERTY AND SEX EDUCATION: MALE	23 23
KNOWLEDGE ITEMS	26
SEXUAL AROUSAL AND PHYSICAL DATA: FEMALE	29 32
SEXUAL AROUSAL AND PHYSICAL DATA: MALE	38 41 44
MASTURBATION, DREAMS, HOMOSEXUALITY, AND ANIMAL CONTACT: FEMALE  MASTURBATION  DREAMS  HOMOSEXUAL BEHAVIOR (POSTPUBERTAL ONLY)  ANIMAL CONTACT (PRE- AND POSTPUBERTAL)	51
MASTURBATION, DREAMS, HOMOSEXUALITY, AND ANIMAL CONTACT: MALE  MASTURBATION  DREAMS  HOMOSEXUAL BEHAVIOR (POSTPUBERTAL ONLY)  ANIMAL CONTACT (PRE- AND POSTPUBERTAL)	56 60 61

PREPUBERTAL SEX PLAY: FEMALE	
HETEROSEXUAL SEX PLAY	
PREPUBERTAL EXPERIENCE WITH ADULT MALES	
OBSERVATION OF MALE GENITALIA	73
OBSERVATION OF MALE GENTIALIA	73
PREPUBERTAL SEX PLAY: MALE	75
HETEROSEXUAL SEX PLAY	75
HOMOSEXUAL SEX PLAY	77
PREPUBERTAL EXPERIENCE WITH ADULT FEMALES	80
OBSERVATION OF FEMALE GENITALIA	82
HETEROSEXUAL PREMARITAL PETTING, FIRST COITUS,	
PREMARITAL COITAL TECHNIQUES: FEMALE	
HETEROSEXUAL PETTING	85
PREMARITAL PETTING TECHNIQUES	86
FIRST COITUS (PREMARITAL OR MARITAL)	88
PREMARITAL COITAL TECHNIQUES	91
PRECOITAL TECHNIQUES	91
COITAL POSITIONS	92
HETEROSEXUAL PREMARITAL PETTING, FIRST COITUS,	
PREMARITAL COITAL TECHNIQUES: MALE	94
HETEROSEXUAL PETTING	94
PREMARITAL PETTING TECHNIQUES	95
FIRST COITUS (PREMARITAL OR MARITAL)	
PREMARITAL COITAL TECHNIQUES	
PRECOITAL TECHNIQUES	
COITAL POSITIONS	102
FIRST COITAL ORGASM, PRE/NONMARITAL COITUS,	
PREMARITAL CONTRACEPTION, LIFETIME CONTACT	
WITH PROSTITUTES: FEMALE	
ORGASM	104
PREMARITAL COITAL ORGASM WITH COMPANIONS	105
PRE/NONMARITAL COITUS	106
CONTRACEPTION IN PREMARITAL COITUS	111
HETEROSEXUAL PROSTITUTION	112
FIRST COITAL ORGASM, PRE/NONMARITAL COITUS,	
PREMARITAL CONTRACEPTION, LIFETIME CONTACT	
WITH PROSTITUTES: MALE	
PRE/NONMARITAL COITUS	
CONTRACEPTION IN PREMARITAL COITUS	118
LIFETIME HETEROSEXUAL EXPERIENCE WITH	
PROSTITUTES	119
MARRIAGE (CARD 1): MALE AND FEMALE	123
MARRIAGE (CARD 2): FEMALE	133

MARRIAGE (CARD 2): MALE	139
MARRIAGE (CARD 3): MALE AND FEMALE	146
HEALTH, RECREATION, SEEING SEX, RESTRAINTS, MISCELLANEOUS DATA HEALTH RECREATION SIGHT OF SEX PREMARITAL COITAL RESTRAINTS	158 158 158 161
FEMALE FREQUENCY DATA	168
MALE FREQUENCY DATA	171
FEMALE HOMOSEXUAL BEHAVIOR (CARD 1)	174 174 175
MALE HOMOSEXUAL BEHAVIOR (CARD 1)	181 181
FEMALE HOMOSEXUAL BEHAVIOR (CARD 2)	187 190
MALE HOMOSEXUAL BEHAVIOR (CARD 2)	193 197 198
FEMALE HOMOSEXUAL BEHAVIOR (CARD 3)	200 200 206
MALE HOMOSEXUAL BEHAVIOR (CARD 3)	209 209 210 212
MALE HOMOSEXUAL BEHAVIOR (CARD 4)	215 215
ACCORDING TO SUBJECT	218
FEMALE PROSTITUTES (CARD 1)	222 22 <i>6</i>

FEMALE PROSTITUTES (CARD 2)	228
TECHNIQUES USED BY CLIENT ON SUBJECT	228
POSITIONS USED	229
REASONS FOR SUBJECT'S PROSTITUTION	
ACCORDING TO SUBJECT	233
APPENDIX	235
INDEX	242

# Preface to the 2<sup>nd</sup> Edition With Instructions for Researchers

The collections at the Kinsey Institute are available to qualified scholars and researchers. The Institute has agreements with third parties which maintain confidentiality and use restrictions. Requests for computerized statistical analyses must be approved by our director's office. The researcher should submit a short description of their work, their interest in and use of the data, and proposed hypotheses they wish to test. This should be on professional letterhead or otherwise submitted with professional credentials to

The Director's Office
The Kinsey Institute for Research in Sex, Gender, and Reproduction
Morrison Hall 313
Indiana University
1165 East Third Street
Bloomington, IN 47405-3700 USA

Most of the original Kinsey data are numerically coded, and this codebook lists what is available for computer analysis. The Kinsey Institute does not give out any data to external researchers, but interested researchers may look over the codebook and send us their specifications for a custom analysis (*SPSS* is typical). After a request for any kind of access to the collections has been approved, the researcher will be asked to fill out a "user form" which will be filed with "User Services" to indicate they are a qualified scholar. Then, the researcher should send the Institute programmer an exact list of variables, and detail precisely what kinds of statistical procedures are to be performed. There is an hourly charge for programming time, and generally one or several short programs can be written and run in 10-15 minutes. Output is emailed back to the researcher. To save on time and costs, the researcher may write their own *SPSS* code and submit it to the Kinsey Institute programmer.

There are other materials in addition to this codebook which may be of help in designing statistical analyses. In particular, see *The Kinsey Data: Marginal Tabulations of the 1938-1963 Interviews Conducted by the Institute for Sex Research* by Paul H. Gebhard and Alan B. Johnson (W.B. Saunders, 1979) (reprinted by Indiana University Press 1998). This work describes the data set in detail, and lists frequencies for most of the computer coded variables, so in essence it can also be used as a codebook guide to the data and the variables available. The general wording of interview questions is given. In the opening chapters, Gebhard and Johnson give a good description of the groups interviewed, defining and clarifying the "original" sample, the "basic" sample, the "prison" sample and the "prostitute" sample, so that one or more of these may be selected. Here also are descriptions of the gender, race and sexual orientation breakdowns of the samples.

Also see the companion first volume to this codebook, *The Kinsey Interview Kit* compiled and edited by Joan Scherer Brewer (1985) which is available for free download at the Kinsey Institute web site (as is this codebook). It gives the actual questions asked and explains how the data were encoded on the original interview sheets at the time of the interview.

November 29, 2006

COLUMN	CODE
1-2	CARD NUMBER:  00 = FEMALE  01 = MALE
3-7	CASE HISTORY NUMBER:
8-9	AGE LAST BIRTHDAY:
10-11	MONTH OF BIRTH:  01 = JANUARY  ETC.  12 = DECEMBER  99 = UNKNOWN
12-13	YEAR OF BIRTH (ONLY LAST TWO DIGITS CODED):  1889 = 89  ETC.  1927 = 27  ETC.
14-16	SOURCE NUMBER OF INTERVIEW: SEE APPENDIX; SOME CODES ARE CONFIDENTIAL
17	TYPE OF SOURCE:  0 = MEMBER OF SOURCE GROUP  1 = PERIPHERAL TO SOURCE GROUP
18-19	MONTH OF INTERVIEW:  01 = JANUARY  ETC.  12 = DECEMBER  99 = UNKNOWN
20-21	DAY OF INTERVIEW:  01 = FIRST  ETC.  31 = THIRTY-FIRST
22-23	YEAR OF INTERVIEW (LAST TWO DIGITS RECORDED ONLY, ALL INTERVIEWED IN THE 20TH CENTURY):
24	RACE OF SUBJECT:  1 = WHITE  2 = BLACK (DARK)  3 = BLACK (LIGHT)  4 = MEXICAN OR ANY WHITE PLUS INDIAN,  CUBAN, SOUTH AMERICAN, PUERTO RICAN  5 = ORIENTAL (JAPANESE, CHINESE,  PHILIPPINE, ETC.)  9 = OTHER

COLUMN	CODE
25-26	EDUCATION (STANDARD SCHOOL SYSTEM):  [NOT CODED HERE: PRISON EDUCATION VOCATIONAL AND BUSINESS ADULT EDUCATION]
	01 = 1ST GRADE OR ILLITERATE  02 = 2ND GRADE  03 = 3RD GRADE  04 = 4TH GRADE  05 = 5TH GRADE  06 = 6TH GRADE  07 = 7TH GRADE  08 = 8TH GRADE  09 = 9TH GRADE  10 = 10TH GRADE  11 = 11TH GRADE  12 = 12TH GRADE  13 = FRESHMAN  14 = SOPHOMORE  15 = JUNIOR  16 = SENIOR COLLEGE GRADUATE  17 = 1ST YEAR GRADUATE  18 = 2ND YEAR GRADUATE, M.A.  19 = POST M.A. WORK, NOT PH.D.  20 = PH.D., M.D., LL.D.  99 = UNKNOWN
27	CURRENTLY IN SCHOOL:  0 = NO  1 = YES  9 = UNKNOWN
28	NON-STANDARD ADDITIONAL EDUCATION:  [VOCATIONAL, SPECIAL, AND ADULT EDUCATION]  0 = NO NONSTANDARD EDUCATION  1 = PRISON EDUCATION  2 = VOCATIONAL, NONPRISON (BUSINESS, NURSING, ART, ARMED FORCES SCHOOL, SECRETARIAL, BEAUTY, BARBER, MUSIC, ETC.)  3 = ADULT EDUCATION (NONPRISON, NON-VOCATIONAL, FINISHING SCHOOL, NIGHT SCHOOL, HALF-YEAR COLLEGE)  9 = UNKNOWN

COLUMN	CODE
29-30	SUBJECT'S PRIMARY OCCUPATIONAL RATING:
	[ON MARRIED FEMALE HISTORIES, A WIFE WITH NO JOB OF ONE YEAR DURATION IS CALLED UNEMPLOYED]
	00 = NO PRIMARY OCCUPATIONAL RATE BECAUSE HAS ONLY BEEN IN SCHOOL
	02 = CHRONIC UNEMPLOYED OR ON RELIEF 03 = INSTITUTIONALIZED 04 = PENSION
	05 = TEMPORARY ARMY, NO OTHER OCCUPATION (CANNOT BE USED AS A SECONDARY
	OCCUPATION) 10 = CRIMINAL
	20 = UNSKILLED NONFARM
	21 = UNSKILLED FARM LABOR OR POOR FARMER
	30 = SEMISKILLED NONFARM 31 = FARMER - SOME MECHANIZATION BUT FEW OR NO EMPLOYEES
	40 = SKILLED NONFARM
	41 = FARMER - MECHANIZED. HAS EMPLOYEES BUT STILL NOT MAINLY MANAGERIAL.
	50 = LOWER WHITE COLLAR 51 = FARMER (AS CODE 41 EXCEPT MOSTLY ALL
	MANAGERIAL; SMALL TO MODERATE OPERATION) 60 = UPPER WHITE COLLAR
	61 = FARMER (AS CODE 51 EXCEPT A LARGE OPERATION)
	70 = PROFESSIONAL
	80 = EXECUTIVE NONFARM 81 = WEALTHY, HUGE FARM OPERATOR
	90 = KEEPING HOUSE, NOT SERVANT, NONFARM 91 = KEEPING HOUSE, NOT SERVANT, FARM 99 = UNKNOWN
	99 - UNINOWN
31-32	SUBJECT'S SECONDARY OCCUPATIONAL RATING:  CODED AS COLUMNS 29-30 EXCEPT  00 = INAPPLICABLE BECAUSE NONE
33-34	SUBJECT'S TERTIARY OCCUPATIONAL RATING:  CODED AS COLUMNS 29-30 EXCEPT  00 = INAPPLICABLE BECAUSE NONE
35-36	FATHER'S (OR SURROGATE'S) PRIMARY OCCUPATIONAL RATING:
	CODED AS COLUMNS 29-30 EXCEPT  00 = INAPPLICABLE, FATHER NOT KNOWN OR  NO SURROGATE.

COLUMN	CODE
37-38	FATHER'S (OR SURROGATE'S) SECONDARY OCCUPATIONAL RATING:  CODED AS COLUMNS 29-30 EXCEPT  00 = NO DATA RECORDED OR INAPPLICABLE
39-40	MOTHER'S (OR SURROGATE'S) PRIMARY OCCUPATIONAL RATING:  CODED AS COLUMNS 29-30 EXCEPT  00 = NO DATA RECORDED OR INAPPLICABLE
41-42	MOTHER'S (OR SURROGATE'S) SECONDARY OCCUPATIONAL RATING:  CODED AS COLUMNS 29-30 EXCEPT  00 = NO DATA RECORDED OR INAPPLICABLE
[NOTE: CODE 99 DATA]	IN COLUMNS 37-42 MEANS THE SAME AS CODE 00, NO
43-44	HUSBAND'S PRIMARY OCCUPATIONAL RATING:  00 = INAPPLICABLE IF MARRIED AND HUSBAND IS IN SCHOOL ONLY  CODED AS 29-30 EXCEPT 97 = FEMALE HISTORY, UNMARRIED 98 = INAPPLICABLE, MALE HISTORY 99 = UNKNOWN, NO DATA
45-46	HUSBAND'S SECONDARY OCCUPATIONAL RATING:  CODED AS COLUMNS 43-44 EXCEPT  00 = NO DATA, INAPPLICABLE
47	CURRENT TYPE RELIGION:  0 = NO RELIGION  1 = PROTESTANT ORDINARY  2 = PROTESTANT FUNDAMENTALIST  3 = PROTESTANT LIBERALS  4 = CATHOLIC, GREEK CATHOLIC  5 = JEWISH, REFORM  6 = JEWISH, ORTHODOX OR CONSERVATIVE  7 = GREEK ORTHODOX, RUSSIAN, ETC.  8 = NON CHRISTIANS = MUSLIMS, HINDUS, ETC.  9 = UNKNOWN
48	CURRENT RELIGIOUS ATTENDANCE AND/OR DEVOUTNESS  0 = INAPPLICABLE BECAUSE NO RELIGION  1 = ONCE A WEEK OR MORE OR VERY DEVOUT  2 = ONCE A MONTH OR MODERATELY DEVOUT  3 = FEW TIMES A YEAR OR SLIGHTLY DEVOUT  4 = RELIGIOUS, BUT NOT ATTEND OR NOT DEVOUT  9 = UNKNOWN

COLUMN	CODE
49	FORMER MAJOR TYPE RELIGION:
	CODED AS COLUMN 47
50	FORMER RELIGIOUS ATTENDANCE: CODED AS COLUMN 48
51	PLACE OF RESIDENCE WHEN SUBJECT WAS AGE 0-5:  [CODED MAJOR RESIDENCE ONLY]  0 = INAPPLICABLE, AGE NOT REACHED  1 = NORTHEAST  2 = NORTH CENTRAL  3 = PACIFIC (INCLUDED ARE HAWAII & ALASKA)  4 = SOUTH  5 = MOUNTAIN  6 = NON-USA  7 = WANDERER (ANYONE WHO HAS SPENT LESS  THAN 50% OF THE TIME PERIOD IN ONE  GEOGRAPHIC REGION OR FOREIGN AREA)  8 = INAPPLICABLE, INSTITUTIONALIZED  9 = UNKNOWN
52	PLACE OF RESIDENCE WHEN SUBJECT WAS AGE 6-11: CODED AS COLUMN 51
53	PLACE OF RESIDENCE WHEN SUBJECT WAS AGE 12-17: CODED AS COLUMN 51
54	PLACE OF RESIDENCE WHEN SUBJECT WAS AGE 18 AND OLDER: CODED AS COLUMN 51
55	EVER LIVE IN CITY OF 500,000 PLUS POPULATION AS OF 1950 CENSUS (COUNTED NEAR A CITY AS IF IT WERE THE CITY): 1 = YES 2 = NO 9 = UNKNOWN
56	RURAL-URBAN WHEN SUBJECT WAS AGE 0-5:  0 = INAPPLICABLE  1 = TOTALLY RURAL 6 RURAL YEARS  2 = MOSTLY RURAL 4-5 RURAL YEARS  3 = MIXED 2-3 RURAL YEARS  4 = INCIDENTAL RURAL 1 RURAL YEAR  5 = URBAN NO RURAL YEARS  9 = UNKNOWN
57	RURAL-URBAN WHEN SUBJECT WAS AGE 6-11: CODED AS COLUMN 56

COLUMN	CODE
58	RURAL-URBAN WHEN SUBJECT WAS AGE 12-17: CODED AS COLUMN 56
59	RURAL-URBAN WHEN SUBJECT WAS AGE 18 AND OLDER:  0 = INAPPLICABLE, AGE NOT REACHED  1 = TOTALLY RURAL  2 = MOSTLY RURAL  3 = MIXED  4 = INCIDENTAL RURAL  5 = TOTALLY URBAN
60-61	AGE AT FIRST MARRIAGE:
	[COMMON-LAW INCLUDED IF ONE YEAR OR MORE DURATION]
	00 = NEVER MARRIED ACTUAL AGE CODED BLANK = UNKNOWN
62	EVER SEPARATED, DIVORCED, OR WIDOWED:  0 = NEVER MARRIED  1 = NEVER S.D.W.  2 = EVER S.D.W.  9 = UNKNOWN
63	NUMBER OF LEGAL MARRIAGES:  0 = NEVER MARRIED, OR NEVER LEGAL MARRIAGE  1 = ONE  ETC.  9 = NINE
[NOTE: NO UNKNO	
64	NUMBER OF COMMON LAW MARRIAGES:
	[INCLUDED IF ONE YEAR OR MORE]
	CODED AS COLUMN 63 EXCEPT:  0 = NEVER MARRIED, OR NEVER COMMON LAW MARRIAGE
65-66	AGE AT PUBERTY:  ACTUAL AGE CODED  00 = INAPPLICABLE, NOT PUBERTAL 99 = UNKNOWN

### <u>COLUMN</u> <u>CODE</u>

67 INTERVIEWER:

1 = KINSEY

2 = POMEROY

3 = GEBHARD

4 = MARTIN

5 = RAMSEY

6 = GAGNON

7 = CHRISTENSON

8 = BUGBEE

9 = NOWLIS

COLUMN	CODE
1-2	CARD NUMBER:  02 = FEMALE  03 = MALE
3-7	CASE HISTORY NUMBER:
8	PARENTAL OR SURROGATE ECONOMIC STATUS WHEN SUBJECT WAS AGED 14-17:  0 = INAPPLICABLE, SUBJECT WITHOUT PARENTS,
9	SUBJECT'S CURRENT ECONOMIC STATUS:  0 = INAPPLICABLE - (FOR EXAMPLE, A LONG TERM INSTITUTIONALIZATION - MORE THAN « OF YEARS SINCE PUBERTY, AND NO SOURCE OF RATING)  1-9 = CODED AS IN 8 ABOVE
[NOTE:	IF SUBJECT WAS STILL LIVING AT HOME UNDER AGE 18, THEN PARENTS RATING WAS USED]
10-11	AGE OF SUBJECT AT GENETIC FATHER'S DEATH:  00 = INAPPLICABLE, FATHER ALIVE  ACTUAL AGE CODED  98 = FATHER DEAD, SUBJECT'S AGE AT THAT TIME  UNKNOWN  99 = UNKNOWN, NO DATA
12-13	AGE OF SUBJECT AT FIRST FATHER SURROGATE'S DEATH:  CODED AS COLUMNS 10-11 EXCEPT  90 = INAPPLICABLE, NO SURROGATE
[NOTE:	ONLY FIRST SURROGATE IS CODED]
14-15	AGE OF SUBJECT AT GENETIC MOTHER'S DEATH: CODED AS COLUMNS 10-11
16-17	AGE OF SUBJECT AT FIRST MOTHER SURROGATE'S DEATH:  CODED AS COLUMNS 10-11 EXCEPT  90 = INAPPLICABLE, NO SURROGATE

COLUMN	CODE
18-19	AGE OF SUBJECT WHEN GENETIC PARENTS SEPARATED OR DIVORCED:  00 = INAPPLICABLE, PARENTS NEVER SEPARATED OR DIVORCED  ACTUAL AGE CODED  90 = SEPARATED OR DIVORCED BUT AGE UNKNOWN 98 = INAPPLICABLE, GENETIC PARENTS UNMARRIED 99 = UNKNOWN, NO DATA
20-21	AGE OF SUBJECT WHEN SECOND PARENTAL HOME ENDED IN SEPARATION OR DIVORCE: (INCLUDES ANY HUSBAND-WIFE PAIR, MOTHER-STEPFATHER, FATHER-STEPMOTHER, DOUBLE-STEPPARENTS, AUNT-UNCLE, ETC.)
	[IF GENETIC PARENTS NEVER MARRIED AND NEVER LIVED TOGETHER, AND THE SUBJECT WENT INTO A MARRIED HOME AS A BABY (EXAMPLE: AUNT & UNCLE), THIS MARRIED HOME IS COUNTED AS A FIRST HOME - THIS WOULD BE CODED 00 IN THESE TWO COLUMNS IF MARRIED HOME IS INTACT]
	ACTUAL AGE CODED  00 = INAPPLICABLE: ORIGINAL PARENTS NEVER SEPARATED, DIVORCED OR DIED

- SEPARATED, DIVORCED OR DIED
- 80 = INAPPLICABLE: SECOND HOME BROKEN BY DEATH
- 90 = INAPPLICABLE: SECOND HOME INTACT

[INCLUDES: IF THE FIRST HOME IS BROKEN AND THE PARENT TAKES THE SUBJECT INTO A SECOND MARRIED HOME (AUNT & UNCLE, GRANDPARENTS, ETC.) THIS IS COUNTED AS A SECOND HOME]

> 97 = SECOND HOME INTACT, SUBJECT LEAVES FOR THIRD HOME

[IF THE PARENT SHOULD REMARRY (FOR A THIRD TIME OR UNDER THE SITUATION DESCRIBED UNDER THE PRECEDING CODE) IT IS COUNTED AS A THIRD HOME IF THE SUBJECT IS TAKEN INTO THIS HOME]

> 98 = INAPPLICABLE, NO SECOND HOME EXISTED AFTER ORIGINAL HOME BROKEN

[IF SECOND HOME WAS NOT A MARRIED COUPLE, INCLUDES SITUATIONS WHERE SUBJECT LIVED WITH PARENT OR RELATIVE OR RELATIVES; OR WHEN NEW HOME NOT MARITAL, LIVED WITH UNMARRIED RELATIVES]

> 99 = UNKNOWN (NO DATA; DIVORCED, NO AGE GIVEN)

COLUMN	CODE	
22	FAMILY	SITUATION WHEN SUBJECT AGED 0-2 INCLUSIVE:  0 = LIVED WITH FATHER AND MOTHER. GENETIC OR BOTH ADOPTIVE  1 = LIVED WITH FATHER OR MALE SURROGATE ONLY  2 = LIVED WITH MOTHER OR FEMALE SURROGATE ONLY  3 = LIVED WITH FATHER AND SURROGATE MOTHER  4 = LIVED WITH MOTHER AND SURROGATE FATHER  5 = FOSTER HOME, NOT RELATIVES  6 = FOSTER HOME, RELATIVES  7 = INSTITUTIONS (ORPHAN HOME, PRISON, ETC.)  8 = OTHER AND COMPLEX COMBINATIONS (INCLUDE INAPPLICABLE, AGE NOT REACHED)  9 = UNKNOWN
[CODED ON BASIS	OF MAJ	ORITY OF TIME]
23	FAMILY	SITUATION WHEN SUBJECT AGED 3-5 INCLUSIVE: CODED AS COLUMN 22
24	FAMILY	SITUATION WHEN SUBJECT AGED 6-8 INCLUSIVE: CODED AS COLUMN 22
25	FAMILY	SITUATION WHEN SUBJECT AGED 9-11 INCLUSIVE: CODED AS COLUMN 22
26	FAMILY	SITUATION WHEN SUBJECT AGED 12-14 INCLUSIVE: CODED AS COLUMN 22 EXCEPT 9 = INAPPLICABLE (SUBJECT LEFT HOME), AS WELL AS UNKNOWN
27	FAMILY	SITUATION WHEN SUBJECT AGED 15-17 INCLUSIVE: CODED AS COLUMN 22 EXCEPT 9 = INAPPLICABLE (SUBJECT LEFT HOME), AS WELL AS UNKNOWN
		<pre>IF LEFT HOME EARLY;   AT AGE 15 = CODED AS 9   AT AGE 16 = CODED APPROPRIATELY</pre>
[NOTE: COLUMNS	28-31	
AGE		TE AND NATURAL PARENTS EXIST IN THE 14-17 THE ONE WITH THE MAJORITY OF ED
	TIME IS	EQUAL, NATURAL OVER SURROGATE PARENT

- IS USED]
- 3. IF SUBJECT WAS AGE 14 AT INTERVIEW, ADJUSTMENT RATINGS ARE CODED.

COLUMN	CODE
28	INTERPARENTAL (OR SURROGATE) ADJUSTMENT WHEN SUBJECT WAS AGED 14-17: (MARRIED PAIR ONLY)  0 = INAPPLICABLE (NO PARENTS)  1 = BAD  2 = POOR  3 = FAIR  4 = GOOD  8 = AGE NOT REACHED  9 = UNKNOWN
29	SUBJECT'S ADJUSTMENT TO FATHER (OR SURROGATE), SUBJECT WAS AGED 14-17: CODED AS COLUMN 28 EXCEPT 0 = INAPPLICABLE, NO FATHER IN AGE PERIOD
30	SUBJECT'S ADJUSTMENT TO MOTHER (OR SURROGATE), SUBJECT WAS AGED 14-17: CODED AS COLUMN 28 EXCEPT 0 = INAPPLICABLE, NO MOTHER IN AGE PERIOD
31	PARENT (OR SURROGATE) GOT ALONG WITH BETTER,  SUBJECT WAS AGED 14-17:  0 = INAPPLICABLE  1 = SAME  2 = FATHER BETTER  3 = MOTHER BETTER  8 = AGE NOT REACHED  9 = UNKNOWN
32-33	GENETIC FATHER'S AGE WHEN SUBJECT WAS BORN:  ACTUAL AGE CODED  99 = UNKNOWN
34-35	SURROGATE FATHER'S AGE WHEN SUBJECT BORN: CODED AS COLUMNS 32-33 EXCEPT
	00 = INAPPLICABLE
36-37	GENETIC MOTHER'S AGE WHEN SUBJECT BORN: CODED AS COLUMNS 32-33
38-39	SURROGATE MOTHER'S AGE WHEN SUBJECT BORN:
	CODED AS COLUMNS 32-33 EXCEPT 00 = INAPPLICABLE

#### COLUMN CODE 40-41 BIRTHPLACE OF GENETIC FATHER: 00 = UNKNOWN01 = NORTHEAST USA 02 = NORTH CENTRAL USA 03 = PACIFIC USA (INCLUDE ALASKA, HAWAII, GUAM) 04 = SOUTH USA05 = MOUNTAIN USA 06 = USA, REGION UNKNOWN 07 = CANADA (INCLUDE NOVA SCOTIA) 08 = MEXICO09 = CENTRAL AMERICA OTHER THAN MEXICO (INCLUDE CARIBBEAN) 10 = SOUTH AMERICA EUROPE---- 11 = BENELUX (BELGIUM, LUXEMBOURG, HOLLAND) 12 = ENGLAND, SCOTLAND, WALES 13 = FRANCE & SWITZERLAND (INCLUDE ALSACE LORRAINE) 14 = GERMANY & AUSTRIA 15 = IRELAND16 = ITALY & SICILY 17 = POLAND 18 = RUSSIA (INCLUDE LATVIA, LITHUANIA, ESTONIA) 19 = SCANDINAVIA (NORWAY, SWEDEN, FINLAND, DENMARK, ICELAND) 20 = SOUTHEAST EUROPE (CZECHOSLOVAKIA, YUGOSLAVIA, BULGARIA, RUMANIA, HUNGARY, SERBIA, BOSNIA, GREECE, BOHEMIA) 21 = SPAIN & PORTUGAL AFRICA---- 22 = NORTH AFRICA (MOROCCO, ALGERIA, EGYPT, ETC.) 23 = BLACK AFRICA (ALL REST) ASIA---- 24 = CHINA AND FORMOSA 25 = INDIA AND PAKISTAN 26 = JAPAN27 = NEAR EAST (SYRIA, TURKEY, PALESTINE, BESSARABIA, ARMENIA, ISRAEL, ARABIA, IRAQ, IRAN, PERSIA, ETC.) 28 = PHILIPPINES29 = SOUTHEAST ASIA (INDO CHINA, BURMA, ETC.) 30 = AUSTRALIA & NEW ZEALAND, TASMANIA, AND FIJI 31 = OTHERFATHER'S OR SURROGATE FATHER'S RELIGION WAS RECORDED IN THIS AREA PRIOR TO 1/42: 40 = NO RELIGION

41 = PROTESTANT, VERY DEVOUT

42 = PROTESTANT, MODERATELY DEVOUT

CARDS 02 & 03 PAGE 12

COLUMN	CODE
	43 = PROTESTANT, SLIGHTLY DEVOUT 44 = PROTESTANT, NOT DEVOUT 45 = PROTESTANT, DEVOUTNESS UNKNOWN 46 = CATHOLIC, VERY DEVOUT 47 = CATHOLIC, MODERATELY DEVOUT 48 = CATHOLIC, SLIGHTLY DEVOUT 49 = CATHOLIC, NOT DEVOUT 50 = CATHOLIC, DEVOUTNESS UNKNOWN 51 = JEWISH, VERY DEVOUT 52 = JEWISH, MODERATELY DEVOUT 53 = JEWISH, SLIGHTLY DEVOUT 54 = JEWISH, NOT DEVOUT 55 = JEWISH, DEVOUTNESS UNKNOWN 56 = OTHER 99 = UNKNOWN
42	IF GENETIC FATHER FOREIGN BORN, CODE IS THE AGE FATHER  CAME TO USA:  0 = INAPPLICABLE, BORN USA  1 = CHILD = AGE 0-5  2 = CHILD = 6-11  3 = ADOLESCENT = 12-17  4 = YOUNG ADULT = AGE 18-24  5 = YOUNG ADULT = AGE 25-29  6 = ADULT = 30 OR MORE YEARS OLD  8 = INAPPLICABLE, NEVER CAME TO USA  9 = UNKNOWN
43-44	BIRTHPLACE OF GENETIC MOTHER: CODED AS COLUMNS 40-41  MOTHER'S OR SURROGATE RELIGION CODED IN THIS AREA PRIOR TO 1/42: CODED AS COLUMNS 40-41
45	IF GENETIC MOTHER FOREIGN BORN, CODED IS THE AGE MOTHER CAME TO USA:  CODED AS COLUMN 42
46-47	EDUCATION OF FATHER OR SURROGATE (WHICHEVER THE SUBJECT LIVED WITH MOST):  00 = INAPPLICABLE, NO FATHER OR SURROGATE 01 = 1ST GRADE 02 = 2ND GRADE 03 = 3RD GRADE 04 = 4TH GRADE 05 = 5TH GRADE 06 = 6TH GRADE 07 = 7TH GRADE 08 = 8TH GRADE 09 = 9TH GRADE

COLUMN	CODE
	10 = 10TH GRADE 11 = 11TH GRADE 12 = 12TH GRADE 13 = FRESHMAN 14 = SOPHOMORE 15 = JUNIOR 16 = SENIOR COLLEGE GRADUATE 17 = 1ST YEAR GRADUATE 18 = 2ND YEAR GRADUATE M.A. 19 = POST M.A. WORK, NOT PH.D. 20 = PH.D., M.D., LL.D. 99 = UNKNOWN
	[NOT CODED HERE: PRISON EDUCATION VOCATIONAL AND BUSINESS ADULT EDUCATION]
48-49	EDUCATION OF MOTHER OR SURROGATE (WHICHEVER THE SUBJECT LIVED WITH MOST):  CODED AS COLUMNS 46-47
50	NUMBER OF OLDER BROTHERS AND SURROGATES: [ACTUAL NUMBER CODED; NOT COUNTED IF NOT RAISED WITH; OMIT TWIN]  0 = NONE ETC. 8 = EIGHT OR OVER 9 = UNKNOWN
51	NUMBER OF YOUNGER BROTHERS AND SURROGATES: CODED AS COLUMN 50
52	NUMBER OF OLDER SISTERS AND SURROGATES: CODED AS COLUMN 50
53	NUMBER OF YOUNGER SISTERS AND SURROGATES: CODED AS COLUMN 50
54	TWIN STATUS (INCLUDE TRIPLETS, ETC.):  0 = NO TWIN  1 = MALE TWIN  2 = FEMALE TWIN  9 = UNKNOWN

COLUMN	CODE
55	MALE COMPANIONS AT AGE 10-11:  0 = INAPPLICABLE (SEGREGATED BY INSTITUTION OR MARRIED)  1 = NONE  2 = FEW  3 = SOME  4 = MANY  9 = UNKNOWN
56	FEMALE COMPANIONS AT AGE 10-11: CODED AS COLUMN 55
[COLUMNS 57-59:	THIS MUST BE FORMAL SCHOOLING. TO BE TUTORED DOES NOT APPLYCODED AS 0]
57	AGE AT ENTERING HIGH SCHOOL:  0 = INAPPLICABLE 1 = 12 OR YOUNGER 2 = 13 3 = 14 ETC. 8 = 19 OR OLDER 9 = UNKNOWN
58	AGE AT LEAVING SCHOOL (GRADE SCHOOL OR HIGH SCHOOL):  0 = INAPPLICABLE OR IN SCHOOL  CODED AS COLUMN 57
59	TYPE OF HIGH SCHOOL ATTENDED:  0 = INAPPLICABLE  1 = CO-ED  2 = SINGLE SEX  3 = ATTENDED BOTH  9 = UNKNOWN
60	MALE COMPANIONS AT AGE 16-17:  CODED AS COLUMN 55 EXCEPT  8 = AGE NOT REACHED
61	FEMALE COMPANIONS AT AGE 16-17: CODED AS COLUMN 55 EXCEPT 8 = AGE NOT REACHED.

COLUMN	CODE
62-63	AGE SUBJECT LEFT PARENTAL OR SURROGATE HOME:  00 = INAPPLICABLE, HAS NOT LEFT HOME  ACTUAL AGE CODED  90 = LEFT HOME, AGE UNKNOWN (THIS INCLUDES  THOSE WHO ARE LIVING AT HOME CURRENTLY  BUT WHO LEFT AT AN UNKNOWN EARLIER AGE)  99 = UNKNOWN

COLUMN	CODE
1-2	CARD NUMBER: 04 = FEMALE
3-7	CASE HISTORY NUMBER:
8-9	AGE AT PUBERTY:  00 = INAPPLICABLE, NOT PUBERTAL  ACTUAL AGE CODED  [NO UNKNOWNS]
10-11	AGE AT FIRST POSTPUBERTAL SEXUAL AROUSAL IN HETEROSEXUAL CONTACT:  ACTUAL AGE CODED  00 = INAPPLICABLE, NOT PUBERTAL  88 = NEVER AROUSED BY ANY SOURCE, BUT HAD HETEROSEXUAL CONTACT  90 = HETEROSEXUAL CONTACT BUT AROUSAL UNKNOWN  91 = HETEROSEXUAL CONTACT WITHOUT AROUSAL BUT AROUSED FROM OTHER SOURCES  97 = PUBERTAL BUT NEVER HAD HETEROSEXUAL CONTACT  98 = HETEROSEXUAL CONTACT WITH AROUSAL, AGE UNKNOWN  99 = UNKNOWN, NOT ASKED OR NOT RECORDED
12-13	AGE AT FIRST MENSES (AGE IN WHOLE YEARS):  00 = INAPPLICABLE, NOT PUBERTAL  ACTUAL AGE CODED  89 = NEVER MENSTRUATE DUE TO PATHOLOGY  98 = SUBJECT NOT REMEMBER  99 = UNKNOWN, NOT ASKED
14-15	AGE AT FIRST MENSES (ADDITIONAL MONTHS OF AGE):  00 = MONTH OF BIRTHDAY  01 = FIRST MONTH AFTER BIRTHDAY  ETC.  11 = ELEVENTH MONTH AFTER BIRTHDAY  89 = NEVER MENSES DUE TO PATHOLOGY  90 = NO MONTH SPECIFIED  98 = SUBJECT NOT REMEMBER  99 = UNKNOWN, NOT ASKED
16-17	AGE DEVELOPMENT OF PUBIC HAIR:  00 = INAPPLICABLE, NOT PUBERTAL  ACTUAL AGE CODED  89 = PUBERTAL, NO PUBIC HAIR DEVELOPED  98 = SUBJECT NOT REMEMBER  99 = UNKNOWN, NOT ASKED

COLUMN	CODE	
18-19	00 = 1 ACTUA 88 = 1 89 = 0 98 = 3	N ONSET OF GROWTH: INAPPLICABLE, NOT PUBERTAL L AGE CODED NOT STARTED GRADUAL, NO SUDDEN GROWTH SUBJECT NOT REMEMBER UNKNOWN, NOT ASKED
20-21	00 = 3 ACTUA 88 = 3 89 = 0 98 = 3	ETION OF GROWTH: INAPPLICABLE, NOT PUBERTAL L AGE CODED STILL GROWING GRADUAL COMPLETION, NO AGE GIVEN SUBJECT NOT REMEMBER UNKNOWN, NOT ASKED
22-23	00 = 1 ACTUA 89 = 1 98 = 3	NING OF BREAST DEVELOPMENT: INAPPLICABLE, NOT PUBERTAL L AGE CODED PUBERTAL, NO DEVELOPMENT YET SUBJECT NOT REMEMBER UNKNOWN, NOT ASKED
24-25 PEER	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	OF SEX EDUCATION: NEVER KNEW OF UNTIL INTERVIEW FEMALE PEER MALE PEER NONRELATIVE ADULT FEMALE NONRELATIVE ADULT MALE INFORMAL LEARNING IN PRISON FATHER (INCLUDE FOSTER AND STEPFATHER) MOTHER (INCLUDE FOSTER AND STEPMOTHER)
RELAT	22 = 1 23 = 8 24 = 1 25 = 2 26 = 0 27 = 0 28 = 1 29 = 0	BROTHER SISTER UNCLE
EXPER 35-38 USED ON WITH LEARNING OF ERECTION	30 = 1 31 = 3 32 = 1 33 = 3 34 = 2 35 = 1 36 = 6 37 = 6	A COMBINATION CODE.) EXPERIENCE OF BEHAVIOR SAW OR OBSERVED BEHAVIOR BY ANALOGY FROM SEEING ANIMALS THOUGHT IT OUT, DEDUCE APPROACH (ESPECIALLY IN HOMOSEXUALITY) PET (INCLUDE DANCE) COITUS, PREMARITAL COITUS, MARITAL EVENT UNSPECIFIED

#### <u>COLUMN</u> <u>CODE</u>

			PORNOGRAPHY, SEX ACTION PICTURES
	40		BOOK, MAGAZINES, ETC. (INCLUDE HIGH SCHOOL BOOKS)
	11		SEX EDUCATION MATERIALS (SIGNS,
EXPERIENCE	41	_	ETC., ESPECIALLY WITH VENEREAL DISEASE;
AND			ANYTHING VISUAL EXCEPT PORNOGRAPHY
	42	=	WAX MUSEUMS, PUBLIC DISPLAYS
			PUBLIC LECTURES (INCLUDE YMCA, YWCA,
			RADIO, ETC.)
	44		MOVIES OR PLAYS (OTHER THAN SCHOOL
			OR MILITARY SITUATIONS)
L	<b>-</b> 45	=	BIBLE OR OTHER RELIGIOUS BOOKS
	<del>-</del> 50		GRADE SCHOOL (SCIENCE, BIOLOGY, HYGIENE)
	51		HIGH SCHOOL (SCIENCE, BIOLOGY,
	-		HYGIENE)
	52	=	COLLEGE (SCIENCE, BIOLOGY, HYGIENE)
	53	=	MILITARY
	-		ORPHAN'S HOME
FORMAL	55	=	FORMAL RELIGIOUS INSTRUCTION
TRAINING			(INCLUDES CHAPLAIN)
			HI-Y AND OTHER HIGH SCHOOL CLUBS
	57	=	NURSE'S TRAINING (NOT THE SAME
			AS 60; FROM AN MD, RN, OR VET,
	F 0		MEDICAL SCHOOL)
			CAMP LECTURES AND YOUTH GROUPS
			OTHER INSTITUTION
[			DOCTOR, RN, VET SCHOOL TEACHER INFORMAL
ADULTS			MINISTER, PRIEST, SUNDAY SCHOOL
1100110	02		TEACHER
	63	=	GIRL SCOUT LEADER AND CAMP COUNSELORS
L			OVERHEAR ADULTS (INCLUDE PARENTS)
Г	<b>-</b> 70	=	MOTHER AND FATHER
	71	=	BOOK AND FATHER
	72	=	BOOK AND MOTHER
	73	=	PEER AND MOTHER
-			PEER AND FATHER
MIXED TYPES			PEER AND BOOK
			PEER, FATHER, MOTHER
			PEER AND ANIMAL
			PEER PLUS SCHOOL, ANY TYPE
	-		PEER PLUS BROTHER
			PEER PLUS OTHER
			OTHER MIXED TYPES WITHOUT PEERS PEER PLUS SISTER
•			SUBJECT NOT REMEMBER
			UNKNOWN, NOT ASKED
			31.12.3.1., 1.01 1101.11D

COLUMN	CODE
26	CONTRIBUTION OF FATHER (OR SURROGATE) TO SEX KNOWLEDGE:  0 = INAPPLICABLE, NO FATHER IN HOUSEHOLD 1 = NONE 2 = LITTLE 3 = SOME 4 = MUCH 9 = UNKNOWN
27	CONTRIBUTION OF MOTHER (OR SURROGATE) TO SEX KNOWLEDGE:  CODED AS COLUMN 26
FIRST AGE	: AND SOURCE OF SPECIFIC SEX KNOWLEDGE ITEMS
28-29	<pre>INTERCOURSE; AGE:     00 = NEVER KNEW OF UNTIL INTERVIEW ACTUAL AGE CODED.     70 = "YOUNG" ONLY RECORDED     87 = "GRADE SCHOOL" ONLY RECORDED     88 = "HIGH SCHOOL" ONLY RECORDED     89 = "COLLEGE" ONLY RECORDED     98 = UNKNOWN, SUBJECT NOT KNOW     99 = UNKNOWN, NOT ASKED</pre>
30-31	INTERCOURSE; SOURCE: CODED AS COLUMNS 24-25
32-33	PREGNANCY; AGE: CODED AS COLUMNS 28-29
34-35	PREGNANCY; SOURCE: CODED AS COLUMNS 24-25
	CODED SAW OR OBSERVED (31) ONLY IF THE SUBJECT SPECIFICALLY SAW A BIRTH. SAW OR OBSERVE MOTHER PREGNANT WAS CODED AS DEDUCE (33)
36-37	FERTILIZATION; AGE: CODED AS COLUMNS 28-29
38-39	FERTILIZATION; SOURCE:  CODED AS COLUMNS 24-25
40-41	MENSTRUATION; AGE:

CODED AS COLUMNS 28-29

# PUBERTY AND SEX EDUCATION: FEMALE FIRST AGE AND SOURCE OF SPECIFIC SEX KNOWLEDGE ITEMS

FIRST AGE COLUMN	: AND SOURCE OF SPECIFIC SEX KNOWLEDGE ITEMS  CODE
42-43	MENSTRUATION; SOURCE:  CODED AS COLUMNS 24-25  "SAW" IS CODED AS DEDUCE (33), UNLESS SAW  OTHER FEMALE DURING MENSTRUATION
44	MENSTRUATION; RESPONSE TO LEARNING BY EXPERIENCE  (30 CODED IN COLUMNS 42-43):  0 = LEARNED THROUGH OTHER SOURCE  1 = STRONG NEGATIVE RESPONSE (FRIGHT, WORRY, ETC.)  2 = SOME NEGATIVE RESPONSE (EMBARRASSED, ANNOYED, GUILT)  3 = NEUTRAL RESPONSE  4 = ANGER, FURIOUS  5 = BEWILDERED, CONFUSED, WONDER, SURPRISED, SHOCKED)  6 = POSITIVE RESPONSE (PROUD, HAPPY, ETC.)  9 = UNKNOWN
45-46	VENEREAL DISEASE; AGE: CODED AS COLUMNS 28-29
47-48	VENEREAL DISEASE; SOURCE: CODED AS COLUMNS 24-25
49-50	ABORTION; AGE: CODED AS COLUMNS 28-29
51-52	ABORTION; SOURCE:  CODED AS COLUMNS 24-25
53-54	HOMOSEXUALITY; AGE: CODED AS COLUMNS 28-29
55-56	HOMOSEXUALITY; SOURCE:  CODED AS COLUMNS 24-25
57-58	HOMOSEXUAL MALE PROSTITUTION; AGE: CODED AS COLUMNS 28-29
59-60	HOMOSEXUAL MALE PROSTITUTION; SOURCE: CODED AS COLUMNS 24-25
61-62	FEMALE HETEROSEXUAL PROSTITUTION; AGE: CODED AS COLUMNS 28-29
63-64	FEMALE HETEROSEXUAL PROSTITUTION; SOURCE: CODED AS COLUMNS 24-25
65-66	CONDOMS; AGE: CODED AS COLUMNS 28-29

## PUBERTY AND SEX EDUCATION: FEMALE FIRST AGE AND SOURCE OF SPECIFIC SEX KNOWLEDGE ITEMS

FIRST AGE COLUMN	AND SOURCE OF SPECIFIC SEX KNOWLEDGE ITEMS CODE
СОПОНИ	CODE
67-68	CONDOMS; SOURCE: CODED AS COLUMNS 24-25
	CODED "SAW OR OBSERVE" CONDOM AS DEDUCE (33) IF SUBJECT DID NOT SEE SOMEONE PUT CONDOM ON PENIS.
69-70	ERECTION OF PENIS; AGE:  CODED AS COLUMNS 28-29
71-72	ERECTION OF PENIS; SOURCE:  CODED AS COLUMNS 24-25
	THERE CAN BE NO CODE 30 = EVENT OR EXPERIENCE; INCLUDE IN CODE 31 ALL ACCIDENTS OR OBSERVATIONS WHICH ARE NONSEXUAL ON THE PART OF THE SUBJECT
73	GRADE SCHOOL CONTRIBUTION TO SEX KNOWLEDGE:  0 = NEVER ATTENDED  1 = NONE  2 = LITTLE  3 = SOME  4 = MUCH  9 = UNKNOWN
74	HIGH SCHOOL CONTRIBUTION TO SEX KNOWLEDGE:
	CODED AS COLUMN 73
75	CHILDHOOD NUDITY IN THE HOME:  1 = NEVER  2 = SELDOM  3 = OFTEN  4 = USUAL  8 = UNKNOWN, SUBJECT NOT REMEMBER  9 = UNKNOWN, NOT ASKED
76	SLEEPING IN THE NUDE:
	[NONINSTITUTIONAL OR CURRENT RECORD RECORDED ONLY]
	<pre>1 = NEVER 2 = SELDOM 3 = SOMETIMES 4 = USUALLY 5 = ALWAYS 6 = NONE CURRENTLY, BUT FORMERLY 9 = UNKNOWN</pre>

COLUMN	CODE
1-2	CARD NUMBER: 05 = MALE
3-7	CASE HISTORY NUMBER:
8-9	AGE AT PUBERTY:  00 = INAPPLICABLE, NOT PUBERTAL  ACTUAL AGE CODED  NO UNKNOWNS
10-11	AGE FIRST EJACULATION FROM ANY SOURCE:  00 = INAPPLICABLE, NOT PUBERTAL ACTUAL AGE CODED  88 = UNKNOWN  89 = SUBJECT ASKED, NOT REMEMBER  98 = INAPPLICABLE, PUBERTAL, NEVER EJACULATED
12	SOURCE ANY PREPUBERTAL ORGASM:  0 = NEVER PREPUBERTAL ORGASM  1 = MASTURBATION  2 = DREAMS  3 = PETTING  4 = COITUS  5 = HOMOSEXUALITY  6 = ANIMAL  7 = SPONTANEOUS  8 = UNKNOWN  9 = OCCURRED, SOURCE UNKNOWN
13-14	AGE FIRST PREPUBERTAL ORGASM IN MASTURBATION:  00 = NO PREPUBERTAL ORGASM IN MASTURBATION  ACTUAL AGE CODED  88 = UNKNOWN
15-16	AGE FIRST PREPUBERTAL ORGASM IN HETEROSEXUAL CONTACT (PETTING OR COITUS):  00 = NO PREPUBERTAL ORGASM IN HETEROSEXUAL CONTACT ACTUAL AGE CODED  88 = UNKNOWN
17-18	AGE FIRST PREPUBERTAL ORGASM IN HOMOSEXUAL CONTACT:  00 = NO PREPUBERTAL ORGASM IN HOMOSEXUALITY ACTUAL AGE CODED  88 = UNKNOWN

COLUMN	CODE
19	SOURCE FIRST EJACULATION:  0 = NEVER EJACULATED  1 = MASTURBATION  2 = DREAMS  3 = PETTING  4 = COITUS  5 = HOMOSEXUALITY  6 = ANIMAL  7 = SPONTANEOUS  8 = UNKNOWN
20-21	AGE DEVELOPMENT OF PUBIC HAIR:  00 = INAPPLICABLE, NOT PUBERTAL  ACTUAL AGE CODED  88 = UNKNOWN, NOT ASKED  89 = SUBJECT NOT REMEMBER  98 = PUBERTAL, NO PUBIC HAIR DEVELOPED
22-23	AGE AT SUDDEN ONSET OF GROWTH:  00 = INAPPLICABLE, NOT PUBERTAL ACTUAL AGE CODED  88 = UNKNOWN, NOT ASKED  89 = SUBJECT NOT REMEMBER  98 = NO SUDDEN GROWTH, GRADUAL  99 = NOT STARTED GROWING
24-25	AGE AT COMPLETION OF HEIGHT:  00 = INAPPLICABLE, NOT PUBERTAL ACTUAL AGE CODED  88 = UNKNOWN, NOT ASKED  89 = SUBJECT NOT REMEMBER  98 = NO SUDDEN GROWTH, GRADUAL  99 = STILL GROWING OR NOT STARTED
26-27	AGE AT START OF VOICE CHANGE:  00 = INAPPLICABLE, NOT PUBERTAL ACTUAL AGE CODED  88 = UNKNOWN, NOT ASKED  89 = SUBJECT NOT REMEMBER  98 = VOICE NOT CHANGE OR GRADUAL
	SEX EDUCATION
28-29	MAIN SOURCE OF SEX EDUCATION:  00 = NEVER KNEW OF UNTIL INTERVIEW  10 = MALE PEER  11 = FEMALE PEER  PEERS 12 - NONRELATIVE ADULT MALE  13 = NONRELATIVE ADULT FEMALE

# PUBERTY AND SEX EDUCATION: MALE SEX EDUCATION

#### <u>COLUMN</u> <u>CODE</u>

	114 THEODMAL LEADNING IN DRIGON
	L14 = INFORMAL LEARNING IN PRISON
	Γ20 = FATHER (INCLUDE FOSTER AND STEPFATHER)
	21 = MOTHER (INCLUDE FOSTER AND STEPMOTHER)
	22 = BROTHER
	23 = SISTER
RELATIVES	24 = UNCLE
	25 = AUNT
	26 = COUSIN MALE
	27 = COUSIN FEMALE
	28 = WIFE
	29 = OTHER RELATIVES (GRANDMOTHER,
	GRANDFATHER, SISTER-IN-LAW, ETC.)
	Γ <sup>30</sup> = EXPERIENCE OF BEHAVIOR
	31 = SAW OR OBSERVED BEHAVIOR
	32 = BY ANALOGY FROM SEEING ANIMALS
	33 = THOUGHT IT OUT, DEDUCE
	34 = APPROACH, ESPECIALLY IN HOMOSEXUALITY
	(NOT USED ON WHITE MALE EDUCATION
EXPERIENCE	HISTORIES; CODE ADDED LATER)
AND	39 = PORNOGRAPHY, SEX ACTION PICTURES
MEDIA	40 = BOOK AND MAGAZINES
MEDIA	
	41 = SEX EDUCATION MATERIAL (SIGNS, ETC.,
	ESPECIALLY WITH VENEREAL DISEASE)
	42 = WAX MUSEUMS, PUBLIC DISPLAYS
	43 = PUBLIC LECTURES (INCLUDE YMCA, YWCA, ETC.)
	44 = MOVIES OR PLAYS (OTHER THAN IN SCHOOL
	OR MILITARY)
	L <sub>45</sub> = BIBLE OR OTHER RELIGIOUS BOOKS
	$_{\Gamma}$ 50 = GRADE SCHOOL ( SCIENCE, BIOLOGY, HYGIENE)
	51 = HIGH SCHOOL (SCIENCE, BIOLOGY, HYGIENE)
	52 = COLLEGE (SCIENCE, BIOLOGY, HYGIENE)
	53 = MILITARY
	54 = ORPHANS' HOME
FORMAL	55 = FORMAL RELIGIOUS INSTRUCTION
	(INCLUDES CHAPLAIN)
TRAINING	,
	56 = HI-Y AND OTHER HIGH SCHOOL CLUBS
	59 = OTHER INSTITUTION (FORMAL LEARNING IN
	PRISON, POST HIGH SCHOOL TRAINING,
	VOCATIONAL, ETC.)
	$_{\Gamma}$ 60 = DOCTOR, RN, VET.
	61 = SCHOOL TEACHER INFORMAL
ADULTS	62 = MINISTER, PRIEST, SUNDAY SCHOOL TEACHER
	63 = BOY SCOUT LEADER AND CAMP COUNSELORS
	64 = OVERHEAR ADULTS (INCLUDE PARENTS)
	r70 = MOTHER AND FATHER
	71 = BOOK AND FATHER
	72 = BOOK AND MOTHER
	<u> </u>
	73 = PEER AND MOTHER
	74 = PEER AND FATHER
	75 = PEER AND BOOK

# PUBERTY AND SEX EDUCATION: MALE SEX EDUCATION

#### <u>COLUMN</u> <u>CODE</u>

IMPORTA	· ·
30	CONTRIBUTION OF FATHER (OR SURROGATE) TO SEX KNOWLEDGE:  0 = INAPPLICABLE, NO FATHER  1 = NONE  2 = LITTLE  3 = SOME  4 = MUCH  8 = UNKNOWN
31 FIRST AGE	CONTRIBUTION OF MOTHER (OR SURROGATE) TO SEX KNOWLEDGE:  CODED AS COLUMN 30  AND SOURCE OF SPECIFIC SEX KNOWLEDGE ITEMS
32-33	<pre>INTERCOURSE; AGE:     00 = NEVER KNEW OF UNTIL INTERVIEW     ACTUAL AGE CODED     88 = UNKNOWN, NOT ASKED     89 = UNKNOWN, SUBJECT NOT REMEMBER     96 = "COLLEGE" ONLY RECORDED     97 = "YOUNG" ONLY RECORDED     98 = "GRADE SCHOOL" ONLY RECORDED     99 = "HIGH SCHOOL" ONLY RECORDED</pre>
34-35	INTERCOURSE; SOURCE: CODED AS COLUMNS 28-29
36-37	PREGNANCY; AGE: CODED AS COLUMNS 32-33
38-39	PREGNANCY; SOURCE: CODED AS COLUMNS 28-29
	[CODED "SAW OR OBSERVED" AS "DEDUCE" (33) UNLESS THE SUBJECT SPECIFICALLY SAW A BIRTH (= 31); "SAW MOTHER PREGNANT" IS CODED AS A 33]

# PUBERTY AND SEX EDUCATION: MALE FIRST AGE AND SOURCE OF SPECIFIC SEX KNOWLEDGE ITEMS

COLUMN COLUMN	CODE CODE
40-41	FERTILIZATION; AGE: CODED AS COLUMNS 32-33
42-43	FERTILIZATION; SOURCE: CODED AS COLUMN 28-29
44-45	MENSTRUATION; AGE: CODED AS COLUMNS 32-33
46-47	MENSTRUATION; SOURCE:  CODED AS COLUMNS 28-29  [CODED "SAW OR OBSERVED" AS "DEDUCE" (33) UNLESS SAW FEMALE DURING MENSTRUATION]
48-49	VENEREAL DISEASE; AGE: CODED AS COLUMNS 32-33
50-51	VENEREAL DISEASE; SOURCE: CODED AS COLUMNS 28-29
52-53	HOMOSEXUALITY; AGE: CODED AS COLUMNS 32-33
54-55	HOMOSEXUALITY; SOURCE: CODED AS COLUMNS 28-29
56-57	HOMOSEXUAL PROSTITUTION; AGE: CODED AS COLUMNS 32-33
58-59	HOMOSEXUAL PROSTITUTION; SOURCE: CODED AS COLUMNS 28-29
60-61	FEMALE PROSTITUTION; AGE: CODED AS COLUMNS 32-33
62-63	FEMALE PROSTITUTION; SOURCE: CODED AS COLUMNS 28-29
64-65	CONDOMS; AGE: CODED AS COLUMNS 32-33
66-67	CONDOMS; SOURCE: CODED AS COLUMNS 28-29
	[CODED "SAW OR OBSERVE" AS "DEDUCE" (33) IF SUBJECT DID NOT SEE SOMEONE PUT CONDOM ON PENIS]

# PUBERTY AND SEX EDUCATION: MALE FIRST AGE AND SOURCE OF SPECIFIC SEX KNOWLEDGE ITEMS

COLUMN	CODE
68	GRADE SCHOOL CONTRIBUTION TO SEX KNOWLEDGE:  0 = NEVER ATTENDED  1 = NONE  2 = LITTLE  3 = SOME  4 = MUCH  8 = UNKNOWN
69	HIGH SCHOOL CONTRIBUTION TO SEX KNOWLEDGE: CODED AS COLUMN 68
70	CHILDHOOD NUDITY IN THE HOME:  1 = NEVER 2 = SELDOM 3 = OFTEN 4 = USUAL 8 = UNKNOWN 9 = UNKNOWN, SUBJECT NOT REMEMBER
71	SLEEPING IN THE NUDE: 1 = NEVER
	AL 2 = SELDOM  RD 3 = SOMETIMES  4 = USUALLY  5 = ALWAYS  8 = UNKNOWN

COLUMN	CODE
1-2	CARD NUMBER: 06 = FEMALE
3-7	CASE HISTORY NUMBER:
8	SEXUALLY AROUSED; THINKING OF MALE(S):  1 = NONE 2 = LITTLE 3 = SOME 4 = MUCH 5 = NONE NOW, FORMERLY MORE 6 = LITTLE NOW, FORMERLY MORE 7 = SOME NOW, FORMERLY MUCH 8 = NONE PLUS COMMENT; OFFEND, MORAL, DISGUST, ETC. 9 = UNKNOWN
9-10	AGE FIRST SEXUAL AROUSAL; THINKING OF OR SEEING MALE(S):  00 = NEVER AROUSED ACTUAL AGE CODED 90 = "YOUNG" RECORDED ONLY 98 = AROUSED, AGE UNKNOWN 99 = UNKNOWN
11	SEXUAL AROUSAL; THINKING OF FEMALE(S): CODED AS COLUMN 8
12	SEXUAL AROUSAL; SEEING MALE(S):
	CODED AS COLUMN 8
13	SEXUAL AROUSAL; SEEING MALE GENITALIA:  0 = NEVER SEEN, HEARD, ETC.  1 = NONE  2 = LITTLE  3 = SOME  4 = MUCH  5 = NONE NOW, FORMERLY MORE  6 = LITTLE NOW, FORMERLY MORE  7 = SOME NOW, FORMERLY MUCH  8 = NONE PLUS COMMENT; OFFEND, MORAL,  DISGUST, ETC.  9 = UNKNOWN
14	SEXUAL AROUSAL; SEEING NUDE PICTURES OF MALES: CODED AS COLUMN 13
15	SEXUAL AROUSAL; SEEING NUDE PICTURES OF FEMALES: CODED AS COLUMN 13

COLUMN	CODE
16	SEXUAL AROUSAL; SEEING BURLESQUE SHOWS: CODED AS COLUMN 13
17	SEXUAL AROUSAL; SEEING LEGITIMATE MOVIES: CODED AS COLUMN 13
18	SEXUAL AROUSAL; SEEING SEX ACTION PICTURES: CODED AS COLUMN 13
19	POSSESSION OF SEXUAL ACTION PICTURES OR PHOTOGRAPHS:  1 = NEVER POSSESSED  2 = LITTLE, EVER  3 = SOME, EVER  4 = MUCH, EVER  9 = UNKNOWN
20	SEXUAL AROUSAL; HEARING RISQUE STORIES, DIRTY JOKES, ETC.:  CODED AS COLUMN 13
21	SEXUAL AROUSAL; READING EROTIC PASSAGE IN LEGITIMATE LITERATURE:  CODED AS COLUMN 13
22	SEXUAL AROUSAL; LISTENING TO MUSIC: CODED AS COLUMN 8
23	SEXUAL AROUSAL; TYPE OF MUSIC:  0 = NOT AROUSED (1 IN COLUMN 22)  1 = RHYTHM (IF OTHER MUSIC IS MENTIONED, RHYTHM TAKES PRECEDENCE - INCLUDE DRUMS)  2 = POPULAR AND SEMI-CLASSICAL MUSIC  3 = CLASSICAL MUSIC  4 = BOTH 2 AND 3  5 = AROUSED, UNKNOWN TYPE  9 = UNKNOWN (USED ONLY IF COLUMN 21 IS UNKNOWN)
24	SEXUAL AROUSAL; USE OF ALCOHOL:  0 = DOES NOT DRINK  1 = NONE  2 = SLIGHT  3 = MODERATE  4 = STRONG  5 = NONE NOW, FORMERLY MORE  6 = SLIGHT NOW, FORMERLY MORE  7 = MODERATE NOW, FORMERLY STRONG  8 = NO AROUSAL BUT LOWERS INHIBITIONS  9 = UNKNOWN

COLUMN	CODE
25	SEXUAL AROUSAL; DANCING WITH MALES:  0 = DOES NOT DANCE  CODED AS COLUMN 13
26	SEXUAL AROUSAL; DANCING WITH FEMALES: CODED AS COLUMN 13
27	SEXUAL AROUSAL; BY MOTION:  1 = NEVER 2 = EVER 9 = UNKNOWN
28	SEXUAL AROUSAL; SEEING NUDE SELF IN MIRROR:  CODED AS COLUMN 13 FOR COLLEGE-EDUCATED  FEMALES, OTHERWISE CODED AS COLUMN 8
29	SEXUAL AROUSAL; SEEING FEMALES: CODED AS COLUMN 8
30-31	SEXUAL AROUSAL; AGE FIRST AROUSAL FROM SEEING OR THINKING OF FEMALES:  00 = NEVER AROUSED  ACTUAL AGE CODED  90 = "YOUNG" RECORDED ONLY  98 = AROUSED, AGE UNKNOWN  99 = UNKNOWN
32	SEXUAL AROUSAL; SEEING OTHER FEMALES' BREASTS:  0 = NEVER SEEN  1 = NONE  2 = LITTLE  3 = SOME  4 = MUCH  5 = NONE NOW, FORMERLY MORE  6 = LITTLE NOW, FORMERLY MORE  7 = SOME NOW, FORMERLY MUCH  8 = NEVER PLUS COMMENT AS DISGUST, MORAL, OFFEND, ETC.  9 = UNKNOWN
33	SEXUAL AROUSAL; SEEING FEMALE BUTTOCKS: CODED AS COLUMN 32
34	SUBJECT BITING DURING SEXUAL ACTIVITY: CODED AS COLUMN 32
35 AROUSAL	SUBJECT BITTEN DURING SEXUAL ACTIVITY:  0 = NEVER BITTEN  1 = GENTLY AND/OR SELDOM  NKNOWN 2 = SOMETIMES 3 = HARD AND/OR OFTEN

COLUMN	CODE	
NOT AROUSED  AROUSED	4 = GENTLY AND/OR SELDOM 5 = SOMETIMES 6 = HARD AND/OR OFTEN 7 = GENTLY AND/OR SELDOM 8 = SOMETIMES 9 = HARD AND/OR OFTEN BLANK = UNKNOWN	
36	SEXUAL AROUSAL; SADOMASOCHISTIC LITERATURE OR PICTURES:.  CODED AS COLUMN 32	
37	SEXUAL AROUSAL; SEEING OTHER ANIMALS IN COITUS: CODED AS COLUMN 32	
PHYSICAL DATA		
38-39	AGE HYMEN BROKEN:  00 = NOT BROKEN AT REPORT  ACTUAL AGE CODED  87 = "GRADE SCHOOL" ONLY REPORTED  88 = "HIGH SCHOOL" ONLY REPORTED  89 = "COLLEGE" ONLY REPORTED  90 = "YOUNG" RECORDED ONLY  97 = BROKEN, AGE UNKNOWN  98 = SUBJECT NOT KNOW  99 = UNKNOWN, NOT ASKED	
40	SOURCE HYMEN BROKEN:  0 = NOT BROKEN  1 = COITUS  2 = PET  3 = HOMOSEXUAL  4 = ACCIDENT OR SPORTS (ALL TYPES, INCLUDED IS HORSEBACK RIDING)  5 = SELF DELIBERATE STRETCHING  6 = SURGERY OR STRETCHED  7 = TAMPON (NOT INCLUDED HERE IF USED TAMPON TO STRETCH)  8 = OTHER (INCLUDES MASTURBATION INSERTION)  9 = UNKNOWN	
41	USE OF TAMPONS FOR MENSTRUAL FLOW:  1 = NEVER 2 = TRY ONLY 3 = EVER	

9 = UNKNOWN, NOT ASKED

	PHYSICAL DATA
COLUMN	CODE
42	AMOUNT OF VAGINAL LUBRICATION WHEN SEXUALLY AROUSED (CURRENT DATA):  1 = NONE ("DRY")  2 = LITTLE (VERY SMALL AMOUNT, SOME DRYNESS)  3 = SOME  4 = AVERAGE  5 = MUCH ("ALL WET")  8 = SUBJECT NOT KNOW  9 = UNKNOWN, NOT ASKED
43-44	WHEN MOST AROUSABLE IN MENSTRUAL CYCLE (WHEN MOST VAGINAL LUBRICATION):  00 = NO PERIODICITY (CAN MEAN ALWAYS OR NEVER)  11 = BEFORE  12 = AFTER  13 = MIDDLE  14 = DURING  21 = BEFORE AND AFTER  22 = BEFORE AND MIDDLE  23 = BEFORE AND DURING  24 = AFTER AND MIDDLE  25 = AFTER AND DURING  26 = MIDDLE AND DURING  31 = BEFORE AND AFTER AND MIDDLE  32 = BEFORE AND AFTER AND DURING  33 = BEFORE AND AFTER AND DURING  34 = AFTER AND DURING AND MIDDLE  35 = AFTER AND DURING AND MIDDLE  36 = SUBJECT NOT KNOW  37 = SUBJECT NOT KNOW  38 = SUBJECT NOT ASKED
45	EVER GONORRHEA OR SYPHILIS:  0 = NEVER EITHER  1 = EVER SYPHILIS ONLY  2 = EVER GONORRHEA ONLY  3 = BOTH SYPHILIS AND GONORRHEA  4 = EVER SYPHILIS, GONORRHEA UNKNOWN  5 = EVER GONORRHEA, SYPHILIS UNKNOWN  8 = UNKNOWN, SUBJECT NOT REMEMBER  9 = UNKNOWN, NOT ASKED

	PHYSICAL DATA
COLUMN	CODE
46	CURRENT REGULARITY OF MENSTRUAL CYCLE:  1 = VERY IRREGULAR 2 = IRREGULAR 3 = SOMEWHAT REGULAR 4 = REGULAR 5 = NO CURRENT MENSES = POST MENOPAUSE 6 = NO CURRENT MENSES = PREPUBERTAL 7 = NO CURRENT MENSES = PATHOLOGY
47	FORMER REGULARITY OF MENSTRUAL CYCLE:  0 = NO FORMER DATA  1 = VERY IRREGULAR  2 = IRREGULAR  3 = SOMEWHAT REGULAR  4 = REGULAR  6 = NO CURRENT MENSES = PREPUBERTAL  7 = NO FORMER MENSES = PATHOLOGY  8 = NO FORMER MENSES, DUE TO PSYCHOLOGICAL REASON  9 = UNKNOWN, SUBJECT NOT REMEMBER
48-49	CURRENT AVERAGE LENGTH OF MENSTRUAL CYCLE (IN DAYS):  BLANK = NOT MENSTRUATING  01 = NO AVERAGE GIVEN, ONLY RANGE  ACTUAL NUMBER CODED  97 = 97 OR MORE DAYS  99 = UNKNOWN, NO CYCLE LENGTH ASKED
50-51	CURRENT MINIMUM RANGE OF MENSTRUAL CYCLE (IN DAYS):  BLANK = NOT MENSTRUATING  01 = NO RANGE GIVEN, ONLY AVERAGE  ACTUAL NUMBER CODED  97 = 97 OR MORE DAYS  98 = NO MINIMUM RANGE GIVEN  99 = UNKNOWN, NO CYCLE LENGTH ASKED
52-53	CURRENT MAXIMUM RANGE OF MENSTRUAL CYCLE (IN DAYS):  BLANK = NOT MENSTRUATING  01 = NO RANGE GIVEN, ONLY AVERAGE  ACTUAL NUMBER CODED  97 = 97 OR MORE DAYS  98 = NO MAXIMUM RANGE GIVEN  99 = UNKNOWN, NO CYCLE LENGTH ASKED

	PHYSICAL DATA
COLUMN	CODE
54-55	FORMER AVERAGE LENGTH OF MENSTRUAL CYCLE (IN DAYS):
	BLANK = NO FORMER DATA 01 = NO AVERAGE GIVEN, ONLY RANGE
	ACTUAL NUMBER CODED
	97 = 97 OR MORE DAYS
	99 = UNKNOWN, NO CYCLE LENGTH ASKED
56-57	FORMER MINIMUM RANGE OF MENSTRUAL CYCLE (IN DAYS):
	BLANK = NO FORMER DATA
	01 = NO FORMER RANGE GIVEN, ONLY FORMER AVERAGE ACTUAL NUMBER CODED
	97 = 97 OR MORE DAYS
	98 = NO FORMER MINIMUM RANGE GIVEN, ONLY
	MAXIMUM 99 = UNKNOWN, NO CYCLE LENGTH ASKED
	99 - UNKNOWN, NO CICLE LENGIR ASKED
58-59	FORMER MAXIMUM RANGE OF MENSTRUAL CYCLE (IN DAYS):
	BLANK = NO FORMER DATA 01 = NO FORMER RANGE GIVEN, ONLY FORMER
	AVERAGE
	ACTUAL NUMBER CODED
	97 = 97 OR MORE DAYS 98 = NO FORMER MAXIMUM RANGE GIVEN, ONLY
	MINIMUM
	99 = UNKNOWN, NO CYCLE LENGTH ASKED
60-61	CURRENT LENGTH OF MENSTRUAL FLOW (IN DAYS):
	00 = NOT MENSTRUATING
	01 = AVERAGE = 1 DAY 02 = AVERAGE = 2 DAYS
	03 = AVERAGE = 3 DAYS
	04 = AVERAGE = 4 DAYS
	05 = AVERAGE = 5 DAYS
	06 = AVERAGE = 6 DAYS
	07 = AVERAGE = 7 DAYS
	08 = AVERAGE = 8 DAYS
	09 = AVERAGE = 9 DAYS 10 = AVERAGE = 10 DAYS
	11 = AVERAGE = 11 DAYS
	12-19 = MINIMUM = 1 DAY, MAXIMUM = 2-9 DAYS
	23-29 = MINIMUM = 2 DAYS, MAXIMUM = 3-9 DAYS
	34-39 = MINIMUM = 3 DAYS, MAXIMUM = 4-9 DAYS 45-49 = MINIMUM = 4 DAYS, MAXIMUM = 5-9 DAYS
	56-59 = MINIMUM = 5 DAYS, MAXIMUM = 6-9 DAYS
	67-69 = MINIMUM = 6 DAYS, MAXIMUM = 7-9 DAYS
	78-79 = MINIMUM = 7 DAYS, MAXIMUM = 8-9 DAYS
	89 = MINIMUM = 8 DAYS, MAXIMUM = 9 DAYS 90 = MINIMUM > 9 DAYS, MAXIMUM > 9 DAYS
	91 = MINIMUM < 9 DAYS, MAXIMUM > 9 DAYS
	99 = UNKNOWN

	PHYSICAL DATA
COLUMN	CODE
62-63	FORMER LENGTH OF MENSTRUAL FLOW:  CODED AS COLUMN 60-61 EXCEPT  00 = NO FORMER DATA
64	CURRENT PAIN DURING MENSES:  0 = NOT MENSTRUATING  1 = NONE  2 = LITTLE  3 = SOME  4 = MUCH  9 = UNKNOWN
65	FORMER PAIN DURING MENSES:  CODED AS COLUMN 64 EXCEPT  0 = NO FORMER DATA
66	CURRENT DURATION OF PAIN:  0 = NO PAIN OR NOT MENSTRUATING  1 = 1 DAY  ETC.  8 = 8 OR MORE DAYS  9 = UNKNOWN
67	FORMER DURATION OF PAIN:  CODED AS COLUMN 66 EXCEPT  0 = NO FORMER DATA
68-69	AGE AT ONSET OF MENOPAUSE:  BLANK = NO MENOPAUSE  ACTUAL AGE CODED  88 = NEVER MENSTRUATION  98 = SUBJECT NOT REMEMBER  99 = UNKNOWN
70-71	COMPLETION AGE OF MENOPAUSE:  BLANK = NO MENOPAUSE  10 = NOT COMPLETED  ACTUAL AGE CODED  88 = NEVER MENSTRUATED  98 = SUBJECT NOT REMEMBER  99 = UNKNOWN
72	REASON FOR MENOPAUSE:  BLANK = NO MENOPAUSE  0 = NEVER MENSTRUATE  1 = NATURAL AGING  2 = SURGERY  3 = RADIATION  4 = ENDOCRINE PATHOLOGY  8 = OTHER  9 = UNKNOWN

	PHYSICAL DATA
COLUMN	CODE
73-74	CURRENT HEIGHT IN INCHES:  54 = 4'6" = 54"  55 = 4'7" = 55"  ETC.  60 = 5'0" = 60"  ETC.  72 = 6'0" = 72"  ETC.  99 = UNKNOWN
75-76	CURRENT WEIGHT IN POUNDS:  08 = 80-89  09 = 90-99  10 = 100-109  11 = 110-119  12 = 120-129  ETC.  20 = 200-209  21 = 210-219  ETC.  99 = UNKNOWN
77-78	HEAVIEST WEIGHT EVER:  CODED AS COLUMNS 75-76 EXCEPT  80 = SAME WEIGHT AS CURRENT WEIGHT
79-80	AGE AT HEAVIEST WEIGHT:  ACTUAL AGE CODED  80 = SAME AGE AS CURRENT WEIGHT  87 = "GRADE SCHOOL" ONLY REPORTED  88 = "HIGH SCHOOL" ONLY REPORTED  89 = "COLLEGE" ONLY REPORTED  99 = UNKNOWN

COLUMN	CODE
1-2	CARD NUMBER: 07 = MALE
3-7	CASE HISTORY NUMBER:
8	SEXUALLY AROUSED; THINKING OF FEMALES:  1 = NONE  2 = LITTLE  3 = SOME  4 = MUCH  5 = NONE NOW, FORMERLY MORE  6 = LITTLE NOW, FORMERLY MORE  7 = SOME NOW, FORMERLY MORE  8 = NONE PLUS COMMENT; OFFEND, MORAL,  DISGUST, ETC.  9 = UNKNOWN
9-10	AGE FIRST SEXUAL AROUSAL; THINKING OR SEEING FEMALES:  00 = NEVER AROUSED ACTUAL AGE CODED 90 = "YOUNG" RECORDED ONLY 98 = AROUSED, AGE UNKNOWN 99 = UNKNOWN
11	SEXUAL AROUSAL; THINKING OF MALES:  CODED SAME AS COLUMN 8
12	SEXUAL AROUSAL; SEEING FEMALES: CODED SAME AS COLUMN 8
13	SEXUAL AROUSAL; SEEING NUDE PICTURES OF FEMALES:  0 = NEVER SEEN, HEARD, ETC.  1 = NONE  2 = LITTLE  3 = SOME  4 = MUCH  5 = NONE NOW, FORMERLY MORE  6 = LITTLE NOW, FORMERLY MORE  7 = SOME NOW, FORMERLY MORE  8 = NONE PLUS COMMENT; OFFEND, MORAL,  DISGUST, ETC.  9 = UNKNOWN
14	SEXUAL AROUSAL; SEEING NUDE PICTURES OF MALES: CODED SAME AS COLUMN 13
15	SEXUAL AROUSAL; SEEING BURLESQUE SHOWS: CODED SAME AS COLUMN 13

COLUMN	CODE
16	SEXUAL AROUSAL; SEEING LEGITIMATE MOVIES: CODED SAME AS COLUMN 13
17	SEXUAL AROUSAL; SEEING SEX ACTION PICTURES: CODED SAME AS COLUMN 13
18	POSSESSION OF SEXUAL ACTION PICTURES OR PHOTOGRAPHS:  1 = NEVER POSSESSED 2 = POSSESSED LITTLE, EVER 3 = POSSESSED SOME, EVER 4 = POSSESSED MUCH, EVER 9 = UNKNOWN
19	SEXUAL AROUSAL; HEARING RISQU E STORIES, DIRTY JOKES, ETC.:  CODED SAME AS COLUMN 13
20	SEXUAL AROUSAL; READING EROTIC PASSAGES IN LEGITIMATE LITERATURE:  CODED SAME AS COLUMN 13
21	SEXUAL AROUSAL; LISTENING TO MUSIC: CODED SAME AS COLUMN 8
22	SEXUAL AROUSAL; TYPE OF MUSIC:  0 = NOT AROUSED  1 = RHYTHM, INCLUDING DRUMS (IF OTHER MUSIC
23	SEXUAL AROUSAL; USE OF ALCOHOL:  0 = DOES NOT DRINK  1 = NONE  2 = SLIGHT  3 = MODERATE  4 = STRONG  5 = NONE NOW, FORMERLY MORE  6 = SLIGHT NOW, FORMERLY MORE  7 = MODERATE NOW, FORMERLY STRONG  8 = NO AROUSAL, BUT LOWERS INHIBITIONS  9 = UNKNOWN

COLUMN	CODE
24	SEXUAL AROUSAL; DANCING WITH FEMALES: CODED SAME AS COLUMN 13
25	SEXUAL AROUSAL; DANCING WITH MALES: CODED SAME AS COLUMN 13
26	SEXUAL AROUSAL; BEING IN MOTION (RIDING ON TRAIN, IN CAR, ETC.):  1 = NEVER 2 = EVER 9 = UNKNOWN
27	SEXUAL AROUSAL; SEEING NUDE SELF IN MIRROR: CODED SAME AS COLUMN 13
28	LOOKING AT GENITALIA DURING MASTURBATION: CODED SAME AS COLUMN 13
29	SEXUAL AROUSAL; SEEING MALES: CODED SAME AS COLUMN 8
30-31	SEXUAL AROUSAL; AGE FIRST AROUSAL FROM THINKING OF OR SEEING MALES:  00 = NEVER AROUSED ACTUAL AGE CODED 90 = "YOUNG" RECORDED ONLY 98 = AROUSED, AGE UNKNOWN 99 = UNKNOWN
32	SEXUAL AROUSAL; SEEING ANOTHER MALE'S ERECT PENIS:  0 = NEVER SEEN  1 = NONE  2 = LITTLE  3 = SOME  4 = MUCH  5 = NONE NOW, FORMERLY MORE  6 = LITTLE NOW, FORMERLY MORE  7 = SOME NOW, FORMERLY MORE  8 = NONE PLUS COMMENT; OFFEND, MORAL,  DISGUST, ETC.  9 = UNKNOWN
33	SEXUAL AROUSAL; SEEING MALE BUTTOCKS: CODED SAME AS COLUMN 32
34	SUBJECT BITING PARTNER DURING SEXUAL ACTIVITY: CODED SAME AS COLUMN 13

COLUMN	CODE	
AROUSAL UNK	SUBJECT AROUSED WHEN BITTEN DURING SEXUAL ACTIVITY  0 = NEVER BITTEN  1 = GENTLY AND/OR SELDOM  2 = SOMETIMES  3 = HARD AND/OR OFTEN  4 = GENTLY AND/OR SELDOM  5 = SOMETIMES  6 = HARD AND/OR OFTEN  7 = GENTLY AND/OR SELDOM  8 = SOMETIMES  9 = HARD AND/OR OFTEN  BLANK = UNKNOWN	ſ:
	SEXUAL AROUSAL; SADOMASOCHISTIC LITERATURE OR PICTURES:  CODED SAME AS COLUMN 32	
37	SEXUAL AROUSAL; SEEING OTHER ANIMALS IN COITUS:  CODED SAME AS COLUMN 32	
	PHYSICAL DATA	
DATA	88-47: NIS REMOVED BY SURGERY FOR ANY REASON, FORMER WAS USED RACTIONS WERE ROUNDED DOWN, I.E., 1/3"=>.25"]	
38-39	CRECT PENIS LENGTH; ESTIMATED:	
	COLUMN 38 = INCHES COLUMN 39 = FRACTIONS	
	1 = 1" 0 = NO FRACTION 2 = 2" 1 = .25" = 1/4" 3 = 3" 2 = .50" = 1/2" ETC. 3 = .75" = 3/4" 0 = 10" 9 = UNKNOWN 9 = UNKNOWN	
40-41	FLACCID PENIS LENGTH; MEASURED:  CODED SAME AS COLUMNS 38-39 EXCEPT  98 = COLUMNS 40-47 UNKNOWN	
42-43	CRECT PENIS LENGTH; MEASURED:  CODED SAME AS COLUMNS 40-41	
44-45	CLACCID PENIS CIRCUMFERENCE; MEASURED: CODED SAME AS COLUMNS 40-41	

	PHYSICAL DATA
COLUMN	CODE
46-47	ERECT PENIS CIRCUMFERENCE; MEASURED: CODED SAME AS COLUMNS 40-41
48	LONGEST CONTINUOUS ERECTION IN SOCIO-SEXUAL ACTIVITY:  0 = NONE  1 = \( \leq \) MINUTES  2 = 6-15 MINUTES  3 = 16-30 MINUTES  4 = 31-60 MINUTES  5 = 61-120 MINUTES  6 = 121-180 MINUTES  7 = 181 MINUTES OR MORE  8 = SUBJECT NOT REMEMBER  9 = UNKNOWN
49	IMPOTENCE (ERECTILE AND EJACULATORY) WITH VAGINAL COITUS:
	<pre>0 = INAPPLICABLE, NO COITUS 1 = NEVER IMPOTENT</pre>
	1 = NEVER IMPOTENT 2 = INCIDENTAL IMPOTENCE (CAUSED BY DRINK,
	FATIGUE, ETC.)
	3 = MORE THAN INCIDENTAL IMPOTENCE 9 = UNKNOWN
	J ONIMONIA
50	CURRENT FREQUENCY OF MORNING ERECTIONS:
	0 = NONE 1 = 1/YEAR TO LESS THAN 1/MONTH
	2 = 1/MONTH TO LESS THAN 1/WEEK
	OUT OF 3 = 1/WEEK TO LESS THAN 3/WEEK
PRISON CODED ON	LY 4 = 3/WEEK TO LESS THAN 5/WEEK 5 = 5/WEEK TO 7/WEEK
	6 = SELDOM
	7 = OCCASIONALLY 8 = OFTEN
	9 = UNKNOWN
51-52	CIRCUMCISION: 00 = NOT CIRCUMCISED
	ACTUAL AGE CODED
	80 = AS A BABY
	90 = "YOUNG" (AGE 5 OR YOUNGER) 97 = CIRCUMCISED, AGE UNKNOWN
	98 = SUBJECT DOES NOT REMEMBER
	99 = UNKNOWN
53	FORESKIN COVERAGE OF PENIS (CURRENT DATA):.
	0 = NO COVERAGE IN COMPLETELY CIRCUMCISED MALES
	1 = NO COVERAGE IN UNCIRCUMCISED OR PARTIALLY
	CIRCUMCISED MALES 2 = BARELY OVER CORONA

COLUMN	CODE	PHYSICAL DATA
	4 5	= ONLY TIP SHOWS = COMPLETELY COVERS = COMPLETELY COVERS AND EXTENDS BEYOND = UNKNOWN
54	0 1 2 3 4	<pre>(CURRENT DATA): = EASILY RETRACTABLE, COMPLETELY CIRCUMCISED = EASILY RETRACTABLE, UNCIRCUMCISED OR    PARTIALLY CIRCUMCISED = RETRACTABLE WITH A LITTLE DIFFICULTY = RETRACTABLE WITH DIFFICULTY = NOT RETRACTABLE = UNKNOWN</pre>
55	1	OF MEATUS ON PENIS: = LOCATED AT TIP = LOCATED ON LOWER EDGE OF HEAD
	HYPOSPADIA 4	= LOCATED AT BACK LOWER EDGE OF HEAD = LOCATED OFF THE HEAD = HYPOSPADIA, LOCATION UNKNOWN = UNKNOWN
56	1 2 3 4 5	F PRE-EJACULATORY MUCUS (CURRENT DATA):  = NONE  = LITTLE (DROP OR TWO)  = SOME (FEW DROPS, ENOUGH TO COVER HEAD)  = AVERAGE (ENOUGH TO DRIP OR SPOT)  = MUCH (FLOW)  = UNKNOWN
57	1 2 3 4 5 6 7 8	F TESTES IN SCROTAL SAC:  = TWO  = ONE, SURGICAL REMOVAL OF ONE  = ONE, ONE UNDESCENDED  = ONE, ONE ATROPHIED  = NONE, TWO SURGICALLY REMOVED  = NONE, TWO UNDESCENDED  = NONE, TWO ATROPHIED  = THREE TESTES  = UNKNOWN
58	1 2 3 4	STES HANGS LOWER IN SCROTAL SAC:  = RIGHT  = LEFT  = EQUAL  = DOES NOT APPLY: ONE OR BOTH TESTES REMOVED, OR THREE TESTES, OR ONE, OR BOTH UNDESCENDED  = UNKNOWN

COLUMN CODE

[NOTE: COLUMNS 59-62: IF TESTICULAR PATHOLOGY OCCURRED MORE THAN ONCE, FIRST EXPERIENCE IS CODED AND THEN IT IS CODED A 3 OR 4 IN COLUMN 60]

59 REASON FOR FIRST SWELLING:

BLANK = NEVER TESTICULAR PATHOLOGY (COLUMNS

59-62 ARE BLANK)

r1 = MUMPS

SWOLLEN 2 = GONORRHEA

 $L_3 = INJURY$ 

NO NECESSARY CARTER SWELLING LATER TO THE STATE OF THE ST

 $_{\Gamma}6$  = OTHER CAUSE

SWOLLEN L8 = SWOLLEN, CAUSE UNKNOWN

9 = UNKNOWN

NUMBER OF TESTES INVOLVED AND NUMBER OF TIMES

SWELLING HAS OCCURRED:

BLANK = NEVER TESTICULAR PATHOLOGY

0 = TESTICULAR PATHOLOGY BUT NO SWELLING

1 = ONE, ONE TIME

2 = TWO, ONE TIME

3 = ONE, MORE THAN ONCE

4 = TWO, MORE THAN ONCE

9 = UNKNOWN

61-62 AGE AT FIRST SWELLING:

BLANK = NEVER TESTICULAR PATHOLOGY

00 = TESTICULAR PATHOLOGY BUT NO SWELLING

ACTUAL AGE CODED

90 = "YOUNG" RECORDED ONLY (AGE 5 OR YOUNGER)

98 = SWOLLEN, AGE UNKNOWN

99 = UNKNOWN

63 EVER GONORRHEA OR SYPHILIS:

0 = NEVER GONORRHEA OR SYPHILIS

1 = EVER SYPHILIS, NEVER GONORRHEA

2 = EVER GONORRHEA, NEVER SYPHILIS

3 = BOTH SYPHILIS AND GONORRHEA

4 = EVER SYPHILIS, GONORRHEA UNKNOWN

5 = EVER GONORRHEA, SYPHILIS UNKNOWN

8 = SUBJECT DOES NOT REMEMBER

9 = VD UNKNOWN, NOT ASKED

	PHYSICAL DATA
COLUMN	CODE
64	HANDEDNESS OF MALE SUBJECTS:  1 = RIGHT 2 = LEFT 3 = AMBIDEXTROUS 4 = RIGHT, RETRAINED FROM LEFT 9 = UNKNOWN
65	SIDE OF TROUSERS ON WHICH PENIS IS WORN:  1 = RIGHT 2 = LEFT 3 = EITHER 9 = UNKNOWN
66	ANGLE OF ERECTION (CURRENT EXCEPT IF PENIS REMOVED):  0 = UNABLE TO GET ERECT  1 = STRAIGHT OUT, 90°±5°  2 = UP SLIGHTLY, 85°-60°  3 = UP, 60°-30°  4 = HIGH OR AGAINST BODY, 30°  5 = DOWN SLIGHTLY, 95°-120°  6 = DOWN, 120°-180°  9 = UNKNOWN
67	DIRECTION OF PENIS TO RIGHT OR LEFT:  1 = STRAIGHT 2 = RIGHT 3 = LEFT 9 = UNKNOWN
68	CURVATURE OF THE PENIS IN EITHER THE HORIZONTAL OR VERTICAL AXES:  1 = STRAIGHT 2 = UP 3 = DOWN 4 = RIGHT 5 = LEFT 6 = UP RIGHT 7 = UP LEFT 8 = DOWN RIGHT 0 = DOWN LEFT 9 = UNKNOWN
69-70	HEIGHT IN INCHES (CURRENT):  CODED IN ACTUAL INCHES  99 = UNKNOWN
71-72	WEIGHT IN POUNDS (CURRENT):  08 = 80-89  09 = 90-99  10 = 100-109  11 = 110-119

COLUMN	CODE
	12 = 120-129 13 = 130-139 14 = 140-149 15 = 150-159 16 = 160-169 17 = 170-179 18 = 180-189 19 = 190-199 20 = 200-209 21 = 210-219 ETC. 99 = UNKNOWN
73-74	HEAVIEST WEIGHT EVER:  CODED SAME AS COLUMNS 71-72 EXCEPT  80 = CURRENT WEIGHT IS HEAVIEST
75-76	AGE AT HEAVIEST WEIGHT:  ACTUAL AGE CODED  80 = HEAVIEST AT CURRENT AGE 99 = UNKNOWN

COLUMN	CODE
1-2	CARD NUMBER: 08 = FEMALE
3-7	CASE HISTORY NUMBER:
	MASTURBATION
8-9	AGE FIRST PREPUBERTAL MASTURBATION:  00 = NEVER  ACTUAL AGE CODED  97 = SPORADIC ATTEMPTS  98 = NEVER KNEW ABOUT  99 = UNKNOWN
10	ORGASM IN POSTPUBERTAL MASTURBATION:  0 = NEVER POSTPUBERTAL MASTURBATION  1 = BORDERLINE ATTEMPT TO MASTURBATE  2 = MASTURBATE, NEVER ORGASM  3 = SOMETIMES ORGASM  4 = ALWAYS ORGASM  9 = UNKNOWN WHETHER MASTURBATED
11-12	AGE FIRST POSTPUBERTAL MASTURBATION WITHOUT ORGASM:  00 = NEVER, LACK INTEREST  01 = NEVER, MORAL  02 = NEVER, LACK KNOWLEDGE  03 = NEVER, REASON UNKNOWN  04 = NEVER, LACK INTEREST AND MORAL  ACTUAL AGE CODED  79 = NEVER, FEAR CONSEQUENCES  80 = ALWAYS MASTURBATE TO ORGASM  98 = MASTURBATED WITHOUT ORGASM, AGE UNKNOWN  99 = UNKNOWN IF MASTURBATED
13-14	AGE FIRST POSTPUBERTAL MASTURBATION TO ORGASM:  00 = NEVER, LACK INTEREST  01 = NEVER, MORAL  02 = NEVER, LACK KNOWLEDGE  03 = NEVER, REASON UNKNOWN  04 = NEVER, LACK INTEREST AND MORAL  ACTUAL AGE CODED  79 = NEVER, FEAR CONSEQUENCES  80 = MASTURBATED, NOT TO ORGASM  98 = MASTURBATED WITH ORGASM, AGE UNKNOWN  99 = UNKNOWN IF MASTURBATED

	MASTURBATION
COLUMN	CODE
15	LEARNING OF MASTURBATION THROUGH HEARING FROM OTHERS: BLANK = NEVER MASTURBATE 1 = NO 2 = YES 9 = UNKNOWN
	3 - OMMOWN
16	LEARNING OF MASTURBATION THROUGH SEEING OTHERS MASTURBATE: CODED SAME AS COLUMN 15
17	LEARNING OF MASTURBATION BY BEING MASTURBATED:  BLANK = NEVER MASTURBATE  1 = NO  2 = YES, BY FEMALE  3 = YES, BY MALE  9 = UNKNOWN
1.0	I DADNING OF MAGRIDDATION TUDOUGH OFFE DIGGOVERY.
18	LEARNING OF MASTURBATION THROUGH SELF-DISCOVERY:
	CODED SAME AS COLUMN 15
19-20	AGE BEGAN TO WORRY OVER POSTPUBERTAL MASTURBATION: BLANK = NEVER WORRY OR NEVER MASTURBATE ACTUAL AGE CODED 99 = UNKNOWN
21-22	AGE QUIT WORRYING OVER MASTURBATION (OR CURRENT AGE IF STILL WORRYING):  BLANK = NEVER WORRY OR NEVER MASTURBATE  ACTUAL AGE CODED  99 = UNKNOWN
23	REASON FOR WORRY OVER MASTURBATION:  BLANK = NEVER WORRY OR NEVER MASTURBATE  1 = FEAR OF MENTAL DISEASE (INSANITY, GO FEEBLE-MINDED OR CRAZY)  2 = FEAR OF PHYSICAL DEBILITY (WEAKNESS, ACHE)  3 = GUILT OR WORRY WITHOUT INSANITY FEAR (SHAME, DISGUST)  4 = WARNINGS (FATHER, MOTHER, LECTURE, BOOK, MARRIAGE COURSE, ETC.)  7 = OTHER REASON(S) SPECIFIED  8 = UNSPECIFIED REASON, BUT WORRIED  9 = UNKNOWN

MASTURBATION		
COLUMN	CODE	
24	REASON FOR NEVER WORRYING OR FOR STOPPING WORRY BECAUSE OF MASTURBATION:  BLANK = NEVER MASTURBATE  1 = STILL WORRYING  2 = BOOKS  3 = RELATIVES  4 = TREATMENT AGENTS OR AGENCIES (ANALYST,	
25-26	MAXIMUM FREQUENCY EVER MASTURBATED IN A WEEK: BLANK = NEVER MASTURBATED ACTUAL NUMBER CODED 99 = UNKNOWN	
27	TECHNIQUES OF MASTURBATION; CLITORIS:  BLANK = NEVER MASTURBATE  1 = NEVER THIS TECHNIQUE  2 = OCCASIONALLY THIS TECHNIQUE  3 = MUCH USE OF THIS TECHNIQUE WITH OTHER TECHNIQUES MENTIONED  4 = ONLY THIS TECHNIQUE MENTIONED  5 = THIS WITH OTHER TECHNIQUES USED TO SOME EXTENT  9 = UNKNOWN	
28	TECHNIQUES OF MASTURBATION; VAGINAL OR INSERT:  CODED SAME AS COLUMN 27 EXCEPT:  6 = VAGINA WITH THREE OR MORE INSERTS BESIDES  FINGER; TOOTHBRUSH, ENEMA NOZZLE, POT  HANDLE, DOUCHE, ETC.	
29	TECHNIQUES OF MASTURBATION; VAGINAL AND CLITORAL:  CODED SAME AS COLUMN 27	
30	TECHNIQUES OF MASTURBATION; PRONE ON BED: CODED SAME AS COLUMN 27	
31	TECHNIQUES OF MASTURBATION; CROSSLEG: CODED SAME AS COLUMN 27	
32	TECHNIQUES OF MASTURBATION; BREAST STIMULATION: CODED SAME AS COLUMN 27	
33	TECHNIQUES OF MASTURBATION; GENERAL RUBBING: CODED SAME AS COLUMN 27	

COLUMN	MASTURBATION CODE
COHOMIN	<u> </u>
34	TECHNIQUES OF MASTURBATION; FANTASY ONLY: CODED SAME AS COLUMN 27
35	TECHNIQUES OF MASTURBATION; OTHER TECHNIQUES:  BLANK = NEVER MASTURBATE  1 = NEVER OTHER  2 = EVER BIZARRE OR OTHER  9 = UNKNOWN
36-38	AVERAGE TIME TO ORGASM IN MASTURBATION IN MINUTES: BLANK = NEVER MASTURBATE $000 = \text{MASTURBATE, NEVER ORGASM} \\ 005 = 1 \text{ TO } 30 \text{ SECONDS} \\ 010 = 30 > \text{SECONDS} \le 60 \\ 015 = 1 > \text{MINUTES} \le 1.5 \\ 020 = 1.5 > \text{MINUTES} \le 2 \\ 025 = 2 > \text{MINUTES} \le 2.5 \\ \text{ETC.} \\ 900 = \text{DELAY DATA RECORDED ONLY} \\ 999 = \text{UNKNOWN}$
39	EVER PHYSICAL HARM FROM MASTURBATION:  BLANK = NEVER MASTURBATE  1 = NEVER PHYSICAL HARM  2 = NEVER HARM WITH AN ADDITIONAL COMMENT;  TENSE, TIRED, ACHE, EXHAUSTED, ETC.  3 = ANY POSITIVE RESPONSE  9 = UNKNOWN
40	FANTASY OR LACK OF FANTASY ACCOMPANYING SENSATION IN MASTURBATION SINCE PUBERTY: BLANK = NEVER MASTURBATE  1 = ALWAYS FANTASY, NEVER SENSATION 2 = USUALLY FANTASY, LITTLE SENSATION 3 = SOMETIMES JUST FANTASY, SOMETIMES JUST SENSATION 4 = LITTLE FANTASY, USUALLY SENSATION 5 = NEVER FANTASY, SENSATION ONLY 9 = UNKNOWN
41	HETEROSEXUAL FANTASY DURING MASTURBATION:  BLANK = NEVER MASTURBATE  1 = NONE 2 = LITTLE 3 = SOME 4 = MUCH 5 = UNKNOWN AMOUNT, BUT HETEROSEXUAL FANTASY 9 = UNKNOWN
42	HOMOSEXUAL FANTASY DURING MASTURBATION: CODED SAME AS COLUMN 41

MADIONDALION,	MASTURBATION
COLUMN	CODE
43	SADOMASOCHISTIC FANTASY DURING MASTURBATION:  CODED SAME AS COLUMN 41
	CODED STATE TO COHOM 41
44	ANIMAL CONTACT FANTASY DURING MASTURBATION: CODED SAME AS COLUMN 41
45	BIZARRE FANTASY DURING MASTURBATION:  CODED SAME AS COLUMN 41
	CODED SAME AS COHOMN 41
	DREAMS (POSTPUBERTAL ONLY)
46-47	AGE FIRST DREAM TO ORGASM:  00 = NEVER DREAM TO ORGASM  ACTUAL AGE CODED
	99 = UNKNOWN
DREAM CON	TENT WITH OR WITHOUT ORGASM (COLUMNS 49-54)
48	REMEMBERS SEXUAL DREAM CONTENT:  BLANK = NO DREAM CONTENT REPORTED
	1 = REMEMBERS DREAMS WITH ORGASM
	2 = REMEMBERS DREAMS WITHOUT ORGASM 8 = UNKNOWN, DOESN'T REMEMBER CONTENT
	9 = UNKNOWN WHETHER DREAM CONTENT
49	HETEROSEXUAL DREAM CONTENT:
	BLANK = NEVER DREAM
	1 = NONE 2 = LITTLE
	3 = SOME
	4 = MUCH 5 = UNKNOWN AMOUNT, BUT HETEROSEXUAL DREAM
	CONTENT 9 = UNKNOWN WHETHER HETEROSEXUAL DREAM CONTENT
	9 - UNKNOWN WHEITER HEIEROSEXUAL DREAM CONTENT
50	HOMOSEXUAL DREAM CONTENT: CODED SAME AS COLUMN 49
51	SADOMASOCHISTIC DREAM CONTENT:  CODED SAME AS COLUMN 49
52	ANIMAL CONTACT DREAM CONTENT:  CODED SAME AS COLUMN 49
53	BIZARRE DREAM CONTENT:
	CODED SAME AS COLUMN 49, EXCEPT 6 = NONSEXUAL DREAMS

# MASTURBATION, DREAMS, HOMOSEXUALITY AND ANIMAL CONTACT: FEMALE DREAM CONTENT WITH OR WITHOUT ORGASM (COLUMNS 49-54)

COLUMN CON	CODE CODE
54	NONSEXUAL DREAM CONTENT REPORTED AS HAVING SEXUAL MEANING:  BLANK = SUBJECT REPORTS NEVER DREAMS  1 = NONE  2 = EVER (HAVING BABY, WEDDINGS, ETC.)  9 = UNKNOWN
HOM	OSEXUAL BEHAVIOR (POSTPUBERTAL ONLY)
55	EXTENT OF HOMOSEXUAL EXPERIENCE:  0 = NEVER  1 = RARE (1 FEMALE AND/OR 1-5 TIMES)  2 = INCIDENTAL (2-4 FEMALES AND/OR 6-20 TIMES)  3 = MORE THAN INCIDENTAL (5-20 FEMALES AND/OR 21-50 TIMES)  4 = EXTENSIVE (2L+ FEMALES AND/OR 51+ TIMES)  7 = AROUSED BY APPROACH OR BY NONSEXUALLY MOTIVATED CONTACT  8 = OCCURRED, UNKNOWN AMOUNT  9 = UNKNOWN
56-57	AGE FIRST POSTPUBERTAL HOMOSEXUAL CONTACT WITH OR WITHOUT ORGASM:  00 = NEVER POSTPUBERTAL HOMOSEXUAL CONTACT ACTUAL AGE CODED  98 = OCCURRED, AGE UNKNOWN  99 = UNKNOWN
58	SUBJECT'S EXPECTATION OF (A) EVER HAVING HOMOSEXUAL CONTACT IF NOT EXPERIENCED, OR (B) HAVING MORE HOMOSEXUAL CONTACT IF EXPERIENCED:  1 = WILL NOT HAVE 2 = MOST LIKELY WILL NOT HAVE 3 = MIGHT HAVE 4 = MOST LIKELY WILL HAVE 5 = WILL HAVE 6 = WILL HAVE ONLY UNDER SPECIAL CIRCUMSTANCES 9 = UNKNOWN
59	ATTITUDE TOWARD MALE HOMOSEXUALITY:  1 = DISAPPROVE  2 = NEUTRAL - DISAPPROVE  3 = NEUTRAL  4 = NEUTRAL - APPROVE  5 = APPROVE  6 = DISAPPROVE, ACCORDING TO INTERVIEWER  7 = DISAPPROVE EMOTIONALLY, WITH ANY OTHER RATING SUCH AS NEUTRAL ACADEMICALLY

OR INTELLECTUALLY

# MASTURBATION, DREAMS, HOMOSEXUALITY AND ANIMAL CONTACT: FEMALE HOMOSEXUAL BEHAVIOR (POSTPUBERTAL ONLY)

COLUMN	ODE	
60	8 = UNKNOWN, SUBJECT DOESN'T KNOW 9 = UNKNOWN	
60	TTITUDE TOWARD FEMALE HOMOSEXUALITY:  CODED SAME AS COLUMN 59	
61	CCOMPANYING GENERAL REMARKS TO ATTITUDES:  0 = NONE MADE  1 = PUNITIVE (LOCK UP, GET RID OF, ETC.)  2 = PATHOLOGY (PERVERSE, UNNATURAL, SICK, MORBID, IMMATURE, ABNORMAL)	
REMARKS 1>2>3>4>	3 = MORAL (IMMORAL, NOT RIGHT, WRONG, LACK CHARACTER, WEAK WILL) 4 = MORES (SOCIAL DISAPPROVAL) 5 = DISTASTE (DISGUST, UGLY, ETC.) 6 = AMBIGUOUS (SILLY, FOOLISH, ETC.) 7 = SYMPATHY (PITY, SORRY FOR, ETC.) 8 = NEUTRAL OR POSITIVE RESPONSE 9 = UNKNOWN	
62	ELATIVE ATTITUDE TOWARD MALE AND FEMALE HOMOSEXUAL  1 = SAME FOR MALE AND FEMALE  2 = DISAPPROVAL GREATER FOR MALE  3 = DISAPPROVAL GREATER FOR FEMALE  9 = UNKNOWN	LITY:
63	TEEP MALE HOMOSEXUAL FRIENDS:  1 = NOT KEEP  2 = UNLIKELY TO KEEP  3 = MIGHT KEEP  4 = WOULD KEEP  9 = UNKNOWN	
64	EEP FEMALE HOMOSEXUAL FRIENDS: CODED SAME AS COLUMN 63	
65	PREQUENCY OF HOMOSEXUAL APPROACHES:  0 = NEVER  1 = RARE  2 = SOMETIMES  3 = OFTEN  8 = DOESN'T KNOWN IF EVER APPROACHED  9 = UNKNOWN	

## MASTURBATION, DREAMS, HOMOSEXUALITY AND ANIMAL CONTACT: FEMALE ANIMAL CONTACT (PREPUBERTAL AND POSTPUBERTAL)

COLUMN COLUMN	AL CONTACT (PREPUBERTAL AND POSTPUBERTAL)  CODE
66	AROUSAL FROM ANIMAL CONTACT:  BLANK = NEVER  1 = AROUSAL, NONSPECIFIC  2 = TRY ONLY (EITHER CONTACT OR MASTURBATION)  3 = MASTURBATED ANIMALS, NOT AROUSED  4 = MASTURBATED ANIMALS, AROUSAL UNKNOWN  5 = MASTURBATED ANIMALS, AROUSED  6 = ANIMAL CONTACT, NO ORGASM  7 = ANIMAL CONTACT, ORGASM  9 = UNKNOWN
67-68	AGE FIRST TRY ANIMAL CONTACT (UNSUCCESSFUL ATTEMPTS ONLY):  BLANK = NEVER ANIMAL EXPERIENCE OR AROUSAL NONSPECIFIC  00 = NEVER UNSUCCESSFUL ATTEMPT(S)  ACTUAL AGE CODED  98 = OCCURRED, AGE UNKNOWN  99 = UNKNOWN
69-70	AGE FIRST MASTURBATE ANIMAL:  CODED SAME AS COLUMNS 67-68 EXCEPT  00 = NEVER MASTURBATE ANIMAL
71-72	AGE FIRST ANIMAL CONTACT (EXCEPT MASTURBATION) WITH OR WITHOUT ORGASM:  CODED SAME AS COLUMNS 67-68 EXCEPT  00 = NEVER CONTACT
73	PERIODS OF ANIMAL CONTACT (INCLUDES TRY, MASTURBATE, AND CONTACT):  BLANK = NEVER  1 = PREPUBERTY ONLY  2 = PUBERTY - 17  3 = ADULT (18 OR OLDER)  4 = 1 AND 2  5 = 2 AND 3  6 = 1 AND 3  7 = 1 AND 2 AND 3  8 = OCCURRED, AGE UNKNOWN  9 = UNKNOWN
74	FREQUENCY OF ANIMAL CONTACT:  BLANK = NEVER  1 = RARE (1-2 TIMES)  2 = LITTLE (3-10 TIMES)  3 = SOME (11-20 TIMES)  4 = MUCH (21-50 TIMES)  5 = EXTENSIVE (51 OR MORE TIMES)  8 = OCCURRED, UNKNOWN NUMBER OF TIMES  9 = UNKNOWN

# MASTURBATION, DREAMS, HOMOSEXUALITY AND ANIMAL CONTACT: FEMALE ANIMAL CONTACT (PREPUBERTAL AND POSTPUBERTAL)

	ANIMAL	CONTACT (PREPUBERTAL AND POSTPUBERTAL)
COLUMN		CODE
75		ANIMAL WITH WHOM SUBJECT HAD CONTACT; DOG:
. 0		BLANK = NEVER ANIMAL EXPERIENCE
		0 = NEVER WITH DOG
		1 = MASTURBATE ONLY
		2 = COITUS
		3 = ANAL CONTACT
		4 = MOUTH-GENITAL PASSIVE
		5 = MIXTURE OF 2-4 (ANY TWO)
		6 = BODY CONTACT ONLY
		7 = OTHER OR BIZARRE (INCLUDES MOUTH-GENITAL
		ACTIVE AND ANAL COITUS PASSIVE)
		8 = TRY ONLY
		9 = UNKNOWN TECHNIQUE WITH DOG OR UNKNOWN
		WHETHER ANIMAL CONTACT
		WHETHER ANTHAD CONTACT
76		ANIMAL WITH WHOM SUBJECT HAD CONTACT; CAT:
, 0		CODED SAME AS COLUMN 75
		COSED CIRCLE TIC COECINI / C
77		ANIMALS WITH WHOM SUBJECT HAD CONTACT; OTHER
		MAMMALS:
		CODED SAME AS COLUMN 75
78		PERCENTAGE OF RURAL RESIDENCE DURING ANY ANIMAL
		CONTACT (INCLUDE TRY, MASTURBATE AND FULL CONTACT):
		BLANK = NEVER ANIMAL EXPERIENCE
		1 = 90-100% = ALWAYS RURAL WHILE ANIMAL
		EXPERIENCE
		2 = 60-89% = MOSTLY RURAL
		3 = 40-59% = MIXED RURAL-URBAN
		4 = 10-39% = MOSTLY URBAN
		5 = 0-9% = ALWAYS URBAN
		9 = UNKNOWN

COLUMN	CODE
1-2	CARD NUMBER: 09 = MALE
3-7	CASE HISTORY NUMBER:
	MASTURBATION
8-9	AGE FIRST PREPUBERTAL MASTURBATION:  00 = NEVER  ACTUAL AGE CODED  97 = SPORADIC ATTEMPTS  98 = NEVER KNEW ABOUT  99 = UNKNOWN
10-11	AGE FIRST POSTPUBERTAL MASTURBATION TO EJACULATION:  00 = NEVER, LACK INTEREST  01 = NEVER, MORAL  02 = NEVER, LACK KNOWLEDGE  03 = NEVER, REASON UNKNOWN  ACTUAL AGE CODED  79 = NEVER, FEAR CONSEQUENCES  97 = MASTURBATED, NEVER EJACULATED (BLANKS  TO COLUMN 41)  98 = MASTURBATED, AGE FIRST UNKNOWN  99 = UNKNOWN IF MASTURBATED
12	LEARNING OF MASTURBATION THROUGH HEARING FROM OTHERS:  BLANK = NEVER MASTURBATE TO EJACULATION AFTER PUBERTY  1 = NO 2 = YES 9 = UNKNOWN
13	LEARNING OF MASTURBATION THROUGH SEEING OTHERS MASTURBATE: CODED SAME AS COLUMN 12
14	LEARNING OF MASTURBATION BY BEING MASTURBATED:  BLANK = NEVER MASTURBATE TO EJACULATION  AFTER PUBERTY  1 = NO  2 = YES, BY MALE  3 = YES, BY FEMALE  9 = UNKNOWN
15	LEARNING OF MASTURBATION THROUGH SELF-DISCOVERY: CODED SAME AS COLUMN 12

	MASTURBATION
COLUMN	CODE
16-17	AGE BEGAN TO WORRY OVER MASTURBATION:  BLANK = NEVER WORRY OR NEVER MASTURBATE  ACTUAL AGE CODED  99 = UNKNOWN
18-19	AGE QUIT WORRYING OVER MASTURBATION (OR CURRENT AGE IF STILL WORRYING): BLANK = NEVER WORRY OR NEVER MASTURBATE ACTUAL AGE CODED 99 = UNKNOWN
20	REASON FOR WORRY OVER MASTURBATION:  BLANK = NEVER WORRY OR NEVER MASTURBATE  1 = MENTAL DISEASE (INSANITY, GO FEEBLEMINDED, CRAZY)  2 = PHYSICAL DEBILITY (WEAKNESS, ACNE)  3 = GUILT OR WORRY WITHOUT INSANITY (SHAME, DISGUST, IMMORAL, RELIGION, BAD HABIT)  4 = WARNINGS (FATHER, MOTHER, M.D., LECTURE, BOOK)  7 = OTHER REASONS  8 = UNSPECIFIED REASON, BUT WORRIED  9 = UNKNOWN
21	REASON FOR NEVER WORRYING OR FOR STOPPING WORRY:  BLANK = NEVER MASTURBATED  1 = STILL WORRYING  2 = BOOKS  3 = RELATIVES  4 = TREATMENT AGENTS OR AGENCIES (ANALYST, INSTITUTIONS, M.D.)  5 = SELF REASONING  6 = STOPPED MASTURBATING  7 = OTHER REASONS (CONVERSATION WITH FRIENDS, PEERS, ETC.)  8 = UNSPECIFIED REASON FOR NEVER WORRY OR FOR STOPPING WORRY  9 = UNKNOWN
22-23	MAXIMUM FREQUENCY IN A WEEK:  BLANK = NEVER MASTURBATED  ACTUAL NUMBER CODED  99 = UNKNOWN

CARD 09 PAGE 57

	MASTURBATION
COLUMN	<u>CODE</u>
24	CURRENT TECHNIQUE OF MASTURBATION; MANUAL:  BLANK = NEVER MASTURBATED  1 = NONE  2 = RARE  3 = LITTLE  4 = SOME  5 = MUCH  6 = TRY ONLY, WITHOUT ORGASM  9 = UNKNOWN
25	FORMER TECHNIQUE OF MASTURBATION; MANUAL:  BLANK = NEVER MASTURBATED  1 = NONE, NO FORMER MANUAL MASTURBATION  2 = RARE  3 = LITTLE  4 = SOME  5 = MUCH  9 = UNKNOWN (NO FORMER INFORMATION RECORDED, NOT ASKED)
26	CURRENT TECHNIQUE OF MASTURBATION; PRONE:  BLANK = NEVER MASTURBATED  1 = NONE THIS TECHNIQUE  2 = RARE  3 = LITTLE  4 = SOME  5 = MUCH  6 = TRY ONLY, WITHOUT ORGASM  9 = UNKNOWN
27	FORMER TECHNIQUE OF MASTURBATION; PRONE:  BLANK = NEVER MASTURBATED  1 = NONE, NO FORMER PRONE MASTURBATION 2 = RARE 3 = LITTLE 4 = SOME 5 = MUCH 9 = UNKNOWN
28	TECHNIQUE OF MASTURBATION; EVER URETHRAL INSERTIONS:  BLANK = NEVER MASTURBATED  1 = NEVER THIS TECHNIQUE  2 = RARE  3 = LITTLE  4 = SOME  5 = MUCH  6 = TRY ONLY, WITHOUT ORGASM  9 = UNKNOWN

MASTURBATION		
COLUMN	CODE	
29	TECHNIQUES OF MASTURBATION; SELF-FELLATIO:  BLANK = NEVER MASTURBATED  1 = NEVER THIS TECHNIQUE  2 = RARE  3 = LITTLE  4 = SOME  5 = MUCH  6 = TRY ONLY, WITHOUT ORGASM  7 = THINK ABOUT ONLY  9 = UNKNOWN	
30	OTHER TECHNIQUES OF MASTURBATION (EVER):  BLANK = NEVER MASTURBATED  1 = NONE  2 = RARE (OCCASIONAL BOTTLE, TUBE, APERTURE, ORANGE, CONDOM, ETC.)  3 = RARE OTHER TECHNIQUES (I.E., VIBRATOR, SHOWER, SOAP, ETC.)  4 = FREQUENT OR MANY TECHNIQUES (I.E. WOMEN'S CLOTHING, FANTASY ALONE TO CLIMAX, BETWEEN THIGHS, ANAL INSERTIONS)  9 = UNKNOWN	
31-33	AVERAGE TIME TO ORGASM IN MASTURBATION (IN MINUTES):  BLANK = NEVER MASTURBATED  005 = 1 TO 30 SECONDS  010 = 31 SECONDS TO 1 MINUTE  015 = 61 SECONDS TO 1.5 MINUTES  020 = 91 SECONDS TO 2 MINUTES  025 = 121 SECONDS TO 2.5 MINUTES  ETC.  900 = DELAY DATA RECORDED ONLY  999 = UNKNOWN	
34	PHYSICAL HARM FROM MASTURBATION:  BLANK = NEVER MASTURBATED  1 = NEVER  2 = NEVER, WITH ADDITIONAL COMMENT: TENSE, TIRE, ACHE, EXHAUST, ETC.  3 = ANY POSITIVE RESPONSE  9 = UNKNOWN	

MASTURBATION		
COLUMN	CODE	
35	FANTASY OR LACK OF FANTASY ACCOMPANYING SENSATION IN MASTURBATION SINCE PUBERTY: BLANK = NEVER MASTURBATED  1 = ALWAYS FANTASY, NEVER SENSATION 2 = USUALLY FANTASY, LITTLE SENSATION 3 = SOMETIMES JUST FANTASY, SOMETIMES JUST SENSATION 4 = LITTLE FANTASY, USUALLY SENSATION 5 = NO FANTASY, SENSATION ONLY 9 = UNKNOWN	
36	HETEROSEXUAL FANTASY DURING MASTURBATION:  BLANK = NEVER MASTURBATED  1 = NONE  2 = LITTLE  3 = SOME  4 = MUCH  5 = UNKNOWN AMOUNT, BUT HETEROSEXUAL FANTASY  9 = UNKNOWN	
37	HOMOSEXUAL FANTASY DURING MASTURBATION: CODED SAME AS COLUMN 36	
38	SADOMASOCHISTIC FANTASY DURING MASTURBATION: CODED SAME AS COLUMN 36	
39	ANIMAL CONTACT FANTASY DURING MASTURBATION: CODED SAME AS COLUMN 36	
40	BIZARRE FANTASY DURING MASTURBATION: CODED SAME AS COLUMN 36	
DREAMS		
41-42	AGE FIRST DREAM TO ORGASM:  00 = NEVER DREAM TO ORGASM  ACTUAL AGE CODED  99 = UNKNOWN	
43	REMEMBER SEXUAL DREAM CONTENT:  BLANK = NO DREAM CONTENT REPORTED  1 = REMEMBERS DREAMS WITH ORGASM  2 = REMEMBERS DREAMS WITHOUT ORGASM  8 = UNKNOWN, DOESN'T REMEMBER CONTENT  9 = UNKNOWN WHETHER DREAM CONTENT	

## MASTURBATION, DREAMS, HOMOSEXUALITY AND ANIMAL CONTACT: MALE DREAMS

	DREAMS
COLUMN	CODE
44	HETEROSEXUAL DREAM CONTENT:  BLANK = NEVER DREAM  1 = NONE  2 = LITTLE  3 = SOME  4 = MUCH  5 = UNKNOWN AMOUNT, BUT HETEROSEXUAL CONTENT  9 = UNKNOWN
45	HOMOSEXUAL DREAM CONTENT: CODED SAME AS COLUMN 44
46	SADOMASOCHISTIC DREAM CONTENT: CODED SAME AS COLUMN 44
47	ANIMAL CONTACT DREAM CONTENT: CODED SAME AS COLUMN 44
48 <b>HOM</b>	BIZARRE DREAM CONTENT:  CODED SAME AS COLUMN 44, EXCEPT  6 = NON-SEXUAL DREAMS  OSEXUAL BEHAVIOR (POSTPUBERTAL ONLY)
49	EXTENT OF HOMOSEXUAL EXPERIENCE:  0 = NEVER  1 = RARE (1 MALE AND/OR 1-5 TIMES)  2 = INCIDENTAL (2-4 MALES AND/OR 6-20 TIMES)  3 = MORE THAN INCIDENTAL (5-20 MALES AND/OR 21-50 TIMES)  4 = EXTENSIVE (21+ MALES AND/OR 51+ TIMES)  7 = AROUSED BY APPROACH OR BY NON-SEXUALLY MOTIVATED CONTACT  8 = OCCURRED, UNKNOWN AMOUNT  9 = UNKNOWN
50-51	AGE FIRST POSTPUBERTAL HOMOSEXUAL CONTACT WITH OR WITHOUT ORGASM:  00 = NEVER HOMOSEXUAL CONTACT AS AN ADULT ACTUAL AGE CODED  98 = OCCURRED, AGE UNKNOWN  99 = UNKNOWN
52	SUBJECT'S EXPECTATION OF (A) EVER HAVING HOMOSEXUAL CONTACT IF NOT EXPERIENCED, OR (B) HAVING MORE HOMOSEXUAL CONTACT IF EXPERIENCED:  1 = WILL NOT HAVE 2 = MOST LIKELY WILL NOT HAVE 3 = MIGHT HAVE

## MASTURBATION, DREAMS, HOMOSEXUALITY AND ANIMAL CONTACT: MALE HOMOSEXUAL BEHAVIOR (POSTPUBERTAL ONLY)

	HOMOSEXUAL BEHAVIOR (POSTPUBERTAL ONLY)
COLUMN	CODE
	4 = MOST LIKELY WILL HAVE 5 = WILL HAVE 6 = WILL HAVE ONLY UNDER SPECIAL CIRCUMSTANCES 9 = UNKNOWN
53	ATTITUDE TOWARD MALE HOMOSEXUALITY:  1 = DISAPPROVE 2 = NEUTRAL - DISAPPROVE 3 = NEUTRAL 4 = NEUTRAL - APPROVE 5 = APPROVE 6 = DISAPPROVE, ACCORDING TO INTERVIEWER 7 = DISAPPROVE EMOTIONALLY, WITH ANY OTHER RATING SUCH AS NEUTRAL ACADEMICALLY OR INTELLECTUALLY 8 = UNKNOWN, SUBJECT DOESN'T KNOW 9 = UNKNOWN
54	ATTITUDE TOWARD FEMALE HOMOSEXUALITY: CODED SAME AS COLUMN 53
55	ACCOMPANYING GENERAL REMARKS TO ATTITUDES:  0 = NONE MADE  1 = PUNITIVE (LOCK UP, GET RID OF, ETC.)  2 = PATHOLOGY (PERVERSE, UNNATURAL, SICK, MORBID, IMMATURE, ABNORMAL)  3 = MORAL (IMMORAL, NOT RIGHT, WRONG, LACK CHARACTER)  4 = MORES (SOCIAL DISAPPROVAL)  5 = DISTASTE (DISGUST, UGLY, ETC.)  6 = AMBIGUOUS (SILLY, FOOLISH, MUDDLED)  7 = SYMPATHY (SORRY FOR, PITY, ETC.)  8 = NEUTRAL OR POSITIVE RESPONSE  9 = UNKNOWN
56	RELATIVE ATTITUDE TOWARD MALE AND FEMALE HOMOSEXUALITY:  1 = SAME FOR MALE AND FEMALE 2 = DISAPPROVAL GREATER FOR MALE 3 = DISAPPROVAL GREATER FOR FEMALE 9 = UNKNOWN
57	KEEP MALE HOMOSEXUAL FRIENDS:  1 = NOT KEEP  2 = UNLIKELY TO KEEP  3 = MIGHT KEEP  4 = WOULD KEEP  9 = UNKNOWN
58	KEEP FEMALE HOMOSEXUAL FRIENDS: CODED SAME AS COLUMN 57

### MASTURBATION, DREAMS, HOMOSEXUALITY AND ANIMAL CONTACT: MALE HOMOSEXUAL BEHAVIOR (POSTPUBERTAL ONLY)

COLUMN	HOMOSEXUAL BEHAVIOR (POSTPUBERTAL ONLY)  CODE
59	FREQUENCY OF HOMOSEXUAL APPROACHES:  0 = NEVER  1 = RARE  2 = SOMETIMES  3 = OFTEN  8 = DOESN'T KNOW IF EVER APPROACHED  9 = UNKNOWN
	ANIMAL CONTACT (PREPUBERTAL AND POSTPUBERTAL)
60	AROUSAL FROM ANIMAL CONTACT:  BLANK = NEVER  1 = AROUSAL, NONSPECIFIC  2 = TRY ONLY (EITHER CONTACT OR MASTURBATION)  3 = MASTURBATED ANIMALS, NOT AROUSED  4 = MASTURBATED ANIMALS, AROUSAL UNKNOWN  5 = MASTURBATED ANIMALS, AROUSED  6 = ANIMAL CONTACT, NO ORGASM  7 = ANIMAL CONTACT, ORGASM  9 = UNKNOWN
61-62	AGE FIRST TRY ANIMAL CONTACT (UNSUCCESSFUL ATTEMPTS ONLY):  BLANK = NEVER ANIMAL EXPERIENCE OR AROUSAL NONSPECIFIC  00 = NEVER UNSUCCESSFUL ATTEMPT(S)  ACTUAL AGE CODED  98 = OCCURRED, AGE UNKNOWN  99 = UNKNOWN
63-64	AGE FIRST MASTURBATE ANIMAL:  CODED SAME AS COLUMNS 61-62 EXCEPT  00 = NEVER MASTURBATE ANIMAL
65-66	AGE FIRST ANIMAL CONTACT (EXCEPT MASTURBATION) WITH OR WITHOUT ORGASM: CODED SAME AS COLUMNS 61-62 EXCEPT 00 = NEVER CONTACT
67	PERIODS OF ANIMAL CONTACT (INCLUDES TRY, MASTURBATE, AND CONTACT):  BLANK = NEVER  1 = PREPUBERTY ONLY 2 = PUBERTY - 17 3 = ADULT (18 OR OLDER) 4 = 1 AND 2 5 = 2 AND 3 6 = 1 AND 3

# MASTURBATION, DREAMS, HOMOSEXUALITY AND ANIMAL CONTACT: MALE ANIMAL CONTACT (PREPUBERTAL AND POSTPUBERTAL)

COLUMN	ANIMAL	CODE CODE	(PREPUBERTAL	AND F	POSTPUBERTAL	)
		8	7 = 1 AND 2 AN 8 = OCCURRED, 9 = UNKNOWN	_	JNKNOWN	
68		BLANI	CY OF ANIMAL OF	TIMES -10 TI 20 TIM 50 TIM	S) IMES) MES) MES) DR MORE TIME:	
69		BLANI		MAL EX H DOG E ONLY APPOS ACT TTAL F Z - ACT ON BIZARF O ANAI	RPERIENCE  SITION  PASSIVE 4 (ANY TWO) NLY RE (INCLUDE I L COITUS PASSIVE	MOUTH-GENITAL SIVE)
70		BULL:	S) WITH WHOM S			CT; COW, CALF,
71			WITH WHOM SUBS			SWINE:
72		MULE:	WITH WHOM SUBJ			HORSE, BURRO,
73			WITH WHOM SUBS			FOWL:
74		GOATS:	S) WITH WHOM S			CT; SHEEP AND

ANIMAL(S) WITH WHOM SUBJECT HAD CONTACT; OTHER

CODED SAME AS COLUMN 69

MAMMAL(S):

75

# MASTURBATION, DREAMS, HOMOSEXUALITY AND ANIMAL CONTACT: MALE ANIMAL CONTACT (PREPUBERTAL AND POSTPUBERTAL)

COLUMN	CODE
76	ANIMAL(S) WITH WHOM SUBJECT HAD CONTACT; OTHER
	NON-MAMMAL(S):
	CODED SAME AS COLUMN 69
77	PERCENTAGE OF RURAL RESIDENCE DURING ANY ANIMAL CONTACT
	(INCLUDE TRY, MASTURBATE AND FULL CONTACT):
	BLANK = NEVER ANIMAL EXPERIENCE
	1 = 90-100% = ALWAYS RURAL WHILE ANIMAL
	EXPERIENCE
	2 = 60-89% = MOSTLY RURAL
	3 = 40-59% = MIXED RURAL-URBAN
	4 = 10-39% = MOSTLY URBAN
	5 = 0-9% = ALWAYS URBAN
	9 = UNKNOWN

#### PREPUBERTAL SEX PLAY: FEMALE

COLUMN	CODE
1-2	CARD NUMBER: 10 = FEMALE
3-7	CASE HISTORY NUMBER:
8-9	AGE AT PUBERTY:  00 = NOT PUBERTAL  ACTUAL AGE CODED
	HOMOSEXUAL PREPUBERTAL PLAY
10	EVER HOMOSEXUAL PREPUBERTAL PLAY:  0 = NEVER  1 = EVER  9 = UNKNOWN
11	AGE 4: TECHNIQUES USED DURING THIS YEAR:  BLANK = NEVER HOMOSEXUAL PREPUBERTAL PLAY, OR
12	AGE 5: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 11
13	AGE 6: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 11
14	AGE 7: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 11
15	AGE 8: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 11
16	AGE 9: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 11
17	AGE 10: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 11
18	AGE 11: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 11

# PREPUBERTAL SEX PLAY: FEMALE HOMOSEXUAL PREPUBERTAL PLAY

COLUMN	CODE
19	AGE 12: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 11
20	AGE 13: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 11
21	AGE 14: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 11
22	AGE 15: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 11
23	DIRECTION OF MOUTH-GENITAL CONTACT:  BLANK = NEVER HOMOSEXUAL PREPUBERTAL PLAY, OR
24	BODY FRICTATION:  BLANK = NEVER HOMOSEXUAL PREPUBERTAL PLAY, OR  UNKNOWN IF PLAY  0 = NO BODY FRICTATION  1 = EVER  9 = UNKNOWN
25	AROUSAL IN HOMOSEXUAL PREPUBERTAL PLAY:  BLANK = NEVER HOMOSEXUAL PREPUBERTAL PLAY, OR  UNKNOWN IF PLAY  1 = NOT AROUSED  2 = LITTLE  3 = SOME  4 = MUCH  5 = AROUSED, DEGREE UNKNOWN  6 = ORGASM  9 = UNKNOWN

# PREPUBERTAL SEX PLAY: FEMALE HOMOSEXUAL PREPUBERTAL PLAY

HOMOSEXUAL PREPUBERTAL PLAY			
COLUMN	CODE		
26	RELATIONSHIP TO COMPANIONS IN HOMOSEXUAL SEX PLAY:  BLANK = NEVER HOMOSEXUAL PREPUBERTAL PLAY, OR  UNKNOWN IF PLAY  0 = NONE MENTIONED  1 = SISTER OR SURROGATE  2 = COUSIN, NIECE, ETC.  3 = 1 AND 2  9 = UNKNOWN		
27	CONTINUITY OF HOMOSEXUAL GENITAL BEHAVIOR (PREPUBERTAL TO POSTPUBERTAL)  0 = NEVER HOMOSEXUAL PREPUBERTAL PLAY  1 = SHOW ONLY, NO GENITAL PLAY  2 = GENITAL PLAY, NO CONTINUITY (AT LEAST A TWO YEAR BREAK AROUND PUBERTY)  3 = GENITAL PLAY, ONE YEAR BREAK AT PUBERTY, THEN RESUMES  4 = HOMOSEXUAL BEHAVIOR CONTINUES INTO POSTPUBERTAL LIFE (NO BREAK)  5 = NO PREPUBERTAL HOMOSEXUAL GENITAL PLAY, BUT POSTPUBERTAL HOMOSEXUAL BEHAVIOR BEGINS IN PUBERTAL YEARS  9 = UNKNOWN		
	HETEROSEXUAL PREPUBERTAL PLAY		
28	EVER HETEROSEXUAL PREPUBERTAL PLAY:  0 = NEVER  1 = EVER  9 = UNKNOWN		
29	AGE 4: TECHNIQUES USED DURING THIS YEAR:		
	BLANK = NEVER HETEROSEXUAL PREPUBERTAL PLAY, OR		
30	AGE 5: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 29		

# PREPUBERTAL SEX PLAY: FEMALE HETEROSEXUAL PREPUBERTAL PLAY

COLUMN	CODE
31	AGE 6: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 29
32	AGE 7: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 29
33	AGE 8: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 29
34	AGE 9: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 29
35	AGE 10: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 29
36	AGE 11: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 29
37	AGE 12: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 29
38	AGE 13: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 29
39	AGE 14: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 29
40	AGE 15: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 29
41	DIRECTION OF MOUTH-GENITAL CONTACT:  BLANK = NEVER HETEROSEXUAL PREPUBERTAL EXPERIENCE, OR UNKNOWN IF PLAY  0 = NO MOUTH-GENITAL CONTACT  1 = UNSPECIFIED DIRECTION  2 = ACTIVE  3 = PASSIVE  4 = MUTUAL 9 = UNKNOWN
42	COITUS:  BLANK = NEVER HETEROSEXUAL PREPUBERTAL PLAY, OR UNKNOWN IF EVER  0 = NO COITUS  1 = UNSPECIFIED IF INTROMISSION OR TRY 2 = COITUS 3 = TRY COITUS ONLY OR APPOSITION 9 = UNKNOWN
43	AROUSAL IN HETEROSEXUAL PREPUBERTAL PLAY:  BLANK = NEVER HETEROSEXUAL PLAY, OR UNKNOWN IF PLAY  1 = NOT AROUSED  2 = LITTLE  3 = SOME

#### PREPUBERTAL SEX PLAY: FEMALE HETEROSEXUAL PREPUBERTAL PLAY

COLUMN	CODE
--------	------

COLUMN	CODE
	4 = MUCH 5 = AROUSED, DEGREE UNKNOWN 6 = ORGASM 9 = UNKNOWN
44	RELATIONSHIP TO COMPANIONS IN HETEROSEXUAL SEX PLAY:  BLANK = NEVER HETEROSEXUAL PREPUBERTAL PLAY, OR  UNKNOWN IF PLAY  0 = NONE MENTIONED  1 = BROTHER OR SURROGATE  2 = COUSIN, NEPHEW, ETC.  3 = 1 AND 2  9 = UNKNOWN
45	CONTINUITY OF HETEROSEXUAL PETTING (PREPUBERTAL TO POSTPUBERTAL):  0 = NEVER HETEROSEXUAL PREPUBERTAL PLAY 1 = SHOWING ONLY 2 = PLAY, NO CONTINUITY (AT LEAST A TWO YEAR BREAK AROUND PUBERTY) 3 = PLAY, ONE YEAR BREAK AT PUBERTY, THEN POSTPUBERTAL PETTING 4 = PLAY CONTINUES INTO POSTPUBERTAL LIFE (NO BREAK) 5 = NO PREPUBERTAL HETEROSEXUAL PLAY, BUT BUT POSTPUBERTAL PETTING BEGINS IN PUBERTAL YEAR 9 = UNKNOWN
46	CONTINUITY OF COITUS OR TRY COITUS (PREPUBERTAL TO POSTPUBERTAL):  0 = NEVER HETEROSEXUAL PREPUBERTAL PLAY  1 = PLAY LESS THAN COITUS  2 = COITUS OR TRY COITUS, NO CONTINUITY (AT

- - LEAST A TWO YEAR BREAK AROUND PUBERTY)
  - 3 = COITUS OR TRY COITUS, 1 YEAR BREAK ATPUBERTY, THEN RESUMES
  - 4 = COITUS CONTINUES INTO POSTPUBERTAL LIFE (NO BREAK)
  - 5 = NO PREPUBERTAL COITUS, BUT COITUS BEGINS IN PUBERTAL YEAR
  - 9 = UNKNOWN

#### PREPUBERTAL SEX PLAY: FEMALE

COLUMN	CODE
47	EVER PREPUBERTAL HOMOSEXUAL EXPERIENCE WITH ADULT  FEMALE(S):  0 = NEVER  1 = ONE EVENT WITH ONE FEMALE  2 = CONTINUOUS EXPERIENCE WITH ONE FEMALE  3 = TWO OR MORE FEMALES, ONE TIME EACH  4 = CONTINUOUS EXPERIENCES, TWO OR MORE FEMALES  9 = UNKNOWN
PRE	PUBERTAL EXPERIENCE WITH ADULT MALES
48	NUMBER OF PREPUBERTAL HETEROSEXUAL EXPERIENCES WITH ADULT MALE(S):  0 = NONE  1 = SINGLE EVENT  2 = TWO SEPARATE EVENTS  3 = THREE SEPARATE EVENTS  4 = FOUR SEPARATE EVENTS  5 = FIVE OR MORE SEPARATE EVENTS  6 = OCCURRED, UNKNOWN NUMBER  9 = UNKNOWN
49-50	AGE FIRST PREPUBERTAL SEXUAL EXPERIENCE WITH ADULT MALE:  BLANK = NEVER EXPERIENCE, OR UNKNOWN IF EVER EXPERIENCE ACTUAL AGE CODED  90 = GIVEN ONLY AS "YOUNG" 98 = OCCURRED, AGE UNKNOWN
51-52	AGE OF FIRST ADULT MALE PARTNER:  BLANK = NEVER EXPERIENCE, OR UNKNOWN IF EVER  EXPERIENCE  ACTUAL AGE CODED  90 = AGE 14-19 (ONLY RANGE GIVEN)  91 = AGE 20 OR OLDER (ONLY RANGE GIVEN)  98 = OCCURRED, AGE UNKNOWN
53	SUBJECT'S RELATION TO FIRST ADULT MALE:  BLANK = NEVER EXPERIENCE, OR UNKNOWN IF EVER EXPERIENCE  1 = STRANGER 2 = ACQUAINTANCE 3 = FRIEND 4 = RELATIVE: SIBLING 5 = RELATIVE (NOT PARENT): UNCLE, IN-LAWS, ETC. 6 = RELATIVE: PARENT OR GRANDPARENT 9 = UNKNOWN RELATIONSHIP

# PREPUBERTAL SEX PLAY: FEMALE PREPUBERTAL EXPERIENCE WITH ADULT MALES

PR	EPUBERTAL EXPERIENCE WITH ADULT MALES
COLUMN	CODE
54	TYPE OF EXPERIENCE WITH FIRST ADULT MALE:
	BLANK = NEVER EXPERIENCE, OR UNKNOWN IF EVER
	EXPERIENCE
	1 = APPROACH
	2 = EXHIBITION OF GENITALS
	3 = NONGENITAL TOUCHING
	4 = GENITAL TOUCHING
	5 = MOUTH-GENITAL CONTACT
	6 = COITUS OR TRY COITUS
	7 = ASSAULT WITH ANY OF ABOVE
	8 = OCCURRED, TECHNIQUE UNKNOWN
FF	
55	FREQUENCY OF OCCURRENCE WITH FIRST ADULT MALE:
	BLANK = NEVER EXPERIENCE, OR UNKNOWN IF EVER
	EXPERIENCE
	1 = SINGLE EVENT
	2 = TWO SEPARATE OCCURRENCES
	3 = 3 - 9 SEPARATE OCCURRENCES
	4 = 10 OR MORE OCCURRENCES OR CONTINUOUS
	EXPERIENCE
	8 = OCCURRED, NUMBER OF TIMES UNKNOWN
56	RESPONSE OF SUBJECT TO FIRST ADULT MALE:
	BLANK = NEVER EXPERIENCE, OR UNKNOWN IF EVER
	EXPERIENCE
	1 = NEGATIVE (FRIGHTEN, UPSET, HORROR)
	2 = NEUTRAL OR INDIFFERENT
	3 = SLIGHT POSITIVE (CURIOUS, INTEREST, AMUSE,
	SURPRISED)
	4 = POSITIVE (ENJOY)
	5 = 1 AND AROUSAL
	6 = 3 AND AROUSAL
	7 = 4 AND AROUSAL
	8 = ORGASM
	9 = UNKNOWN
	• • • • • • • • • • • • • • • • • • • •
57-58	AGE PREPUBERTAL HETEROSEXUAL EXPERIENCE WITH SECOND
	ADULT MALE:
	CODED SAME AS COLUMNS 49-50, EXCEPT
	BLANK = NEVER SECOND EXPERIENCE, OR POSSIBLY NO
	FIRST EXPERIENCE, OR UNKNOWN IF EVER
	EXPERIENCE
59-60	AGE OF SECOND ADULT MALE:
	CODED SAME AS COLUMNS 51-52, EXCEPT
	BLANK = NEVER SECOND EXPERIENCE, OR POSSIBLY NO
	FIRST EXPERIENCE, OR UNKNOWN IF EVER
	·
	EXPERIENCE

# PREPUBERTAL SEX PLAY: FEMALE PREPUBERTAL EXPERIENCE WITH ADULT MALES

COLUMN PRE	PUBERTAL EXPERIENCE WITH ADULT MALES  CODE
61	SUBJECT'S RELATION TO SECOND ADULT MALE:
01	CODED SAME AS COLUMN 53, EXCEPT
	BLANK = NEVER SECOND EXPERIENCE, OR POSSIBLY NO FIRST EXPERIENCE, OR UNKNOWN IF EVER EXPERIENCE
62	TYPE OF EXPERIENCE WITH SECOND ADULT MALE:  CODED SAME AS COLUMN 54, EXCEPT  BLANK = NEVER SECOND EXPERIENCE, OR POSSIBLY NO  FIRST EXPERIENCE, OR UNKNOWN IF EVER  EXPERIENCE
63	FREQUENCY OF OCCURRENCE WITH SECOND ADULT MALE:  CODED SAME AS COLUMN 55, EXCEPT  BLANK = NEVER SECOND EXPERIENCE, OR POSSIBLY NO  FIRST EXPERIENCE, OR UNKNOWN IF EVER  EXPERIENCE
64	RESPONSE OF SUBJECT TO SECOND ADULT MALE:  CODED SAME AS COLUMN 56, EXCEPT  BLANK = NO SECOND EXPERIENCE, OR POSSIBLY NO  FIRST EXPERIENCE, OR UNKNOWN IF EVER  EXPERIENCE
	OBSERVATION OF MALE GENITALIA
65-66	AGE FIRST SAW PREPUBERTAL MALE GENITALIA:  00 = NEVER SEEN  ACTUAL AGE CODED  90 = "YOUNG" OR "AS A CHILD" RECORDED ONLY  91 = GRADE SCHOOL AGE  92 = HIGH SCHOOL AGE  93 = COLLEGE AGE  98 = SAW, UNKNOWN AGE  99 = UNKNOWN
67	SOURCE FIRST SAW PREPUBERTAL MALE GENITALIA:  0 = NEVER SEEN  1 = BABY (UNSPECIFIED)  2 = BROTHER  3 = PREPUBERTAL SEX PLAY  4 = ACCIDENT, UNSPECIFIED  5 = COUSIN  7 = OTHER  8 = SAW, SOURCE UNKNOWN  9 = UNKNOWN

### PREPUBERTAL SEX PLAY: FEMALE OBSERVATION OF MALE GENITALIA

	OBSERVATION OF MALE GENITALIA
COLUMN	CODE
68-69	AGE FIRST SAW ADULT MALE GENITALIA:  00 = NEVER SEEN  ACTUAL AGE CODED  90 = "YOUNG" OR "AS A CHILD"  91 = GRADE SCHOOL AGE  92 = HIGH SCHOOL AGE  93 = COLLEGE AGE  98 = SAW, AGE UNKNOWN  99 = UNKNOWN, NOT ASKED
70-71	SOURCE FIRST SAW ADULT MALE GENITALIA:
	00 = NEVER SEEN  01 = PET  02 = PREMARITAL COITUS  SEXUAL  03 = MARITAL COITUS  06 = PREPUBERTAL PLAY WITH POSTPUBERTAL MALE  10 = UNSPECIFIED  11 = FREE ABOUT NUDITY  12 = ACCIDENT  13 = PEEP  20 = BROTHER, UNSPECIFIED  21 = BROTHER, FREE ABOUT NUDITY  22 = BROTHER, ACCIDENT  23 = BROTHER, PEEP  MALE RELATIVES  24 = OTHER RELATIVES, UNSPECIFIED  25 = OTHER RELATIVES, FREE ABOUT NUDITY
	26 = OTHER RELATIVES, ACCIDENT 27 = OTHER RELATIVES, PEEP 30 = MEDICAL TRAINING 31 = NURSES TRAINING 32 = PROFESSIONAL EXPERIENCE 40 = ART CLASS 41 = SWIMMING
	MISCELLANEOUS 45 = NUDIST CAMP, PRIMITIVE CULTURE, ETC. 50 = EXHIBITIONIST 51 = ACCIDENT, UNSPECIFIED 52 = PEEP, UNSPECIFIED 97 = OTHER SOURCE 98 = SAW, SOURCE UNKNOWN 99 = UNKNOWN

#### PREPUBERTAL SEX PLAY: MALE

COLUMN	CODE	
1-2	CARD NUMBER: 11 = MALE	
3-7	CASE HISTORY NUMBER:	
8-9	AGE AT PUBERTY:  00 = NOT PUBERTAL  ACTUAL AGE CODED	
HETEROSEXUAL PREPUBERTAL PLAY		
10	EVER HETEROSEXUAL PREPUBERTAL PLAY:  0 = NEVER  1 = EVER  9 = UNKNOWN	
11	AGE 4: TECHNIQUES USED DURING THIS YEAR:  BLANK = NO HETEROSEXUAL PREPUBERTAL PLAY, OR  UNKNOWN IF EVER PLAY  0 = NO HETEROSEXUAL PREPUBERTAL PLAY THIS YEAR  1 = SHOWING ONLY  2 = TOUCHING  3 = MOUTH-GENITAL CONTACT  4 = COITUS, INCLUDING TRY  5 = INSERTION IN VAGINA  6 = COITUS PLUS MOUTH-GENITAL  7 = POSTPUBERTAL OR AGE NOT REACHED  8 = TECHNIQUE UNKNOWN, BUT PLAY OCCURRED  9 = UNKNOWN IF OCCURRED AT THIS AGE	
12	AGE 5: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 11	
13	AGE 6: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 11	
14	AGE 7: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 11	
15	AGE 8: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 11	
16	AGE 9: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 11	
17	AGE 10: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 11	
18	AGE 11: TECHNIQUES USED DURING THIS YEAR:  CODED SAME AS COLUMN 11	

# PREPUBERTAL SEX PLAY: MALE HETEROSEXUAL PREPUBERTAL PLAY

COLUMN	HETEROSEXUAL PREPUBERTAL PLAY  CODE
19	AGE 12: TECHNIQUES USED DURING THIS YEAR:  CODED SAME AS COLUMN 11
20	AGE 13: TECHNIQUES USED DURING THIS YEAR:  CODED SAME AS COLUMN 11
21	AGE 14: TECHNIQUES USED DURING THIS YEAR:  CODED SAME AS COLUMN 11
22	AGE 15: TECHNIQUES USED DURING THIS YEAR:  CODED SAME AS COLUMN 11
23	DIRECTION OF MOUTH-GENITAL CONTACT:  BLANK = NEVER HETEROSEXUAL PREPUBERTAL PLAY, OR
24	COITUS:  BLANK = NEVER HETEROSEXUAL PREPUBERTAL PLAY, OR
25	AROUSAL IN HETEROSEXUAL PREPUBERTAL PLAY:  BLANK = NEVER PLAY, OR UNKNOWN IF EVER PLAY  1 = NOT AROUSED  2 = LITTLE  3 = SOME  4 = MUCH  5 = AROUSED, DEGREE UNKNOWN  6 = ORGASM  7 = ERECT (AROUSAL TAKES PRECEDENCE)  9 = UNKNOWN
26	RELATIONSHIP TO COMPANION IN HETEROSEXUAL SEX PLAY:  BLANK = NEVER PLAY OR UNKNOWN IF EVER PLAY  0 = NONE MENTIONED  1 = SISTER  2 = COUSIN, AUNT, ETC.  3 = 1 AND 2  9 = UNKNOWN

# PREPUBERTAL SEX PLAY: MALE HETEROSEXUAL PREPUBERTAL PLAY

HETEROSEXUAL PREPUBERTAL PLAY
CODE
CONTINUITY OF HETEROSEXUAL PETTING (PREPUBERTAL TO POSTPUBERTAL):  0 = NO HETEROSEXUAL PREPUBERTAL PLAY  1 = SHOWING ONLY  2 = PLAY, NO CONTINUITY (BREAK OF TWO OR MORE  YEARS AROUND PUBERTY)  3 = PLAY, ONE YEAR BREAK AT PUBERTY, THEN POSTPUBERTAL PETTING  4 = PLAY CONTINUOUS INTO POSTPUBERTAL LIFE  5 = NO PREPUBERTAL HETEROSEXUAL PLAY, BUT POSTPUBERTAL PETTING BEGINS IN PUBERTAL YEAR  9 = UNKNOWN
CONTINUITY OF COITUS OR TRY COITUS (PREPUBERTAL TO POSTPUBERTAL):  0 = NO HETEROSEXUAL PREPUBERTAL PLAY  1 = PLAY LESS THAN COITUS  2 = COITUS, NO CONTINUITY (BREAK OF TWO OR MORE YEARS AROUND PUBERTY)  3 = COITUS, ONE YEAR BREAK AT PUBERTY, THEN RESUMES  4 = COITUS CONTINUOUS INTO POSTPUBERTAL LIFE  5 = NO PREPUBERTAL PLAY, BUT COITUS BEGINS IN PUBERTAL YEAR  9 = UNKNOWN  HOMOSEXUAL PREPUBERTAL PLAY
EVER HOMOSEXUAL PREPUBERTAL PLAY:  0 = NEVER  1 = EVER  9 = UNKNOWN
AGE 4: TECHNIQUES USED DURING THIS YEAR:  BLANK = NEVER HOMOSEXUAL PREPUBERTAL PLAY, OR  UNKNOWN IF PLAY  0 = NONE THIS YEAR 1 = SHOWING ONLY 2 = TOUCHING 3 = MOUTH-GENITAL CONTACT 4 = ANAL CONTACT OR ANAL TRY 5 = URETHRAL INSERT ONLY 6 = ANAL CONTACT PLUS MOUTH-GENITAL 7 = POSTPUBERTAL OR AGE NOT REACHED 8 = PLAY OCCURRED, TECHNIQUE UNKNOWN 9 = UNKNOWN IF PLAY OCCURRED DURING THIS YEAR

# PREPUBERTAL SEX PLAY: MALE HOMOSEXUAL PREPUBERTAL PLAY

COLUMN	CODE
31	AGE 5: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 30
32	AGE 6: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 30
33	AGE 7: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 30
34	AGE 8: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 30
35	AGE 9: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 30
36	AGE 10: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 30
37	AGE 11: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 30
38	AGE 12: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 30
39	AGE 13: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 30
40	AGE 14: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 30
41	AGE 15: TECHNIQUES USED DURING THIS YEAR: CODED SAME AS COLUMN 30
42	DIRECTION OF MOUTH-GENITAL CONTACT:  BLANK = NEVER HOMOSEXUAL PREPUBERTAL PLAY, OR

# PREPUBERTAL SEX PLAY: MALE HOMOSEXUAL PREPUBERTAL PLAY

	HOMOSEXUAL PREPUBERTAL PLAY
COLUMN	CODE
	<del></del>
43	DIDECUION OF ANAL CONDACT.
43	DIRECTION OF ANAL CONTACT:
	BLANK = NO PREPUBERTAL HOMOSEXUAL PLAY, OR
	UNKNOWN IF PLAY
	0 = NO ANAL CONTACT
	1 = UNSPECIFIED DIRECTION
	2 = ACTIVE ONLY
	3 = PASSIVE ONLY
	4 = MUTUAL, OR SEPARATE EVENTS OF ACTIVE AND
	•
	PASSIVE
	5 = TRY ONLY
	9 = UNKNOWN
44	AROUSAL IN HOMOSEXUAL PREPUBERTAL PLAY:
	BLANK = NEVER PLAY, OR UNKNOWN IF EVER PLAY
	1 = NOT AROUSED
	2 = LITTLE
	3 = SOME
	4 = MUCH
	5 = AROUSED, DEGREE UNKNOWN
	6 = ORGASM
	7 = ERECT (AROUSAL TAKES PRECEDENCE)
	9 = UNKNOWN
45	RELATIONSHIP TO COMPANION IN HOMOSEXUAL SEX PLAY:
	BLANK = NEVER PLAY, OR UNKNOWN IF PLAY
	0 = NONE MENTIONED
	1 = BROTHER OR SURROGATE
	2 = COUSIN, UNCLE, ETC.
	3 = 1  AND  2
	9 = UNKNOWN
46	CONTINUITY OF HOMOSEXUAL GENITAL BEHAVIOR (PREPUBERTAL
	TO POSTPUBERTAL):
	0 = NEVER HOMOSEXUAL PREPUBERTAL PLAY
	1 = PLAY, SHOW ONLY
	2 = GENITAL PLAY, NO CONTINUITY (AT LEAST A
	TWO YEAR BREAK AROUND PUBERTY)
	3 = GENITAL PLAY, ONE YEAR BREAK AT PUBERTY,
	THEN RESUMES
	4 = HOMOSEXUAL BEHAVIOR CONTINUOUS INTO POST-
	PUBERTAL LIFE
	5 = NO PREPUBERTAL HOMOSEXUAL PLAY, BUT HOMOSEXUAL
	POSTPUBERTAL BEHAVIOR BEGINS IN PUBERTAL
	YEAR
	9 = UNKNOWN

# PREPUBERTAL SEX PLAY: MALE PREPUBERTAL EXPERIENCE WITH ADULT FEMALES

COLUMN	CODE CODE
47	NUMBER OF PREPUBERTAL HETEROSEXUAL EXPERIENCES WITH ADULT FEMALES:  0 = NONE 1 = SINGLE EVENT 2 = TWO SEPARATE EVENTS 3 = THREE EVENTS 4 = FOUR SEPARATE EVENTS 5 = FIVE OR MORE EVENTS 6 = OCCURRED, UNKNOWN NUMBER 9 = UNKNOWN
48-49	AGE FIRST PREPUBERTAL SEXUAL EXPERIENCE WITH ADULT FEMALE:  BLANK = NEVER EXPERIENCE, OR UNKNOWN IF EXPERIENCE ACTUAL AGE CODED  90 = GIVEN ONLY AS "YOUNG"  98 = OCCURRED, AGE UNKNOWN
50-51	AGE OF FIRST ADULT FEMALE PARTNER:  BLANK = NEVER EXPERIENCE, OR UNKNOWN IF EXPERIENCE  ACTUAL AGE CODED  90 = 14 - 19 (ONLY RANGE GIVEN)  91 = 20 OR OLDER (ONLY RANGE GIVEN)  99 = AGE UNKNOWN
52	SUBJECT'S RELATION TO FIRST ADULT FEMALE PARTNER:  BLANK = NEVER OCCURRED, OR UNKNOWN IF OCCURRED  1 = STRANGER  2 = ACQUAINTANCE  3 = FRIEND  4 = RELATIVE: SIBLING  5 = RELATIVE (NON PARENT): AUNT, IN-LAWS, ETC.  6 = RELATIVE: PARENT OR GRANDPARENT  9 = UNKNOWN RELATIONSHIP
53	TYPE OF EXPERIENCE WITH FIRST ADULT FEMALE:  BLANK = NEVER EXPERIENCE, OR UNKNOWN IF EXPERIENCE  1 = APPROACH  2 = EXHIBITION OF NUDE PARTS  3 = NONGENITAL TOUCHING  4 = GENITAL TOUCHING OR INSERT  5 = MOUTH-GENITAL CONTACT  6 = COITUS OR TRY COITUS  7 = ASSAULT WITH ANY OF ABOVE  8 = OCCURRED, TECHNIQUE UNKNOWN

# PREPUBERTAL SEX PLAY: MALE PREPUBERTAL EXPERIENCE WITH ADULT FEMALES

COLUMN COLUMN	CODE CODE
54	FREQUENCY OF OCCURRENCE WITH FIRST ADULT FEMALE:  BLANK = NEVER EXPERIENCE, OR UNKNOWN IF EXPERIENCE  1 = SINGLE OCCURRENCE  2 = TWO SEPARATE OCCURRENCES  3 = 3 - 10 SEPARATE OCCURRENCES  4 = 11 OR MORE OCCURRENCES OR CONTINUOUS EXPERIENCE  8 = OCCURRED, NUMBER OF TIMES UNKNOWN
55	RESPONSE OF SUBJECT TO FIRST ADULT FEMALE:  BLANK = NEVER OCCURRED, OR UNKNOWN IF OCCURRED  1 = NEGATIVE (FRIGHTEN, UPSET, HORROR)  2 = NEUTRAL OR INDIFFERENT  3 = SLIGHT POSITIVE (CURIOUS, INTEREST, AMUSE)  4 = POSITIVE (ENJOY)  5 = AROUSED PLUS NUMBER 1 ABOVE  6 = AROUSED PLUS NUMBER 3 ABOVE  7 = AROUSED PLUS NUMBER 4 ABOVE  8 = ORGASM  9 = UNKNOWN
56	NUMBER OF PREPUBERTAL HOMOSEXUAL EXPERIENCES WITH ADULT MALES:  0 = NONE 1 = SINGLE EVENT 2 = TWO SEPARATE EVENTS 3 = THREE EVENTS 4 = FOUR EVENTS 5 = FIVE EVENTS 6 = UNKNOWN NUMBER, BUT OCCURRED 7 = SEVEN EVENTS 8 = EIGHT OR MORE EVENTS 9 = UNKNOWN
57-58	AGE FIRST PREPUBERTAL SEXUAL CONTACT WITH AN ADULT MALE:  CODED SAME AS COLUMNS 48-49
59-60	AGE OF FIRST ADULT MALE PARTNER:  CODED SAME AS COLUMNS 50-51
61	SUBJECT'S RELATION TO FIRST ADULT MALE PARTNER:  BLANK = NEVER OCCURRED, OR UNKNOWN IF OCCURRED  1 = STRANGER  2 = ACQUAINTANCE  3 = FRIEND  4 = RELATIVE: SIBLING  5 = RELATIVE (NON PARENT): UNCLE, IN-LAWS, ETC.  6 = RELATIVE: PARENT OR GRANDPARENT  9 = UNKNOWN RELATIONSHIP

# PREPUBERTAL SEX PLAY: MALE PREPUBERTAL EXPERIENCE WITH ADULT FEMALES

COLUMN COLUMN	CODE CODE
62	TYPE OF EXPERIENCE WITH FIRST ADULT MALE PARTNER:  BLANK = NEVER EXPERIENCE, OR UNKNOWN IF EXPERIENCE  1 = APPROACH  2 = EXHIBITION OF NUDE GENITALS  3 = NONGENITAL TOUCHING  4 = GENITAL TOUCHING  5 = MOUTH-GENITAL CONTACT  6 = ANAL CONTACT  7 = ASSAULT WITH ANY OF THE ABOVE  8 = OCCURRED, TECHNIQUE UNKNOWN
63	FREQUENCY OF OCCURRENCE WITH FIRST ADULT MALE: CODED SAME AS COLUMN 54
64	RESPONSE OF SUBJECT:  BLANK = NEVER OCCURRED, OR UNKNOWN IF OCCURRED  1 = NEGATIVE (FRIGHTEN, UPSET, HORROR)  2 = NEUTRAL OR INDIFFERENT  3 = SLIGHT POSITIVE (CURIOUS, INTEREST)  4 = POSITIVE (ENJOY)  5 = AROUSED PLUS NUMBER 1 ABOVE  6 = AROUSED PLUS NUMBER 3 ABOVE  7 = AROUSED PLUS NUMBER 4 ABOVE  8 = ORGASM  9 = UNKNOWN
65-66	AGE FIRST SAW PREPUBERTAL FEMALE GENITALIA:  00 = NEVER SEEN  ACTUAL AGE CODED  90 = "YOUNG" OR AS A CHILD  91 = GRADE SCHOOL AGE  92 = HIGH SCHOOL AGE  93 = COLLEGE AGE  98 = SAW AGE UNKNOWN  99 = UNKNOWN
67	SOURCE FIRST SAW PREPUBERTAL FEMALE GENITALIA:  0 = NEVER SEEN  1 = BABY (UNSPECIFIED)  2 = SISTER  3 = PREPUBERTAL SEX PLAY  4 = ACCIDENT, UNSPECIFIED  5 = COUSIN  6 = DAUGHTER  7 = OTHER  8 = SAW, SOURCE UNKNOWN  9 = UNKNOWN

# PREPUBERTAL SEX PLAY: MALE PREPUBERTAL EXPERIENCE WITH ADULT FEMALES

PREPUBERTAL EXPERIENCE WITH ADULT FEMALES		
<u>COLUMN</u> <u>CODE</u>		
68-69 AGE	FIRST SAW ADULT FEMALE GENITALIA:  00 = NEVER SEEN ACTUAL AGE CODED 90 = "YOUNG" OR "AS A CHILD" 91 = GRADE SCHOOL AGE 92 = HIGH SCHOOL AGE 93 = COLLEGE AGE 98 = SAW, AGE UNKNOWN 99 = UNKNOWN	
70-71 SOUR	CE FIRST SAW ADULT FEMALE GENITALIA:	
70 /1 5001	00 = NEVER SEEN	
	r01 = PET	
	02 = PREMARITAL COITUS	
SEXUAL	03 = MARITAL COITUS	
	04 = PROSTITUTE WITHOUT COITUS	
	05 = PROSTITUTE WITH COITUS	
	LO6 = PREPUBERTAL PLAY WITH POSTPUBERTAL FEMALE	
	Γ10 = UNSPECIFIED	
MOTHER	11 = FREE ABOUT NUDITY	
	12 = ACCIDENT	
	L13 = PEEP	
	[20 = SISTER, UNSPECIFIED	
	21 = SISTER, FREE ABOUT NUDITY	
	22 = SISTER, ACCIDENT	
OTHER	23 = SISTER, PEEP	
FEMALE RELATIVE	24 = OTHER, UNSPECIFIED	
	25 = OTHER, FREE ABOUT NUDITY	
	26 = OTHER, ACCIDENT	
FORMAL	L27 = OTHER, PEEP	
FORMAL	30 = MEDICAL TRAINING 32 = OTHER PROFESSIONAL EXPERIENCE	
	r40 = ART CLASS	
	41 = SWIMMING	
	42 = BURLESQUE OR STRIPTEASE	
	43 = PEEP (NONRELATIVE)	
	44 = SEX SHOW OTHER THAN BURLESQUE	
MISCELLANEOUS	45 = NUDIST CAMP OR PRIMITIVE CULTURE	
	46 = EXHIBITION	
	51 = ACCIDENT, UNSPECIFIED	
	52 = PEEP, UNSPECIFIED	
	97 = OTHER	
	L <sub>98</sub> = saw, source unknown	
	99 = UNKNOWN	

### PREPUBERTAL SEX PLAY: MALE PREPUBERTAL EXPERIENCE WITH ADULT FEMALES

	PREPUBERTAL EXPERIENCE WITH ADULT FEMALES
COLUMN	CODE
72	HIGHEST EVER HETEROSEXUAL PREPUBERTAL SEX PLAY KNOWN:  BLANK = NO PREPUBERTAL HETEROSEXUAL PLAY  1 = SHOW ONLY  2 = TOUCHING  3 = INSERTION IN VAGINA  4 = MOUTH-GENITAL CONTACT  5 = COITUS  6 = COITUS AND MOUTH-GENITAL CONTACT  8 = PLAY, TECHNIQUE UNKNOWN  9 = UNKNOWN WHETHER PLAY OCCURRED
73	HIGHEST EVER HOMOSEXUAL PREPUBERTAL SEX PLAY KNOWN:  BLANK = NO PREPUBERTAL HOMOSEXUAL PLAY  1 = SHOW ONLY  2 = TOUCHING  3 = URETHRAL INSERT  4 = MOUTH-GENITAL CONTACT  5 = ANAL CONTACT  6 = ANAL AND MOUTH-GENITAL CONTACT  8 = PLAY, TECHNIQUE UNKNOWN  9 = UNKNOWN WHETHER PLAY OCCURRED
74	TOTAL NUMBER YEARS OF PREPUBERTAL HETEROSEXUAL PLAY OF MORE THAN SHOW:  BLANK = NO PREPUBERTAL PLAY MORE THAN SHOW  1 = ONE YEAR  2 = TWO YEARS  3 = THREE YEARS  4 = FOUR YEARS  5 = FIVE YEARS  6 = SIX YEARS  7 = SEVEN YEARS  8 = EIGHT OR MORE YEARS  9 = UNKNOWN
75	TOTAL NUMBER YEARS OF PREPUBERTAL HOMOSEXUAL PLAY OF MORE THAN SHOW: CODED SAME AS COLUMN 74

COLUMN	CODE		
1-2	CARD NUMBER: 12 = FEMALE		
3-7	CASE HISTORY NUMBER:		
	HETEROSEXUAL PETTING		
8-9	AGE FIRST POSTPUBERTAL PETTING:  BLANK = NEVER PET  ACTUAL AGE CODED  98 = PET, AGE FIRST UNKNOWN  99 = UNKNOWN		
10-12	NUMBER OF PETTING AND COITAL PARTNERS THROUGH HIGH SCHOOL:  A. FOR FEMALES WHO HAVE GRADUATED FROM HIGH SCHOOL, THESE COLUMNS APPLY TO MALES WITH WHOM THE SUBJECT PETTED OR HAD COITUS DURING THE PERIOD FROM SUBJECT'S PUBERTY TO HIGH SCHOOL GRADUATION.  B. FOR FEMALES NOT GRADUATING FROM HIGH SCHOOL THIS INCLUDES ALL MALES UNTIL MARRIAGE, OR TO DATE OF HISTORY FOR SINGLE FEMALES.  C. WHERE ONLY TOTAL NUMBER WAS GIVEN FOR HIGH SCHOOL AND AFTER HIGH SCHOOL, THIS NUMBER IS CODED HERE (COLUMNS 10-12) WITH CODE 899 IN COLUMNS 13-15.  BLANK = NEVER PET OR NEVER PET THROUGH HIGH SCHOOL  001 = 1 ACTUAL NUMBER CODED 500 = 500 OR MORE 610 = FEW 620 = SOME 630 = MANY 640 = VERY MANY 650 =  660 = "HUNDREDS" 670 = "THOUSANDS" 888 = UNKNOWN NUMBER, BUT PETTED 999 = UNKNOWN		

# FEMALE; HETEROSEXUAL PREMARITAL PETTING; FIRST COITUS; PREMARITAL COITAL TECHNIQUES HETEROSEXUAL PETTING

COLUMN	CODE
13-15	NUMBER OF DIFFERENT PETTING AND COITAL PARTNERS AFTER HIGH SCHOOL:
	BLANK = NEVER PET OR NEVER PET AFTER HIGH SCHOOL  001 = 1  ACTUAL NUMBER CODED  500 = 500 OR MORE  610 = FEW  620 = SOME  630 = MANY  640 = JVERY MANY  650 = J  660 = "HUNDREDS"  670 = "THOUSANDS"  777 = NEVER FINISHED HIGH SCHOOL  888 = UNKNOWN NUMBER, BUT PETTED  899 = ONLY TOTAL NUMBER FOR HIGH SCHOOL AND  POST HIGH SCHOOL GIVEN (TOTAL CODED IN  COLUMNS 10-12)  999 = UNKNOWN
	999 = UNKNOWN

16	HUGGING:  BLANK = NEVER PET  1 = PETTING, NEVER THIS TECHNIQUE  2 = PETTING, NEVER THIS TECHNIQUE; PLUS NEGATIVE COMMENT (OFFEND, DISGUST, ETC.)  3 = RARE  4 = LITTLE  5 = SOME  6 = MUCH 9 = UNKNOWN
17	KISSING: CODED SAME AS COLUMN 16
18	TONGUE KISSING: CODED SAME AS COLUMN 16
19	MALE HAND ON FEMALE NUDE BREAST: CODED SAME AS COLUMN 16
20	MALE MOUTH ON FEMALE NUDE BREAST: CODED SAME AS COLUMN 16
21	MALE HAND ON FEMALE NUDE GENITALIA:  CODED SAME AS COLUMN 16

	PREMARITAL PETTING TECHNIQUES
COLUMN	CODE
22	FEMALE HAND ON MALE NUDE GENITALIA:
	CODED SAME AS COLUMN 16
23	MALE MOUTH ON FEMALE GENITALIA:
20	BLANK = NEVER PET
	1 = NEVER
	2 = NEVER, PLUS NEGATIVE COMMENT (DISGUST,
	OFFEND, ETC.)
	3 = NEVER, BUT FEMALE WANTS OR DESIRES
	4 = RARE
	5 = LITTLE
	6 = SOME
	7 = MUCH
	9 = UNKNOWN
	9 - UNKNOWN
2.4	FEMALE EVER ORGASM FROM MALE MOUTH ON GENITALIA:
24	BLANK = NEVER PET
	1 = NEVER
	2 = EVER 9 = UNKNOWN
	9 - UNKNOWIN
25	FEMALE MOUTH ON MALE GENITALIA:
25	CODED SAME AS COLUMN 23, EXCEPT
	3 = NEVER, BUT MALE WANTS
	o NEVERY DOT TELLE WINTE
26	MALE EVER ORGASM FROM FEMALE MOUTH ON GENITALIA:
	CODED SAME AS COLUMN 24
27	APPOSITION OF NUDE GENITALIA WITHOUT PENETRATION:
	CODED SAME AS COLUMN 16
28	FREQUENCY OF ORGASM FOR MALE IN PETTING:
	BLANK = NEVER PET
	1 = NEVER ORGASM
	2 = 1-3 TIMES EVER
	3 = 1-3 TIMES PER YEAR, EVER
	4 = 4-12 TIMES PER YEAR, EVER
	5 = 13 OR MORE TIMES PER YEAR, EVER
	9 = UNKNOWN IF PET, OR ORGASM, OR FREQUENCY
29-30	AGE FIRST ORGASM FOR FEMALE IN POSTPUBERTAL PETTING:
	BLANK = NEVER PET
	00 = NEVER ORGASM
	ACTUAL AGE CODED
	98 = ORGASM, AGE UNKNOWN
	99 = UNKNOWN IF PET, OR ORGASM

COTTIMAT	PREMARITAL PETTING TECHNIQUES
COLUMN	CODE
31	FREQUENCY OF ORGASM FOR FEMALE IN PETTING:
JI	BLANK = NEVER PET
	1 = NEVER ORGASM
	2 = 1-3 TIMES EVER
	3 = 1-3 TIMES PER YEAR, EVER
	4 = 4-12 TIMES PER YEAR, EVER 5 = 13 OR MORE TIMES PER YEAR, EVER
	9 = UNKNOWN IF PET, ORGASM OR FREQUENCY
32	MASTURBATION AFTER PETTING: BLANK = NEVER PET
	1 = NEVER
	2 = RARELY
	3 = SELDOM
	4 = OCCASIONALLY
	5 = USUALLY 6 = FORMERLY, NOT NOW
	9 = UNKNOWN
33	ACHE IN GROIN AFTER PETTING:
	CODED SAME AS COLUMN 32
34	PETTING WITHOUT ORGASM LEFT SUBJECT TENSE, NERVOUS,
Ji	OR UPSET:
	CODED SAME AS COLUMN 32
E	FIRST COITUS (PREMARITAL OR MARITAL)
35-36	AGE FIRST POSTPUBERTAL COITUS WITH OR WITHOUT ORGASM:
	BLANK = NEVER COITUS
	ACTUAL AGE CODED  98 = COITUS, AGE UNKNOWN
	99 = UNKNOWN
37	RELATION TO FIRST COITAL PARTNER:
31	BLANK = NEVER COITUS
	1 = COMPANION
	2 = FIANCE
	3 = HUSBAND
	5 = RELATIVE
	6 = CUSTOMER 8 = COITUS, RELATION TO PARTNER UNKNOWN
	9 = UNKNOWN
38-39	AGE OF FIRST COITAL PARTNER:
	BLANK = NEVER COITUS
	ACTUAL AGE CODED
	98 = COITUS, PARTNER'S AGE UNKNOWN 99 = UNKNOWN
	JJ OILLIONIN

#### FIRST COITUS (PREMARITAL OR MARITAL)

COLUMN	FIRST COITUS (PREMARITAL OR MARITAL)  CODE
40-42	LENGTH OF TIME TO ORGASM FOR MALE AFTER INTROMISSION IN FIRST COITUS (TIME IN MINUTES, TO ONE DECIMAL):  BLANK = NEVER COITUS  005 = 30 SECONDS  010 = 1 MINUTE  ETC.  600 = 1 HOUR OR LONGER  700 = "QUICK"  710 = PREMATURE EJACULATION  800 = NOT EJACULATE  810 = "SLOW" TO EJACULATE  820 = "MEDIUM" TIME TO EJACULATE  830 = "FAST" TO EJACULATE  988 = COITUS, TIME UNKNOWN  999 = UNKNOWN
43	BLEEDING DUE TO COITUS:  BLANK = NEVER COITUS  1 = NONE  2 = NONE (MEDICAL DOCTOR HAD CUT OR STRETCHED HYMEN, ETC.)  3 = LITTLE  4 = SOME  5 = MUCH  8 = UNKNOWN, SUBJECT NOT REMEMBER  9 = UNKNOWN
44	DID SUBJECT ENJOY FIRST COITUS:  BLANK = NEVER COITUS  1 = NO  2 = LITTLE  3 = SOME  4 = MUCH  8 = UNKNOWN, SUBJECT DOES NOT REMEMBER  9 = UNKNOWN

#### FIRST COITUS (PREMARITAL OR MARITAL)

	FIRST COITUS (PREMARITAL OR MARITAL)
COLUMN	CODE
45-46	ANY REASON GIVEN FOR NOT ENJOYING FIRST COITUS,
	REGARDLESS OF DEGREE OF ENJOYMENT:
	BLANK = NEVER COITUS
	$_{\Gamma}$ 01 = MALE INCOMPETENT
	02 = FEMALE INCOMPETENT
INCOMPETENCE	03 = MALE IMPOTENT OR TROUBLE IN ERECTION
	10 = EJACULATED BEFORE ENTRY
	L <sub>11</sub> = EJACULATED TOO SOON AFTER ENTRY
	r12 = PAINFUL FOR FEMALE
	13 = PAIN PLUS EMBARRASSED, (FRIGHTENED,
	SCARED, UPSET, NERVOUS, UNEASY, SHOCKED)
	14 = PAIN PLUS FEAR SEQUELAE (V.D., PREGNANCY)
PHYSICAL: FEMA	ALE 15 = PAIN PLUS SHAME (REGRET, GUILT)
	16 = PAIN PLUS MORAL (INHIBIT, CONFLICT)
	17 = PAIN PLUS NO ORGASM
	L <sub>19</sub> = PAIN PLUS OTHER REASON
	r20 = EMBARRASSED (FRIGHTENED, SCARED, UPSET,
	NERVOUS, UNEASY, SHOCKED)
	21 = DISGUSTED (REVOLTED, OFFENDED)
	22 = NOT UP TO FEMALE EXPECTATIONS
PSYCHOLOGICAL FO	
FEMALE	23 = FEMALE NOT AROUSED
	24 = FEAR SEQUELAE (V.D., PREGNANCY, ETC.)
	25 = MORAL (INHIBITED, CONFLICT)
	26 = SHAME (REGRET, GUILT)
	$L_{27} = NO ORGASM$
	r30 = MALE EMBARRASSED (FRIGHTENED, SCARED,
	UPSET, NERVOUS, UNEASY, SHOCKED)
	31 = MALE DISGUSTED (REVOLTED, OFFENDED)
	32 = NOT UP TO MALE'S EXPECTATIONS (DISAPPOINT-
	MENT, NOT WORTH IT, ETC.)
PSYCHOLOGICAL FO	DR 33 = MALE NOT AROUSED
MALE	34 = FEAR SEQUELAE (V.D., PREGNANCY, ETC.)
	35 = MORAL (INHIBITED, CONFLICT)
	36 = SHAME (REGRET, GUILT)
	L <sub>37</sub> = NO ORGASM
	$_{\Gamma}40$ = MALE UNESTHETIC
	41 = ODOR, SMELLS, ETC.
PHYSICAL: MALE	42 = GENITAL INADEQUACY (TOO BIG OR TOO SMALL)
	L43 = PAINFUL FOR MALE
	r50 = UNESTHETIC, MESSY
WHOLE ACT	L51 = AWKWARD OR UNFAVORABLE CIRCUMSTANCES
	$_{\Gamma}60 = MALE DRUNK$
ALCOHOL	61 = FEMALE DRUNK
	$L_{62}$ = both male and female drunk
	89 = OTHER REASONS
	90 = NO REASON GIVEN BUT CODED LESS THAN "MUCH"
	91 = ENJOYED FIRST COITUS - NO ADVERSE REMARKS
	99 = UNKNOWN

#### PREMARITAL COITAL TECHNIQUES

COLUMN CODE

THE FOLLOWING COLUMNS ARE CODED FOR SINGLE FEMALES WITH PREMARITAL COITUS. EVER-MARRIED FEMALES AND FEMALE VIRGINS ARE CODED BLANK IN COLUMNS 47-72

47-48 MAXIMUM FREQUENCY OF PREMARITAL COITUS PER WEEK:

BLANK = NEVER COITUS OR EVER MARRIED

ACTUAL NUMBER CODED

98 = COITUS, FREQUENCY UNKNOWN

99 = UNKNOWN

49-50 USUAL PERIOD OF PRECOITAL PETTING (AVERAGE):

BLANK = NEVER COITUS OR EVER MARRIED

01 = 1 MINUTE

NUMBER OF MINUTES CODED

60 = 60 MINUTES OR MORE

71 = SHORT TIME

72 = MODERATE TIME

73 = LONG TIME

80 = "VARIES"

90 = ONLY RANGE GIVEN

98 = COITUS, PERIOD OF TIME UNKNOWN

99 = UNKNOWN

51-52 USUAL PERIOD OF PRECOITAL PETTING (MINIMUM OF RANGE):

CODED SAME AS COLUMNS 49-50, EXCEPT

90 = ONLY AVERAGE GIVEN

91 = MINIMUM OF RANGE NOT GIVEN

53-54 USUAL PERIOD OF PRECOITAL PETTING (MAXIMUM OF RANGE):

CODED SAME AS COLUMNS 51-52, EXCEPT 91 = MAXIMUM OF RANGE NOT GIVEN

#### PREMARITAL FOREPLAY TECHNIQUES

55 MALE HAND ON FEMALE GENITALIA IN PREMARITAL FOREPLAY:

BLANK = NEVER COITUS OR EVER MARRIED

1 = COITUS, NEVER THIS PETTING TECHNIQUE

2 = COITUS, NEVER THIS PETTING TECHNIQUE; PLUS

COMMENT OF OFFEND, DISGUST, ETC.

3 = COITUS, NEVER THIS PETTING TECHNIQUE; PLUS

FEMALE WANTS OR DESIRES

4 = RARE

5 = LITTLE

6 = SOME

7 = MUCH

9 = UNKNOWN

#### PREMARITAL FOREPLAY TECHNIOUES

	PREMARITAL FOREPLAY TECHNIQUES
COLUMN	CODE
56	FEMALE HAND ON MALE GENITALIA IN PREMARITAL FOREPLAY: CODED SAME AS COLUMN 55
57	MALE MOUTH ON FEMALE GENITALIA IN PREMARITAL FOREPLAY: CODED SAME AS COLUMN 55
58	FEMALE EVER ORGASM FROM MALE MOUTH ON GENITALIA IN PREMARITAL FOREPLAY:  BLANK = NEVER COITUS OR EVER MARRIED  1 = NEVER 2 = EVER 9 = UNKNOWN
59	FEMALE MOUTH ON MALE GENITALIA IN PREMARITAL FOREPLAY: CODED SAME AS COLUMN 55
60	MALE EVER ORGASM FROM FEMALE MOUTH ON GENITALIA IN PREMARITAL FOREPLAY:  BLANK = NEVER COITUS OR EVER MARRIED  1 = NEVER 2 = EVER 9 = UNKNOWN
	PREMARITAL COITAL TECHNIQUES
61-63	AVERAGE LENGTH OF TIME BETWEEN INTROMISSION AND EJACULATION IN PREMARITAL COITUS (IN MINUTES TO ONE DECIMAL):  BLANK = NEVER COITUS OR EVER MARRIED  001 = 0.1 MINUTE (6 SECONDS)  005 = 0.5 MINUTE (30 SECONDS)  010 = 1 MINUTE  015 = 1.5 MINUTES  ETC.  ACTUAL TIME CODED  888 = NOT EJACULATE  900 = VARIES  910 = RANGE TOO LARGE TO AVERAGE (OVER 30 MINUTES)  999 = UNKNOWN  COITAL POSITIONS
64	MALE ABOVE IN PREMARITAL COITUS:  BLANK = NEVER COITUS OR EVER MARRIED  1 = COITUS, NEVER THIS POSITION  2 = COITUS, NEVER THIS POSITION; PLUS COMMENT OF OFFEND, DISGUST, ETC.  3 = COITUS, NEVER THIS POSITION; PLUS FEMALE WANTS OR DESIRES  4 = RARE 5 = LITTLE 6 = SOME 7 = MUCH 9 = UNKNOWN

COLUMN	CODE
65	FEMALE ABOVE IN PREMARITAL COITUS: CODED SAME AS COLUMN 64
66	ON SIDE, FACING, IN PREMARITAL COITUS:  CODED SAME AS COLUMN 64
67	COITUS SITTING (EITHER FEMALE OR MALE) IN PREMARITAL COITUS:  CODED SAME AS COLUMN 64
68	VAGINAL COITUS, REAR ENTRY IN PREMARITAL COITUS: CODED SAME AS COLUMN 64
69	COITUS STANDING IN PREMARITAL COITUS: CODED SAME AS COLUMN 64
70	PREMARITAL ANAL INTERCOURSE:  CODED SAME AS COLUMN 64, EXCEPT  8 = "TRY" ONLY
71	MALE PREFERENCE FOR LIGHT OR DARK IN PREMARITAL COITUS:  BLANK = NEVER COITUS OR EVER MARRIED  1 = DARK 2 = LITTLE LIGHT (DIM) 3 = SOME LIGHT 4 = LIGHT 5 = NO DIFFERENCE 8 = FEMALE DOES NOT KNOW MALE PREFERENCE 9 = UNKNOWN
72	FEMALE PREFERENCE FOR LIGHT OR DARK IN PREMARITAL COITUS:  CODED SAME AS COLUMN 71, EXCEPT  8 = FEMALE DOESN'T KNOW PREFERENCE, OR  "VARIES"

COLUMN	CODE
1-2	CARD NUMBER: 13 = MALE
3-7	CASE HISTORY NUMBER:
	HETEROSEXUAL PETTING
8-9	AGE FIRST POSTPUBERTAL PETTING:  BLANK = NEVER PET  ACTUAL AGE CODED  98 = PET, AGE FIRST UNKNOWN  99 = UNKNOWN
10-12	NUMBER OF PETTING AND COITAL PARTNERS THROUGH HIGH SCHOOL:  A. FOR MALES WHO HAVE GRADUATED FROM HIGH SCHOOL, THESE COLUMNS APPLY TO FEMALES WITH WHOM THE SUBJECT PETTED OR HAD COITUS DURING THE PERIOD FROM PUBERTY TO HIGH SCHOOL GRADUATION.  B. FOR MALES NOT GRADUATING FROM HIGH SCHOOL, THIS INCLUDES ALL FEMALES UNTIL MARRIAGE, OR TO DATE OF HISTORY FOR SINGLE MALES.  C. MERE ONLY TOTAL NUMBER FOR HIGH SCHOOL AND AFTER HIGH SCHOOL WAS GIVEN, THIS NUMBER IS CODED IN COLUMNS 10-12, WITH CODE 899 IN COLUMNS 13-15.  BLANK = NEVER PET OR NEVER PET THROUGH HIGH SCHOOL  001 = 1 ACTUAL NUMBER CODED 500 = 500 OR MORE 610 = FEW 620 = SOME 630 = MANY 640 = VERY MANY 650 = 660 = "HUNDREDS" 670 = "THOUSANDS" 888 = UNKNOWN NUMBER, BUT PETTED 999 = UNKNOWN
13-15	NUMBER OF PETTING PARTNERS AFTER HIGH SCHOOL:  BLANK = NEVER PET OR NEVER PET AFTER HIGH SCHOOL  001 = 1  ACTUAL NUMBER CODED  500 = 500 OR MORE  610 = FEW  620 = SOME

# MALE; HETEROSEXUAL PREMARITAL PETTING; FIRST COITUS; PREMARITAL COITAL TECHNIQUES HETEROSEXUAL PETTING

		IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII
COLUMN	CODE	
		630 = MANY 640 = VERY MANY 650 = "HUNDREDS" 660 = "HUNDREDS" 670 = "THOUSANDS" 777 = NEVER FINISHED HIGH SCHOOL 888 = UNKNOWN NUMBER, BUT PETTED
		899 = ONLY TOTAL FOR HIGH SCHOOL AND POST HIGH SCHOOL GIVEN (TOTAL CODED IN COLUMNS 10-12) 999 = UNKNOWN

16	HUGGING:  BLANK = NEVER PET  1 = PETTING, NEVER THIS TECHNIQUE 2 = PETTING, NEVER THIS TECHNIQUE; PLUS NEGATIVE COMMENT (OFFEND, DISGUST)  3 = RARE 4 = LITTLE 5 = SOME 6 = MUCH 9 = UNKNOWN
17	KISSING: CODED SAME AS COLUMN 16
18	TONGUE KISSING: CODED SAME AS COLUMN 16
19	MALE HAND ON FEMALE NUDE BREAST:  CODED SAME AS COLUMN 16
20	MALE MOUTH ON FEMALE NUDE BREAST:  CODED SAME AS COLUMN 16
21	MALE HAND ON FEMALE NUDE GENITALIA:  CODED SAME AS COLUMN 16
22	FEMALE HAND ON MALE NUDE GENITALIA:  CODED SAME AS COLUMN 16

	PREMARITAL PETTING TECHNIQUES
COLUMN	CODE
23	MALE MOUTH ON FEMALE GENITALIA:  BLANK = NEVER PET  1 = PETTING, NEVER THIS TECHNIQUE 2 = PETTING, NEVER THIS TECHNIQUE; PLUS NEGATIVE COMMENT (OFFEND, DISGUST)  3 = PETTING, NEVER THIS TECHNIQUE; PLUS MALE WANTS OR DESIRES  4 = RARE 5 = LITTLE 6 = SOME 7 = MUCH 9 = UNKNOWN
24	EVER FEMALE ORGASM FROM MALE MOUTH ON GENITALIA:  BLANK = NEVER PET  1 = NEVER  2 = EVER  9 = UNKNOWN
25	FEMALE MOUTH ON MALE GENITALIA:  CODED SAME AS COLUMN 23  DISREGARDED WHEN ONLY WITH PROSTITUTE
26	EVER MALE ORGASM FROM FEMALE MOUTH ON GENITALIA: CODED SAME AS COLUMN 24
27	APPOSITION OF NUDE GENITALIA WITHOUT PENETRATION: CODED SAME AS COLUMN 16
28-29	AGE FIRST ORGASM FOR MALE IN POSTPUBERTAL PETTING:  BLANK = NEVER PET  00 = NEVER ORGASM  ACTUAL AGE CODED  98 = ORGASM, AGE UNKNOWN  99 = UNKNOWN
30	FREQUENCY OF ORGASM FOR MALE IN PREMARITAL PETTING:  BLANK = NEVER PET  1 = NEVER ORGASM  2 = 1-3 TIMES EVER  3 = 1-3 TIMES PER YEAR, EVER  4 = 4-12 TIMES PER YEAR, EVER  5 = 13 OR MORE TIMES PER YEAR, EVER  9 = UNKNOWN IF PET, OR ORGASM OR FREQUENCY
31	FREQUENCY OF ORGASM FOR FEMALES IN PETTING: CODED SAME AS COLUMN 30

COLUMN	CODE CODE
32	MASTURBATION AFTER PETTING:  BLANK = NEVER PET  1 = NEVER  2 = RARE  3 = SELDOM  4 = OCCASIONALLY  5 = USUALLY  6 = FORMERLY  9 = UNKNOWN
33	ACHE IN GROIN OR TESTES AFTER PETTING: CODED SAME AS COLUMN 32
34	PETTING WITHOUT ORGASM LEFT SUBJECT TENSE, NERVOUS, OR UPSET:  CODED SAME AS COLUMN 32
	FIRST COITUS (PREMARITAL OR MARITAL)
35-36	AGE FIRST POSTPUBERTAL COITUS WITH OR WITHOUT ORGASM:  BLANK = NEVER COITUS  ACTUAL AGE CODED  98 = COITUS, AGE UNKNOWN  99 = UNKNOWN
37	RELATIONSHIP TO FIRST PARTNER:  BLANK = NEVER COITUS  1 = COMPANION  2 = FIANCEE  3 = WIFE  4 = PROSTITUTE  5 = RELATIVE  8 = COITUS, RELATIONSHIP UNKNOWN  9 = UNKNOWN
38-39	AGE OF FIRST PARTNER OR COST IF PARTNER IS A PROSTITUTE:  A. IF COLUMN 37 IS CODED AS COMPANION, FIANCEE, WIFE, RELATIVE, OR TYPE UNKNOWN, AGE OF FEMALE CODED:  BLANK = NEVER COITUS ACTUAL AGE CODED 98 = COITUS, FEMALE AGE UNKNOWN 99 = UNKNOWN IF COITUS
	B. IF COLUMN 37 IS CODED AS PROSTITUTE, THE COST IN DOLLARS IS CODED:

#### FIRST COITUS (PREMARITAL OR MARITAL)

#### COLUMN CODE

BLANK = NEVER COITUS

01 = \$1 OR LESS

02 = \$1.01 - \$2.00

ETC.

89 = \$89 OR MORE

97 = BARTER

98 = PAID, COST UNKNOWN

99 = UNKNOWN IF PROSTITUTE EXPERIENCE

### 40-42 LENGTH OF TIME TO ORGASM FOR MALE AFTER INTROMISSION IN FIRST COITUS (IN MINUTES TO ONE DECIMAL);

BLANK = NEVER COITUS

005 = 30 SECONDS

010 = 1 MINUTE

ETC.

600 = 1 HOUR OR LONGER

700 = "QUICK"

710 = PREMATURE EJACULATION

800 = NO EJACULATION

810 = "SLOW" TO EJACULATE

820 = "MEDIUM" TIME TO EJACULATE

830 = "FAST" TO EJACULATE 988 = COITUS, TIME UNKNOWN

999 = UNKNOWN

#### 43 VIRGIN FEMALE AT FIRST COITUS:

BLANK = NEVER COITUS

1 = NO

2 = MAYBE NO

3 = MAYBE YES

4 = YES

5 = SUBJECT DOES NOT REMEMBER

8 = FEMALE WAS PROSTITUTE

9 = UNKNOWN

#### 44 BLEEDING DUE TO COITUS:

BLANK = NEVER COITUS

1 = NONE (INCLUDE PROSTITUTE)

2 = NONE (MEDICAL DOCTOR HAD CUT OR STRETCHED HYMEN, ETC.)

3 = LITTLE

4 = SOME

5 = MUCH

8 = SUBJECT DOES NOT REMEMBER

9 = UNKNOWN

### MALE; HETEROSEXUAL PREMARITAL PETTING; FIRST COITUS; PREMARITAL COITAL TECHNIQUES

#### FIRST COITUS (PREMARITAL OR MARITAL)

FIRST COITUS (PREMARITAL OR MARITAL)		
COLUMN	CODE	
45	DID SUBJECT ENJOY FIRST COITUS:	
	BLANK = NEVER COITUS	
	1 = NO	
	2 = LITTLE	
	3 = SOME	
	4 = MUCH	
	8 = SUBJECT DOES NOT REMEMBER	
	9 = UNKNOWN	
46-47	ANY REASON GIVEN FOR NOT ENJOYING FIRST COITUS,	
40-47	REGARDLESS OF DEGREE OF ENJOYMENT:	
	BLANK = NEVER COITUS	
	r01 = MALE INCOMPETENT	
INCOMPETENCE	02 = FEMALE INCOMPETENT	
INCOMEDIANCE	03 = IMPOTENT OR TROUBLE IN ERECTION	
	r10 = EJACULATION BEFORE ENTRY	
	11 = EJACULATION TOO SOON AFTER ENTRY	
	12 = PAINFUL FOR MALE	
PHYSICAL: MALE	13 = PAINFUL AND EMBARRASSED (FRIGHTENED, SCARED,	
	UPSET, NERVOUS, UNEASY, SHOCKED, EMOTIONAL)	
	14 = PAINFUL AND FEAR SEQUELAE (V.D., PREGNANCY)	
	15 = PAINFUL AND SHAME (GUILT, REGRET)	
	L19 = PAIN AND OTHER REASON	
	[20 = EMBARRASSED (FRIGHTENED, SCARED, UPSET,	
	NERVOUS, UNEASY, SHOCKED, EMOTIONAL)	
	21 = DISGUSTED (REVOLTED, OF FENDED, ANNOYED)	
PSYCHOLOGICAL FO	DR MALE 22 = NOT UP TO MALE EXPECTATIONS	
	(DISAPPOINTMENT, NOT WORTH IT, ETC.)	
	23 = MALE NOT AROUSED	
	24 = FEAR SEQUELAE (V.D., PREGNANCY) 25 = MORAL (INHIBITED, CONFLICT, CONSCIENCE)	
	26 = SHAME (REGRET, GUILT)	
	r30 = FEMALE EMBARRASSED (FRIGHTENED, SCARED,	
	UPSET, UNEASY, NERVOUS, SHOCKED, EMOTIONAL)	
	31 = FEMALE DISGUSTED (REVOLTED, OFFENDED,	
PSYCHOLOGICAL FO		
FEMALE	32 = FEMALE DISAPPOINTED (NOT WORTH IT, NOT UP	
	TO EXPECTATIONS)	
	33 = FEMALE NOT AROUSED	
	34 = FEMALE FEAR SEQUELAE (V.D., PREGNANCY)	
	35 = FEMALE MORAL (INHIBITED, CONFLICT, CONSCIENCE)	
	36 = FEMALE FELT SHAME (GUILT, REGRET)	
	L37 = FEMALE DID NOT HAVE ORGASM	
	CA1 OPEN CANALA DES	
DIMOTORE	41 = ODOR, SMELLS, ETC.	
PHYSICAL: FEM	~ '	
	43 = PAINFUL FOR FEMALE 44 = FEMALE A PROSTITUTE TOO COMMERCIAL	
мп∪ть и		
WHOLE A	51 = AWKWARD OR UNFAVORABLE CIRCUMSTANCES	
	-DI - WMVMWD OV ONLVAOVADTE CIVCOMPINICEP	

#### MALE; HETEROSEXUAL PREMARITAL PETTING; FIRST COITUS; PREMARITAL COITAL TECHNIQUES

#### FIRST COITUS (PREMARITAL OR MARITAL)

COLUMN CODE

> r60 = MALE DRUNK ALCOHOL

61 = FEMALE DRUNK

L62 = BOTH MALE AND FEMALE DRUNK

89 = OTHER REASONS

90 = NO REASON GIVEN BUT CODED LESS THAN MUCH

91 = ENJOYED FIRST COITUS - NO ADVERSE REMARKS

99 = UNKNOWN

#### PREMARITAL FOREPLAY TECHNIQUES

THE FOLLOWING COLUMNS ARE CODED ONLY FOR SINGLE MALES WITH PREMARITAL COITUS. EVER-MARRIED MALES AND MALE VIRGINS ARE CODED AS BLANK IN COLUMNS 48-74

48 - 49MAXIMUM FREQUENCY OF PREMARITAL COITUS PER WEEK:

BLANK = NEVER COITUS OR EVER MARRIED

ACTUAL NUMBER CODED

98 = COITUS, FREQUENCY UNKNOWN

99 = UNKNOWN

50-51 USUAL PERIOD OF PREMARITAL FOREPLAY (AVERAGE):

BLANK = NEVER COITUS OR EVER MARRIED

01 = 1 MINUTE

ETC.

60 = 60 MINUTES OR MORE

71 = SHORT TIME

72 = MODERATE TIME

73 = LONG TIME

80 = "VARIES"

90 = ONLY RANGE GIVEN

97 = ALL PREMARITAL COITUS WITH PROSTITUTES ONLY

98 = COITUS, PERIOD OF TIME UNKNOWN

99 = UNKNOWN

52-53 USUAL PERIOD OF PREMARITAL FOREPLAY (MINIMUM OF RANGE):

CODED SAME AS COLUMNS 50-51, EXCEPT

90 = ONLY AVERAGE GIVEN

91 = MINIMUM OF RANGE NOT GIVEN

54-55 USUAL PERIOD OF PREMARITAL FOREPLAY (MAXIMUM OF RANGE):

CODED SAME AS COLUMNS 52-53, EXCEPT

91 = MAXIMUM OF RANGE NOT GIVEN

### MALE; HETEROSEXUAL PREMARITAL PETTING; FIRST COITUS; PREMARITAL COITAL TECHNIQUES

#### PREMARITAL FOREPLAY TECHNIQUES

	PREMARITAL FOREPLAY TECHNIQUES
COLUMN	CODE
56	MALE HAND ON FEMALE GENITALIA IN PREMARITAL FOREPLAY:  BLANK = NEVER COITUS OR EVER MARRIED  1 = COITUS, NEVER THIS PETTING TECHNIQUE  2 = COITUS, NEVER THIS PETTING TECHNIQUE, PLUS COMMENT AS OFFEND OR DISGUST  3 = COITUS, NEVER THIS PETTING TECHNIQUE, PLUS MALE WANTS OR DESIRES  4 = RARE 5 = LITTLE 6 = SOME 7 = MUCH 9 = UNKNOWN
57	FEMALE HAND ON MALE GENITALIA IN PREMARITAL FOREPLAY: CODED SAME AS COLUMN 56
58	MALE MOUTH ON FEMALE GENITALIA IN PREMARITAL FOREPLAY:  CODED SAME AS COLUMN 56
59	FEMALE EVER ORGASM FROM MALE MOUTH ON GENITALIA IN PREMARITAL FOREPLAY:  BLANK = NEVER COITUS OR EVER MARRIED  1 = NEVER  2 = EVER  9 = UNKNOWN
60	FEMALE MOUTH ON MALE GENITALIA IN PREMARITAL FOREPLAY: CODED SAME AS COLUMN 56
61	MALE EVER ORGASM FROM FEMALE MOUTH ON GENITALIA IN PREMARITAL FOREPLAY:  CODED SAME AS COLUMN 59
	PREMARITAL COITAL TECHNIQUES
62-64	AVERAGE LENGTH OF TIME BETWEEN INTROMISSION AND EJACULATION IN PREMARITAL COITUS (IN MINUTES TO ONE DECIMAL):  BLANK = NEVER COITUS OR EVER MARRIED  001 = 0.1 MINUTE (6 SECONDS)  005 = 0.5 MINUTE (30 SECONDS)  010 = 1 MINUTE  015 = 1.5 MINUTES  ETC.  ACTUAL TIME CODED  888 = NO EJACULATION  900 = VARIES  910 = RANGE TOO LARGE TO AVERAGE  999 = UNKNOWN

### MALE; HETEROSEXUAL PREMARITAL PETTING; FIRST COITUS; PREMARITAL COITAL TECHNIQUES COITAL POSITIONS

	COITAL POSITIONS
COLUMN	CODE
65	MALE ABOVE IN PREMARITAL COITUS:  BLANK = NEVER COITUS OR EVER MARRIED  1 = COITUS, NEVER THIS POSITION  2 = COITUS, NEVER THIS POSITION, PLUS COMMENT  AS OFFEND OR DISGUST  3 = COITUS, NEVER THIS POSITION, BUT MALE WANTS  OR DESIRES  4 = RARE  5 = LITTLE  6 = SOME  7 = MUCH  9 = UNKNOWN
66	FEMALE ABOVE IN PREMARITAL COITUS: CODED SAME AS COLUMN 65
67	ON SIDE, FACING, IN PREMARITAL COITUS:  CODED SAME AS COLUMN 65
68	COITUS SITTING IN PREMARITAL COITUS (EITHER FEMALE OR MALE):  CODED SAME AS COLUMN 65
69	VAGINAL COITUS, REAR ENTRY IN PREMARITAL COITUS: CODED SAME AS COLUMN 65
70	COITUS STANDING IN PREMARITAL COITUS: CODED SAME AS COLUMN 65
71	ORGASM OF FEMALE COMPANIONS IN PREMARITAL COITUS (MALE ESTIMATE):  BLANK = NEVER COITUS OR EVER MARRIED  1 = NEVER 2 = 1 - 10% 3 = 11 - 33% 4 = 34 - 66% 5 = 67 - 89% 6 = 90 - 100% 7 = VAGUE RESPONSE 8 = SUBJECT DOES NOT KNOW 9 = UNKNOWN, NOT ASKED
72	PREMARITAL ANAL INTERCOURSE:  CODED SAME AS COLUMN 65, EXCEPT  8 = TRY ONLY

## MALE; HETEROSEXUAL PREMARITAL PETTING; FIRST COITUS; PREMARITAL COITAL TECHNIQUES COITAL POSITIONS

COLUMN	CODE
73	MALE PREFERENCE FOR LIGHT OR DARK DURING PREMARITAL COITUS:
	BLANK = NEVER COITUS OR EVER MARRIED
	1 = DARK
	2 = LITTLE LIGHT (DIM)
	3 = SOME LIGHT
	4 = LIGHT
	5 = NO DIFFERENCE
	8 = VARIES
	9 = UNKNOWN
74	FEMALE PREFERENCE FOR LIGHT OR DARK DURING PREMARITAL
	COITUS:
	CODED SAME AS COLUMN 73, EXCEPT
	8 = MALE DOES NOT KNOWN FEMALE'S PREFERENCE

COLUMN	CODE
13-16	NUMBER OF COITAL ACTS OCCURRING BEFORE FIRST COITAL
	ORGASM:
[NOTE:	BLANK = NEVER COITUS
THIS INCLUDES	0000 = OCCURRED FIRST TIME
FEMALES WHO	0001 = OCCURRED SECOND TIME
NEVER HAD A CO	TAL 0009 = OCCURRED TENTH TIME
ORGASM - COITA	ACTUAL NUMBER OF ACTS RECORDED
ACTS RECORDED	9000 = 9000 OR MORE TIMES BEFORE ORGASM
FOR THESE FEMA	ES] 9700 = OCCURRED WITHIN FIRST YEAR (AGE GIVEN,
	MONTHS UNKNOWN)
	9800 = OCCURRED WITHIN FIRST YEAR (AMBIGUOUS
	COMMENT I.E., SOON, NOT LONG, ETC.)
	9960 = NO ORGASM, FREQUENCY UNKNOWN
	9997 = ORGASM OCCURRED, NUMBER OF COITAL ACTS
	UNKNOWN
	9998 = COITUS OCCURRED, ORGASM UNKNOWN
	9999 = UNKNOWN IF COITUS

#### PREMARITAL COITAL ORGASM WITH COMPANIONS

17-19	PROPORTION OF FEMALE'S PREMARITAL COITUS LEADING TO ORGASM (FORMER RATE):
	BLANK = NEVER PREMARITAL COITUS
	000 = NO ORGASM
	001 = 1%
	ETC.
	100 = 100%
	200 = RARE
	300 = SOMETIMES
	400 = OFTEN
	800 = NO FORMER RATE GIVEN
	999 = UNKNOWN
20-22	PROPORTION OF FEMALE'S PREMARITAL COITUS LEADING TO ORGASM (CURRENT RATE): CODED SAME AS COLUMNS 17-19
23-25	AVERAGE ORGASMS PER COITAL ACT IN PREMARITAL COITUS (FORMER RATE):
	BLANK = NEVER PREMARITAL COITUS
	000 = NO ORGASM
	010 = 01.0 = 1 ORGASM PER COITUS
	015 = 01.5 = 1-2 ORGASM PER COITUS
	ETC.
	800 = NO FORMER RATE GIVEN
	999 = UNKNOWN

COLUMN	PREMARITAL COITAL ORGASM WITH COMPANIONS  CODE
26-28	AVERAGE ORGASMS PER COITAL ACT IN PREMARITAL COITUS (CURRENT RATE):  CODED SAME AS COLUMNS 23-25
29	USE OF NONCOITAL TECHNIQUES DURING OR AFTER COITUS TO INCREASE FEMALE PREMARITAL ORGASM RATE:  BLANK = NEVER PREMARITAL COITUS  0 = NO ORGASM  1 = NONE SPECIFIED  2 = MALE STIMULATE FEMALE  3 = FEMALE STIMULATE SELF  4 = MALE AND FEMALE STIMULATE FEMALE  5 = ORGASM OCCURS ONLY FROM THESE  TECHNIQUES  9 = UNKNOWN IF COITUS OR IF USED THESE  TECHNIQUES
	PRE/NONMARITAL COITUS
30-32	NUMBER OF PREMARITAL COITAL COMPANIONS:  BLANK = NEVER COITUS OR ONLY MARITAL COITUS  ACTUAL NUMBER CODED  500 = 500 OR MORE  610 = FEW  620 = SOME  630 = MANY  640 = VERY MANY  650 = "HUNDREDS"  670 = "THOUSANDS"  700 = NO PREMARITAL COITUS, BUT EXTRAMARITAL  AND/OR POSTMARITAL COITUS  899 = COITUS, NUMBER UNKNOWN  999 = UNKNOWN
33	EVER COITUS WITH FIANCE OR SUBSEQUENT SPOUSE BEFORE FIRST MARRIAGE:  1 = NEVER ENGAGED AND NOT MARRIED
THIS COLUMN IS FOR EVERYONE	

FIANCE OR SUBSEQUENT SPOUSE

9 = UNKNOWN IF ENGAGED

	PRE/NONMARITAL COITUS
COLUMN	CODE
34	NUMBER OF VIRGIN COITAL PARTNERS IN LIFETIME:  BLANK = NEVER COITUS  0 = NONE  1 = 1  ETC.  7 = 7 OR MORE  8 = SUBJECT DOES NOT KNOW WHETHER ANY MALE WAS  A VIRGIN  9 = UNKNOWN
35-36	AGE OLDEST NONMARITAL COITAL COMPANION:  BLANK = NEVER COITUS OR ONLY MARITAL COITUS  ACTUAL AGE CODED  98 = COITUS, SUBJECT DOES NOT REMEMBER AGE  99 = UNKNOWN
37-38	AGE YOUNGEST NONMARITAL COITAL COMPANION: CODED SAME AS COLUMNS 35-36
39-40	AGE YOUNGEST NONMARITAL COITAL COMPANION SINCE SUBJECT REACHED AGE 18:  CODED SAME AS COLUMNS 35-36, EXCEPT  00 = NO NONMARITAL COITUS SINCE 18  96 = AGE 18 NOT REACHED
41-42	AVERAGE AGE PREFERRED IN NONMARITAL COITUS:  BLANK = NEVER COITUS OR ONLY MARITAL COITUS  ACTUAL AGE CODED  69 = 69 OR OLDER  70 = "OWN AGE"  80 = "ANY AGE"  90 = NO AVERAGE, ONLY RANGE GIVEN  98 = SUBJECT DOESN'T KNOW  99 = UNKNOWN
43-44	MINIMUM OF AGE RANGE PREFERRED IN NONMARITAL COITUS:  BLANK = NEVER COITUS OR ONLY MARITAL COITUS  ACTUAL AGE CODED  69 = 69 OR OLDER  70 = "OWN AGE"  80 = "ANY AGE"  90 = NO RANGE, ONLY AVERAGE GIVEN  91 = NO RANGE GIVEN ONLY MAXIMUM  98 = SUBJECT DOESN'T KNOW  99 = UNKNOWN
45-46	MAXIMUM OF AGE RANGE PREFERRED IN NONMARITAL COITUS:  CODED SAME AS COLUMNS 43-44, EXCEPT  91 = NO RANGE GIVEN ONLY MINIMUM

	PRE/NONMARITAL COITUS
COLUMN	CODE
47	NUMBER OF MALE COMPANIONS WHO WERE MARRIED (BUT NOT TO SUBJECT) WHEN SUBJECT HAD COITUS WITH THEM:  BLANK = NEVER COITUS OR ONLY MARITAL COITUS  0 = NONE  1 = ONE  2 = 2-5  3 = 6-10  4 = 11 OR MORE  8 = OCCURRED, NUMBER UNKNOWN  9 = UNKNOWN
48-49	RELATIVES WITH WHOM SUBJECT HAD POSTPUBERTAL COITUS  BLANK = NEVER COITUS OR ONLY MARITAL COITUS  00 = NEVER WITH RELATIVE 01 = COUSIN (FIRST ONLY) 02 = BROTHER OR STEP BROTHER 03 = BROTHER-IN-LAW 04 = UNCLE OR STEP UNCLE 05 = NEPHEW 06 = FATHER 07 = SON 08 = OTHER  12 = 1+2 13 = 1+3 23 = 2+3 14 = 1+4 24 = 2+4 34 = 3+4 15 = 1+5 25 = 2+5 36 = 3+6
	17 = 1+7 $27 = 2+7$ $37 = 3+7$ $18 = 1+8$ $28 = 2+8$ $38 = 3+8$
	45 = 4+5 $46 = 4+6$ $56 = 5+6$ $47 = 4+7$ $57 = 5+7$ $67 = 6+7$ $48 = 4+8$ $58 = 5+8$ $68 = 6+8$
	80 = ANY COMBINATION OF 3 OR MORE RELATIVES 98 = OCCURRED, RELATIVE UNKNOWN 99 = UNKNOWN
50	REGRET OVER PREMARITAL COITUS (CURRENT REGRET):  BLANK = NEVER COITUS OR ONLY MARITAL COITUS  0 = NO PREMARITAL COITUS, BUT EXTRAMARITAL AND/OR POSTMARITAL COITUS  1 = MUCH 2 = SOME 3 = LITTLE 4 = NONE 9 = UNKNOWN

	PRE/NONMARITAL COITUS
COLUMN	CODE
51	AMOUNT OF PREMARITAL COITUS HAD IN NUDE WITH
	COMPANIONS:
	BLANK = NEVER COITUS OR ONLY MARITAL COITUS
	0 = NO PREMARITAL COITUS, HUT EXTRAMARITAL
	AND/OR POSTMARITAL COITUS
	1 = NONE
	2 = LITTLE
	3 = SOME
	4 = MUCH
	9 = UNKNOWN
52	PREFERENCE FOR PREMARITAL COITUS IN THE NUDE WITH COMPANIONS:
	BLANK = NEVER COITUS OR ONLY MARITAL COITUS
	0 = NO PREMARITAL COITUS, BUT EXTRAMARITAL
	AND/OR POSTMARITAL COITUS
	1 = PREFERRED CLOTHED
	2 = PREFERRED SOME CLOTHING
	3 = PREFERRED LITTLE CLOTHING
	4 = PREFERRED NUDE
	5 = NO PREFERENCE
	9 = UNKNOWN
53	LOCATION OF PREMARITAL COITUS WITH COMPANIONS;
	OUTSIDE:
	BLANK = NEVER COITUS OR ONLY MARITAL COITUS
	0 = NO PREMARITAL COITUS, BUT EXTRAMARITAL
	AND/OR POSTMARITAL COITUS  1 = NEVER
	2 = RARELY
	3 = LITTLE
	4 = SOMETIMES
	5 = OFTEN
	6 = OCCURRED, UNKNOWN AMOUNT
	9 = UNKNOWN
5.4	
54	LOCATION OF PREMARITAL COITUS; CAR OR OTHER MOTOR
	VEHICLE: CODED SAME AS COLUMN 53
	CODED SAME AS COLOMIN 55
55	LOCATION OF PREMARITAL COITUS; FEMALE'S RESIDENCE:
	CODED SAME AS COLUMN 53
56	LOCATION OF PREMARITAL COITUS; MALE'S RESIDENCE:
	CODED SAME AS COLUMN 53
E 7	IOCAMION OF DDEMADIMAL COLUMN PRINCE OF
57	LOCATION OF PREMARITAL COITUS; FRIENDS' OR
	RELATIVES' RESIDENCE (REGARDLESS OF SEX):  CODED SAME AS COLUMN 53
	COLD DILLI 170 COLDINA 33

COLUMN	CODE
58	LOCATION OF PREMARITAL COITUS; TOURIST CABIN, MOTEL, COTTAGE, OR CABIN:  CODED SAME AS COLUMN 53
59	LOCATION OF PREMARITAL COITUS; HOTEL: CODED SAME AS COLUMN 53
60	LOCATION OF PREMARITAL COITUS; BEACH: CODED SAME AS COLUMN 53
61	LOCATION OF PREMARITAL COITUS; PUBLIC BUILDINGS (SCHOOL, COURTHOUSE, CHURCH, HOSPITAL, ETC.):  CODED SAME AS COLUMN 53
62	LOCATION OF PREMARITAL COITUS; NONRESIDENT STRUCTURES OTHER THAN PUBLIC BUILDINGS (BARN, WAREHOUSE, OFFICE, ETC.):  CODED SAME AS COLUMN 53
63	OTHER LOCATION OF PREMARITAL COITUS (BUGGY, HALL UNSPECIFIED, BOAT, TRAIN, ETC.):  CODED SAME AS COLUMN 53
64	EVER NONMARITAL PREGNANCY:  BLANK = NEVER COITUS OR ONLY MARITAL COITUS  0 = NEVER PREMARITAL COITUS, BUT EXTRA- MARITAL AND/OR POSTMARITAL COITUS (BUT NEVER PREGNANT)  1 = NEVER NONMARITAL PREGNANCY 2 = PREMARITAL PREGNANCY ONLY 3 = EXTRAMARITAL PREGNANCY ONLY 4 = POSTMARITAL PREGNANCY ONLY 5 = PREMARITAL AND EXTRAMARITAL PREGNANCIES 6 = PREMARITAL AND POSTMARITAL PREGNANCIES 7 = EXTRAMARITAL AND POSTMARITAL PREGNANCIES 8 = PREMARITAL, EXTRAMARITAL AND POSTMARITAL PREGNANCIES 9 = UNKNOWN

COLUMN  CODE  CLARITY OF PREMARITAL CONTRACEPTIVE DATA: BLANK = NEVER COTTUS, OR NEVER PREMARITAL COTTUS  1 = CLEARLY NO CONTRACEPTION USED IN PREMARITAL COITUS 2 = CLEARLY USED CONTRACEPTION, AND IT APPLIES TO PREMARITAL ONLY 3 = MARITAL CONTRACEPTIVE DATA MAY BE MIXED IN 9 = UNKNOWN PREMARITAL DATA  66  CONDOMS USED IN PREMARITAL COITUS: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 0 = NEVER CONTRACEPTION WITH COITUS 1 = NEVER 2 = TRY ONLY 3 = RARE 4 = LITTLE 5 = SOME 6 = MUCH OR ALWAYS 7 = OCCURRED, UNKNOWN AMOUNT 9 = UNKNOWN  67  EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 1 = NEVER FAILURE 2 = EVER FAILURE 2 = EVER FAILURE 3 = UNKNOWN  68  DIAPHRAGM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  70  RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71  JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFEBBURG RINGS, SPONCES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66		CONTRACEPTION IN PREMARITAL COTTOS
BLANK = NEVER COITUS, OR NEVER PREMARITAL COITUS  1 = CLEARLY NO CONTRACEPTION USED IN PREMARITAL COITUS  2 = CLEARLY USED CONTRACEPTION, AND IT APPLIES TO PREMARITAL ONLY  3 = MARITAL CONTRACEPTIVE DATA MAY BE MIXED IN 9 = UNKNOWN PREMARITAL DATA  66  CONDOMS USED IN PREMARITAL COITUS: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 0 = NEVER CONTRACEPTION WITH COITUS 1 = NEVER 2 = TRY ONLY 3 = RARE 4 = LITTLE 5 = SOME 6 = MUCH OR ALWAYS 7 = OCCURRED, UNKNOWN AMOUNT 9 = UNKNOWN  67  EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 0 = NEVER CONTRACEPTION WITH COITUS 1 = NEVER FAILURE 2 = EVER FAILURE 2 = EVER FAILURE 9 = UNKNOWN  68  DIAPHRAGM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  69  WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  70  RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71  JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFFNBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66	COLUMN	CODE
BLANK = NEVER COITUS, OR NEVER PREMARITAL COITUS  1 = CLEARLY NO CONTRACEPTION USED IN PREMARITAL COITUS  2 = CLEARLY USED CONTRACEPTION, AND IT APPLIES TO PREMARITAL ONLY  3 = MARITAL CONTRACEPTIVE DATA MAY BE MIXED IN 9 = UNKNOWN PREMARITAL DATA  66  CONDOMS USED IN PREMARITAL COITUS: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 0 = NEVER CONTRACEPTION WITH COITUS 1 = NEVER 2 = TRY ONLY 3 = RARE 4 = LITTLE 5 = SOME 6 = MUCH OR ALWAYS 7 = OCCURRED, UNKNOWN AMOUNT 9 = UNKNOWN  67  EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 0 = NEVER CONTRACEPTION WITH COITUS 1 = NEVER FAILURE 2 = EVER FAILURE 2 = EVER FAILURE 9 = UNKNOWN  68  DIAPHRAGM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  69  WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  70  RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71  JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFFNBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66		
BLANK = NEVER COITUS, OR NEVER PREMARITAL COITUS  1 = CLEARLY NO CONTRACEPTION USED IN PREMARITAL COITUS  2 = CLEARLY USED CONTRACEPTION, AND IT APPLIES TO PREMARITAL ONLY  3 = MARITAL CONTRACEPTIVE DATA MAY BE MIXED IN 9 = UNKNOWN PREMARITAL DATA  66  CONDOMS USED IN PREMARITAL COITUS: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 0 = NEVER CONTRACEPTION WITH COITUS 1 = NEVER 2 = TRY ONLY 3 = RARE 4 = LITTLE 5 = SOME 6 = MUCH OR ALWAYS 7 = OCCURRED, UNKNOWN AMOUNT 9 = UNKNOWN  67  EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 0 = NEVER CONTRACEPTION WITH COITUS 1 = NEVER FAILURE 2 = EVER FAILURE 2 = EVER FAILURE 9 = UNKNOWN  68  DIAPHRAGM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  69  WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  70  RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71  JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFFNBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66		
COTTUS  1 = CLEARLY NO CONTRACEPTION USED IN PREMARITAL COITUS  2 = CLEARLY USED CONTRACEPTION, AND IT APPLIES TO PREMARITAL ONLY  3 = MARITAL CONTRACEPTIVE DATA MAY BE MIXED IN  9 = UNKNOWN PREMARITAL DATA  66  CONDOMS USED IN PREMARITAL COITUS:  BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS  1 = NEVER 2 = TRY ONLY 3 = RARE 4 = LITTLE 5 = SOME 6 = MUCH OR ALWAYS 7 = OCCURRED, UNKNOWN AMOUNT 9 = UNKNOWN  67  EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE:  BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 1 = NEVER FAILURE 2 = EVER FAILURE 2 = EVER FAILURE 9 = UNKNOWN  68  DIAPHRAGM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  70  RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71  JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66	65	
1 = CLEARLY NO CONTRACEPTION USED IN PREMARITAL COITUS 2 = CLEARLY USED CONTRACEPTION, AND IT APPLIES TO PREMARITAL ONLY 3 = MARITAL CONTRACEPTIVE DATA MAY BE MIXED IN 9 = UNKNOWN PREMARITAL DATA  66 CONDOMS USED IN PREMARITAL COITUS: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 1 = NEVER 2 = TRY ONLY 3 = RARE 4 = LITTLE 5 = SOME 6 = MUCH OR ALWAYS 7 = OCCURRED, UNKNOWN AMOUNT 9 = UNKNOWN  67 EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 1 = NEVER FAILURE 2 = EVER FAILURE 9 = UNKNOWN  68 DIAPHRAGM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  69 WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  70 RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71 JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (RAFENDURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66		BLANK = NEVER COITUS, OR NEVER PREMARITAL
PREMARITAL COITUS  2 = CLEARLY USED CONTRACEPTION, AND IT APPLIES TO PREMARITAL ONLY  3 = MARITAL CONTRACEPTIVE DATA MAY BE MIXED IN  9 = UNKNOWN PREMARITAL DATA  66  CONDOMS USED IN PREMARITAL COITUS:  BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS  1 = NEVER 2 = TRY ONLY 3 = RARE 4 = LITTLE 5 = SOME 6 = MUCH OR ALWAYS 7 = OCCURRED, UNKNOWN AMOUNT 9 = UNKNOWN  67  EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE:  BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 1 = NEVER FAILURE 2 = EVER FAILURE 9 = UNKNOWN  68  DIAPHRAGM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  69  WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  70  RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71  JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66		COITUS
2 = CLEARLY USED CONTRACEPTION, AND IT APPLIES TO PREMARITAL ONLY 3 = MARITAL CONTRACEPTIVE DATA MAY BE MIXED IN 9 = UNKNOWN PREMARITAL DATA  66		1 = CLEARLY NO CONTRACEPTION USED IN
APPLIES TO PREMARITAL ONLY  3 = MARITAL CONTRACEPTIVE DATA MAY BE MIXED IN  9 = UNKNOWN PREMARITAL DATA  66 CONDOMS USED IN PREMARITAL COITUS:  BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS  0 = NEVER CONTRACEPTION WITH COITUS  1 = NEVER  2 = TRY ONLY  3 = RARE  4 = LITTLE  5 = SOME  6 = MUCH OR ALWAYS  7 = OCCURRED, UNKNOWN AMOUNT  9 = UNKNOWN  67 EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE:  BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS  1 = NEVER FAILURE  2 = EVER FAILURE  2 = EVER FAILURE  9 = UNKNOWN  68 DIAPHRAGM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  69 WITHDRAWAL USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  70 RHYTHM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  71 JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFERBURG RINGS, SPONGES, CERVICAL CAP, ETC.):  CODED SAME AS COLUMN 66		PREMARITAL COITUS
3 = MARITAL CONTRACEPTIVE DATA MAY BE MIXED IN 9 = UNKNOWN PREMARITAL DATA  66 CONDOMS USED IN PREMARITAL COITUS: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 0 = NEVER CONTRACEPTION WITH COITUS 1 = NEVER 2 = TRY ONLY 3 = RARE 4 = LITTLE 5 = SOME 6 = MUCH OR ALWAYS 7 = OCCURRED, UNKNOWN AMOUNT 9 = UNKNOWN  67 EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 0 = NEVER CONTRACEPTION WITH COITUS 1 = NEVER FAILURE 2 = EVER FAILURE 2 = EVER FAILURE 9 = UNKNOWN  68 DIAPHRAGM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  69 WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  70 RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71 JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66		2 = CLEARLY USED CONTRACEPTION, AND IT
MIXED IN  9 = UNKNOWN PREMARITAL DATA  66  CONDOMS USED IN PREMARITAL COITUS:  BLANK = NEVER COITUS OR NEVER PREMARITAL  COITUS  0 = NEVER CONTRACEPTION WITH COITUS  1 = NEVER  2 = TRY ONLY  3 = RARE  4 = LITTLE  5 = SOME  6 = MUCH OR ALWAYS  7 = OCCURRED, UNKNOWN AMOUNT  9 = UNKNOWN  67  EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE:  BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS  0 = NEVER FAILURE  2 = EVER FAILURE  2 = EVER FAILURE  9 = UNKNOWN  68  DIAPHRAGM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  69  WITHDRAWAL USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  70  RHYTHM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  71  JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED  IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS,  GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.):  CODED SAME AS COLUMN 66		APPLIES TO PREMARITAL ONLY
9 = UNKNOWN PREMARITAL DATA  66 CONDOMS USED IN PREMARITAL COITUS:  BLANK = NEVER COITUS OR NEVER PREMARITAL  COITUS  0 = NEVER CONTRACEPTION WITH COITUS  1 = NEVER  2 = TRY ONLY  3 = RARE  4 = LITTLE  5 = SOME  6 = MUCH OR ALWAYS  7 = OCCURRED, UNKNOWN AMOUNT  9 = UNKNOWN  67 EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE  FAILURE:  BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS  0 = NEVER CONTRACEPTION WITH COITUS  1 = NEVER FAILURE  2 = EVER FAILURE  9 = UNKNOWN  68 DIAPHRAGM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  69 WITHDRAWAL USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  70 RHYTHM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  71 JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED  IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS,  GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.):  CODED SAME AS COLUMN 66		3 = MARITAL CONTRACEPTIVE DATA MAY BE
CONDOMS USED IN PREMARITAL COITUS:  BLANK = NEVER COITUS OR NEVER PREMARITAL  COITUS  0 = NEVER CONTRACEPTION WITH COITUS  1 = NEVER  2 = TRY ONLY  3 = RARE  4 = LITTLE  5 = SOME  6 = MUCH OR ALWAYS  7 = OCCURRED, UNKNOWN AMOUNT  9 = UNKNOWN  67  EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE  FAILURE:  BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS  0 = NEVER CONTRACEPTION WITH COITUS  1 = NEVER FAILURE  2 = EVER FAILURE  9 = UNKNOWN  68  DIAPHRAGM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  69  WITHDRAWAL USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  70  RHYTHM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  71  JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED  IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS,  GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.):  CODED SAME AS COLUMN 66		MIXED IN
BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS  0 = NEVER CONTRACEPTION WITH COITUS  1 = NEVER 2 = TRY ONLY 3 = RARE 4 = LITTLE 5 = SOME 6 = MUCH OR ALWAYS 7 = OCCURRED, UNKNOWN AMOUNT 9 = UNKNOWN  67 EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 0 = NEVER FAILURE 2 = EVER FAILURE 2 = EVER FAILURE 9 = UNKNOWN  68 DIAPHRAGM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  69 WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  70 RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71 JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66		9 = UNKNOWN PREMARITAL DATA
BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS  0 = NEVER CONTRACEPTION WITH COITUS  1 = NEVER 2 = TRY ONLY 3 = RARE 4 = LITTLE 5 = SOME 6 = MUCH OR ALWAYS 7 = OCCURRED, UNKNOWN AMOUNT 9 = UNKNOWN  67 EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 0 = NEVER FAILURE 2 = EVER FAILURE 2 = EVER FAILURE 9 = UNKNOWN  68 DIAPHRAGM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  69 WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  70 RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71 JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66		
COITUS  0 = NEVER CONTRACEPTION WITH COITUS  1 = NEVER  2 = TRY ONLY  3 = RARE  4 = LITTLE  5 = SOME  6 = MUCH OR ALWAYS  7 = OCCURRED, UNKNOWN AMOUNT  9 = UNKNOWN  67 EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS  0 = NEVER CONTRACEPTION WITH COITUS  1 = NEVER FAILURE  2 = EVER FAILURE  9 = UNKNOWN  68 DIAPHRAGM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  69 WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  70 RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71 JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONCES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66	66	CONDOMS USED IN PREMARITAL COITUS:
0 = NEVER CONTRACEPTION WITH COITUS 1 = NEVER 2 = TRY ONLY 3 = RARE 4 = LITTLE 5 = SOME 6 = MUCH OR ALWAYS 7 = OCCURRED, UNKNOWN AMOUNT 9 = UNKNOWN 67 EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 0 = NEVER CONTRACEPTION WITH COITUS 1 = NEVER FAILURE 2 = EVER FAILURE 2 = EVER FAILURE 9 = UNKNOWN 68 DIAPHRAGM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66 69 WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66 70 RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66 71 JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66		BLANK = NEVER COITUS OR NEVER PREMARITAL
1 = NEVER 2 = TRY ONLY 3 = RARE 4 = LITTLE 5 = SOME 6 = MUCH OR ALWAYS 7 = OCCURRED, UNKNOWN AMOUNT 9 = UNKNOWN  67 EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 0 = NEVER FAILURE 2 = EVER FAILURE 2 = EVER FAILURE 9 = UNKNOWN  68 DIAPHRAGM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  69 WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  70 RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71 JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66		COITUS
2 = TRY ONLY 3 = RARE 4 = LITTLE 5 = SOME 6 = MUCH OR ALWAYS 7 = OCCURRED, UNKNOWN AMOUNT 9 = UNKNOWN  67 EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 0 = NEVER FAILURE 2 = EVER FAILURE 2 = EVER FAILURE 9 = UNKNOWN  68 DIAPHRAGM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  69 WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  70 RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71 JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66		<pre>0 = NEVER CONTRACEPTION WITH COITUS</pre>
3 = RARE 4 = LITTLE 5 = SOME 6 = MUCH OR ALWAYS 7 = OCCURRED, UNKNOWN AMOUNT 9 = UNKNOWN  67 EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 0 = NEVER CONTRACEPTION WITH COITUS 1 = NEVER FAILURE 2 = EVER FAILURE 9 = UNKNOWN  68 DIAPHRAGM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  69 WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  70 RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71 JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66		
4 = LITTLE 5 = SOME 6 = MUCH OR ALWAYS 7 = OCCURRED, UNKNOWN AMOUNT 9 = UNKNOWN  67		
5 = SOME 6 = MUCH OR ALWAYS 7 = OCCURRED, UNKNOWN AMOUNT 9 = UNKNOWN  67  EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 0 = NEVER CONTRACEPTION WITH COITUS 1 = NEVER FAILURE 2 = EVER FAILURE 9 = UNKNOWN  68  DIAPHRAGM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  69  WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  70  RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71  JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66  72  DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:		3 = RARE
6 = MUCH OR ALWAYS 7 = OCCURRED, UNKNOWN AMOUNT 9 = UNKNOWN  67 EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 0 = NEVER CONTRACEPTION WITH COITUS 1 = NEVER FAILURE 2 = EVER FAILURE 9 = UNKNOWN  68 DIAPHRAGM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  69 WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  70 RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71 JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66  72 DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:		
7 = OCCURRED, UNKNOWN AMOUNT 9 = UNKNOWN  67 EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE: BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS 0 = NEVER FAILURE 1 = NEVER FAILURE 2 = EVER FAILURE 9 = UNKNOWN  68 DIAPHRAGM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  69 WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  70 RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71 JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66  72 DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:		
9 = UNKNOWN  EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE:  BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS  0 = NEVER CONTRACEPTION WITH COITUS  1 = NEVER FAILURE  2 = EVER FAILURE  9 = UNKNOWN  BIAPHRAGM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  WITHDRAWAL USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  RHYTHM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  RHYTHM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.):  CODED SAME AS COLUMN 66		
EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE:  BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS  0 = NEVER CONTRACEPTION WITH COITUS  1 = NEVER FAILURE 2 = EVER FAILURE 9 = UNKNOWN  68  DIAPHRAGM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  69  WITHDRAWAL USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  70  RHYTHM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  71  JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.):  CODED SAME AS COLUMN 66  72  DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:		•
FAILURE:  BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS  0 = NEVER CONTRACEPTION WITH COITUS  1 = NEVER FAILURE  2 = EVER FAILURE  9 = UNKNOWN  68  DIAPHRAGM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  69  WITHDRAWAL USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  70  RHYTHM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  71  JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.):  CODED SAME AS COLUMN 66  72  DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:		9 = UNKNOWN
FAILURE:  BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS  0 = NEVER CONTRACEPTION WITH COITUS  1 = NEVER FAILURE  2 = EVER FAILURE  9 = UNKNOWN  68  DIAPHRAGM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  69  WITHDRAWAL USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  70  RHYTHM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  71  JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.):  CODED SAME AS COLUMN 66  72  DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:	<i>C</i> 7	DIED DDEMADIENT DDECNANOV EDOM COMEDACEDETTE
BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS  0 = NEVER CONTRACEPTION WITH COITUS  1 = NEVER FAILURE  2 = EVER FAILURE  9 = UNKNOWN  68  DIAPHRAGM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  69  WITHDRAWAL USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  70  RHYTHM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  71  JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED  IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS,  GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.):  CODED SAME AS COLUMN 66  72  DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:	0 /	
0 = NEVER CONTRACEPTION WITH COITUS 1 = NEVER FAILURE 2 = EVER FAILURE 9 = UNKNOWN  68 DIAPHRAGM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  69 WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  70 RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71 JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66  72 DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:		
1 = NEVER FAILURE 2 = EVER FAILURE 9 = UNKNOWN  68 DIAPHRAGM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  69 WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  70 RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71 JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66  72 DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:		
2 = EVER FAILURE 9 = UNKNOWN  68 DIAPHRAGM USED IN PREMARITAL COITUS:		
9 = UNKNOWN  68 DIAPHRAGM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  69 WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  70 RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71 JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66  72 DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:		
DIAPHRAGM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  WITHDRAWAL USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  RHYTHM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 66  JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.):  CODED SAME AS COLUMN 66  DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:		
CODED SAME AS COLUMN 66  WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66  DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:		J - ONTOWN
CODED SAME AS COLUMN 66  WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66  DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:	68	DIAPHRAGM USED IN PREMARITAL COTTUS:
69 WITHDRAWAL USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  70 RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71 JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66  72 DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:		
CODED SAME AS COLUMN 66  RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66  DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:		CODED CIME NO COLOUR. CO
70 RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71 JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66  72 DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:	69	WITHDRAWAL USED IN PREMARITAL COITUS:
70 RHYTHM USED IN PREMARITAL COITUS: CODED SAME AS COLUMN 66  71 JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66  72 DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:		CODED SAME AS COLUMN 66
CODED SAME AS COLUMN 66  JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66  DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:		
JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66  DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:	70	RHYTHM USED IN PREMARITAL COITUS:
IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66  DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:		CODED SAME AS COLUMN 66
IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS, GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.): CODED SAME AS COLUMN 66  DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:		
GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.):  CODED SAME AS COLUMN 66  72 DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:	71	JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED
GRAFENBURG RINGS, SPONGES, CERVICAL CAP, ETC.):  CODED SAME AS COLUMN 66  72 DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:		IN PREMARITAL COITUS (INCLUDING COITUS RESERVATUS,
CODED SAME AS COLUMN 66  72 DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:		
CODED SAME AS COLUMN 66	72	DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS:
		CODED SAME AS COLUMN 66

COLUMN	CODE CODE
73	FEMALE STOPPED USING CONTRACEPTION DURING PREMARITAL COITUS BECAUSE OF STERILITY OF ANY TYPE (EXCEPT MENOPAUSE):  BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS  0 = NEVER CONTRACEPTION WITH COITUS  1 = NO CHANGE NOTED  2 = FEMALE CONGENITALLY STERILE  3 = FEMALE SURGICALLY STERILE  4 = FEMALE HORMONALLY STERILE  5 = FEMALE EVIDENTLY STERILE, CAUSE UNKNOWN  6 = MALE STERILE  9 = UNKNOWN
	HETEROSEXUAL PROSTITUTION
74-75	AGE FIRST PAID BY A MALE FOR SEX CONTACT:  BLANK = NEVER PROSTITUTE EXPERIENCE  ACTUAL AGE CODED  98 = OCCURRED, AGE FIRST UNKNOWN  99 = UNKNOWN IF OCCURRED
76	EXTENT OF LIFETIME PROSTITUTE EXPERIENCE:  BLANK = NEVER PROSTITUTE EXPERIENCE  1 = RARE (1 MALE AND/OR 1-5 TIMES)  2 = INCIDENTAL (2-4 MALES AND/OR 6-20 TIMES)  3 = MORE THAN INCIDENTAL (5-20 MALES AND/OR 21-50 TIMES)  4 = EXTENSIVE (21 OR MORE MALES AND/OR 51 OR MORE TIMES)  8 = OCCURRED, AMOUNT UNKNOWN  9 = UNKNOWN
77	FEMALE EVER PAY A MALE FOR COITUS:  BLANK = NEVER COITUS OR ONLY MARITAL COITUS  1 = NEVER PAY  2 = EVER PAY  3 = NEVER PAY, BUT KEPT OR SUPPORTED MALE  OTHER THAN HUSBAND  9 = UNKNOWN, NOT ASKED

COLUMN	CODE
1-2	CARD NUMBER: 15 = MALE
3-7	CASE HISTORY NUMBER:
	PRE/NONMARITAL COITUS
	NUMBER OF PREMARITAL COITAL COMPANIONS (PROSTITUTES EXCLUDED):  BLANK = NEVER COITUS OR ONLY MARITAL COITUS  ACTUAL NUMBER CODED  500 = 500 OR MORE  610 = FEW  620 = SOME  630 = MANY  640 = VERY MANY  650 = 660 = "HUNDREDS"  700 = NO PREMARITAL COITUS WITH COMPANIONS,  BUT EXTRAMARITAL AND/OR POSTMARITAL  COITUS WITH COMPANIONS, AND/OR  PROSTITUTE EXPERIENCE  899 = COITUS, UNKNOWN NUMBER  999 = UNKNOWN
11-13  NEVER EXPERIENCE	NUMBER OF PREMARITAL PROSTITUTE EXPERIENCES:  [NO BLANKS IN THESE COLUMNS]  ACTUAL NUMBER CODED  500 = 500 OR MORE  610 = FEW  620 = SOME  630 = MANY  640 = VERY MANY  650 =   660 = "HUNDREDS"  670 = "THOUSANDS"  700 = NEVER PREMARITAL PROSTITUTE EXPERIENCE, BUT EXTRAMARITAL AND/OR POSTMARITAL PROSTITUTE EXPERIENCE  [800 = EVER IN HOUSE OF PROSTITUTION, BUT NO CONTACT  810 = NEVER IN HOUSE OF PROSTITUTION, NO CONTACT  820 = UNKNOWN IF IN HOUSE OF PROSTITUTION, NEVER CONTACT

COLLIMN	PRE/NONMARITAL COITUS
COLUMN	<u>CODE</u>
14	EVER COITUS WITH FIANCEE OR WITH SUBSEQUENT SPOUSE PRIOR TO FIRST MARRIAGE: [NO BLANKS IN THIS COLUMN]  1 = NEVER ENGAGED OR MARRIED 2 = ENGAGED OR MARRIED BUT NEVER COITUS WITH FIANCEE OR SUBSEQUENT SPOUSE 3 = ENGAGED OR MARRIED, HAD COITUS WITH FIANCEE OR SUBSEQUENT SPOUSE 8 = ENGAGED OR MARRIED, UNKNOWN IF COITUS WITH FIANCEE OR SUBSEQUENT SPOUSE 9 = UNKNOWN IF ENGAGED
15	NUMBER OF VIRGINS IN LIFETIME:  BLANK = NEVER COITUS  0 = NONE, OR ALL PROSTITUTE EXPERIENCE  1 = 1  ETC.  7 = 7 OR MORE  8 = SUBJECT DOES NOT KNOW WHETHER ANY FEMALE  WAS A VIRGIN  9 = UNKNOWN
16-17	AGE OLDEST NONMARITAL COITAL COMPANION:  BLANK = NEVER COITUS OR ONLY MARITAL COITUS  ACTUAL AGE CODED  97 = ALL NONMARITAL COITUS WITH A PROSTITUTE  98 = COITUS, SUBJECT DOES NOT REMEMBER  99 = UNKNOWN
18-19	AGE YOUNGEST NONMARITAL COITAL COMPANION: CODED SAME AS COLUMNS 16-17
20-21	AGE YOUNGEST NONMARITAL COITAL COMPANION SINCE SUBJECT REACHED AGE 18:  BLANK = NEVER COITUS OR ONLY MARITAL COITUS  00 = NO COITUS WITH COMPANION SINCE AGE 18  ACTUAL AGE CODED  96 = AGE 18 NOT YET REACHED  97 = ALL NONMARITAL COITUS WITH A PROSTITUTE  98 = COITUS, SUBJECT DOES NOT REMEMBER AGE  99 = UNKNOWN
22-23	AVERAGE AGE OF PARTNER PREFERRED IN NONMARITAL COITUS:  BLANK = NEVER COITUS OR ONLY MARITAL COITUS  ACTUAL AGE CODED  69 = 69 OR OLDER  70 = "OWN AGE"  80 = "ANY AGE"  90 = NO AVERAGE, ONLY RANGE GIVEN  98 = SUBJECT DOESN'T KNOW  99 = UNKNOWN

COLUMNI	PRE/NONMARITAL COTTUS
COLUMN	CODE
24-25	MINIMUM OF AGE RANGE PREFERRED IN NONMARITAL COITUS:  BLANK = NEVER COITUS OR ONLY MARITAL COITUS  ACTUAL AGE CODED  69 = 69 OR OLDER  70 = "OWN AGE"  80 = "ANY AGE"  90 = NO RANGE, ONLY AVERAGE GIVEN  91 = NO RANGE GIVEN ONLY MAXIMUM  98 = SUBJECT DOESN'T KNOW  99 = UNKNOWN
26-27	MAXIMUM OF AGE RANGE PREFERRED IN NONMARITAL COITUS:  CODED SAME AS COLUMNS 24-25, EXCEPT  91 = NO RANGE GIVEN ONLY MINIMUM
28	NUMBER OF FEMALE COMPANIONS WHO WERE MARRIED (BUT NOT TO SUBJECT) WHEN SUBJECT HAD COITUS WITH THEM:  BLANK = NEVER COITUS, OR ONLY MARITAL COITUS  0 = NONE  1 = 1  2 = 2-5  3 = 6-10  4 = 11 OR MORE  7 = ALL NONMARITAL COITUS WITH A PROSTITUTE  8 = OCCURRED, NUMBER UNKNOWN  9 = UNKNOWN

COLUMN	PRE/NONMARITAL COITUS
COLUMN	<u>CODE</u>
29-30	RELATIVES WITH WHOM SUBJECT HAD POSTPUBERTAL COITUS  BLANK = NEVER COITUS, OR ONLY MARITAL COITUS  00 = NEVER, OR ALL NONMARITAL COITUS WITH PROSTITUTE  01 = COUSIN (FIRST ONLY)  02 = SISTER OR STEP SISTER  03 = SISTER-IN-LAW  04 = AUNT (AUNT-IN-LAW)  05 = NIECE  06 = MOTHER  07 = DAUGHTER OR STEP DAUGHTER  08 = OTHER (MOTHER-IN-LAW, ETC.)
	12 = 1+2 $13 = 1+3$ $23 = 2+3$ $14 = 1+4$ $24 = 2+4$ $34 = 3+4$ $15 = 1+5$ $25 = 2+5$ $36 = 3+5$ $16 = 1+6$ $26 = 2+6$ $36 = 3+6$ $17 = 1+7$ $27 = 2+7$ $37 = 3+7$ $18 = 1+8$ $28 = 2+8$ $38 = 3+8$ $45 = 4+5$ $46 = 4+6$ $47 = 4+7$ $48 = 4+8$ $56 = 5+6$ $47 = 6+7$ $48 = 4+8$ $58 = 5+8$ $68 = 6+8$
	78 = 7+8
	80 = ANY COMBINATION OF 3 OR MORE RELATIVES 98 = OCCURRED, RELATIVE UNKNOWN 99 = UNKNOWN
31	REGRET OVER PREMARITAL COITUS (INCLUDING PROSTITUTE EXPERIENCE):  BLANK = NEVER COITUS, OR ONLY MARITAL COITUS  0 = NO PREMARITAL COITUS, BUT EXTRAMARITAL AND OR POSTMARITAL COITUS  1 = MUCH 2 = SOME 3 = LITTLE 4 = NONE 9 = UNKNOWN
32	AMOUNT OF PREMARITAL COITUS HAD IN NUDE WITH COMPANIONS:  BLANK = NEVER COITUS OR ONLY MARITAL COITUS  0 = NO PREMARITAL COITUS, BUT EXTRAMARITAL AND OR POSTMARITAL COITUS  1 = NONE 2 = LITTLE 3 = SOME 4 = MUCH 7 = PROSTITUTE EXPERIENCE ONLY 9 = UNKNOWN
CARD 15	

COLUMN	PRE/NONMARITAL COITUS  CODE
33	PREFERENCE FOR PREMARITAL COITUS IN NUDE WITH COMPANIONS:
	BLANK = NEVER COITUS OR ONLY MARITAL COITUS  0 = NO PREMARITAL COITUS, BUT EXTRAMARITAL AND/OR POSTMARITAL COITUS  1 = PREFERRED CLOTHED  2 = PREFERRED SOME CLOTHING  3 = PREFERRED LITTLE CLOTHING  4 = PREFERRED NUDE  5 = NO PREFERENCE  7 = PROSTITUTE EXPERIENCE ONLY  9 = UNKNOWN
34	LOCATION OF PREMARITAL COITUS WITH COMPANIONS; OUTSIDE:  BLANK = NEVER COITUS OR ONLY MARITAL COITUS  0 = NO PREMARITAL COITUS, BUT EXTRAMARITAL AND/OR POSTMARITAL COITUS  1 = NEVER 2 = RARELY 3 = LITTLE 4 = SOMETIMES 5 = OFTEN 6 = OCCURRED, UNKNOWN AMOUNT 7 = PROSTITUTE EXPERIENCE ONLY 9 = UNKNOWN
35	LOCATION OF PREMARITAL COITUS WITH COMPANIONS; CAR OR OTHER MOTOR VEHICLE: CODED SAME AS COLUMN 34
36	LOCATION OF PREMARITAL COITUS WITH COMPANIONS; FEMALE'S RESIDENCE: CODED SAME AS COLUMN 34
37	LOCATION OF PREMARITAL COITUS WITH COMPANIONS; MALE'S RESIDENCE: CODED SAME AS COLUMN 34
38	LOCATION OF PREMARITAL COITUS WITH COMPANIONS; FRIENDS' OR RELATIVES' RESIDENCE (REGARDLESS OF SEX): CODED SAME AS COLUMN 34
39	LOCATION OF PREMARITAL COITUS WITH COMPANIONS; MOTEL, TOURIST CABIN, COTTAGE OR CABIN: CODED SAME AS COLUMN 34
40	LOCATION OF PREMARITAL COITUS WITH COMPANIONS; HOTEL: CODED SAME AS COLUMN 34

COLUMN	CODE CODE
41	LOCATION OF PREMARITAL COITUS WITH COMPANIONS; BEACH:
	CODED SAME AS COLUMN 34
42	LOCATION OF PREMARITAL COITUS WITH COMPANIONS; PUBLIC BUILDINGS (SCHOOL, CHURCH, COURTHOUSE, HOSPITAL, ETC.): CODED SAME AS COLUMN 34
43	LOCATION OF PREMARITAL COITUS WITH COMPANIONS; NONRESIDENT STRUCTURES OTHER THAN PUBLIC BUILDINGS (BARN, WAREHOUSE, OFFICE, ETC.): CODED SAME AS COLUMN 34
44	OTHER LOCATION OF PREMARITAL COITUS WITH COMPANIONS (BOAT, TRAIN, ETC.):  CODED SAME AS COLUMN 34
45	EVER NONMARITAL PREGNANCY:  BLANK = NEVER COITUS OR ONLY MARITAL COITUS  1 = NEVER NONMARITAL PREGNANCY  2 = PREMARITAL PREGNANCY ONLY  3 = EXTRAMARITAL PREGNANCY ONLY  4 = POSTMARITAL PREGNANCY ONLY  5 = PREMARITAL AND EXTRAMARITAL PREGNANCIES  6 = PREMARITAL AND POSTMARITAL PREGNANCIES  7 = EXTRAMARITAL AND POSTMARITAL PREGNANCIES  8 = PREMARITAL, EXTRAMARITAL AND POSTMARITAL PREGNANCIES  9 = UNKNOWN

#### CONTRACEPTION IN PREMARITAL COITUS

46	CLARITY OF PREMARITAL CONTRACEPTIVE DATA:
	BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS
	1 = CLEARLY NO CONTRACEPTION USED IN
	PREMARITAL COITUS
	2 = CLEARLY USED CONTRACEPTION, AND IT
	APPLIES TO PREMARITAL ONLY
	3 = MAY HAVE MARITAL DATA MIXED IN
	8 = PROSTITUTE EXPERIENCE ONLY (BLANK IN
	COLUMNS 47-53)
	9 = UNKNOWN PREMARITAL DATA

#### CONTRACEPTION IN PREMARITAL COITUS

COLUMN	CONTRACEPTION IN PREMARITAL COITUS  CODE
COHOLIN	CODE
47	USE OF CONDOMS IN PREMARITAL COITUS:  BLANK = NEVER COITUS OR NEVER PREMARITAL COITUS OR PROSTITUTE EXPERIENCE ONLY  0 = NEVER CONTRACEPTION WITH COITUS 1 = NEVER 2 = TRY ONLY 3 = RARELY 4 = LITTLE 5 = SOME 6 = MUCH OR ALWAYS 7 = OCCURRED, UNKNOWN AMOUNT 9 = UNKNOWN
48	EVER PREMARITAL PREGNANCY FROM CONTRACEPTIVE FAILURE:  BLANK = NEVER COITUS OR PREMARITAL COITUS OR  ONLY PROSTITUTE EXPERIENCE  0 = NEVER CONTRACEPTION WITH COITUS  1 = NEVER  2 = EVER  9 = UNKNOWN
49	DIAPHRAGM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 47
50	WITHDRAWAL USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 47
51	RHYTHM USED IN PREMARITAL COITUS:  CODED SAME AS COLUMN 47
52	JELLY OR SUPPOSITORIES OR OTHER TECHNIQUES USED IN PREMARITAL COITUS (COITUS RESERVATUS, GRAFENBURG RINGS SPONGES, ETC.):  CODED SAME AS COLUMN 47
53	DOUCHE USED AS CONTRACEPTIVE IN PREMARITAL COITUS: CODED SAME AS COLUMN 47
LIF	ETIME HETEROSEXUAL PROSTITUTE EXPERIENCE
54	PERIODS OF PROSTITUTE EXPERIENCE:  BLANK = NEVER PROSTITUTE EXPERIENCE  1 = PREMARITAL ONLY 2 = EXTRAMARITAL ONLY 3 = POSTMARITAL ONLY 4 = 1+2 5 = 1+3 6 = 2+3 7 = 1+2+3 8 = OCCURRED, MARITAL STATUS UNKNOWN 9 = UNKNOWN

#### LIFETIME HETEROSEXUAL PROSTITUTE EXPERIENCE

	JIFETIME HETEROSEXUAL PROSTITUTE EXPERIENCE
COLUMN	CODE
55-56	AGE FIRST PROSTITUTE EXPERIENCE:  BLANK = NEVER PROSTITUTE EXPERIENCE  ACTUAL AGE CODED  98 = OCCURRED, AGE FIRST UNKNOWN  99 = UNKNOWN
57	EXTENT OF LIFETIME PROSTITUTE EXPERIENCE:  BLANK = NEVER PROSTITUTE EXPERIENCE  1 = RARE (1 FEMALE AND/OR 1-5 TIMES)  2 = INCIDENTAL (2-4 FEMALES AND/OR 6-20 TIMES)  3 = MORE THAN INCIDENTAL (5-20 FEMALES AND/OR 21-50 TIMES)  4 = EXTENSIVE (21 OR MORE FEMALES AND/OR 51 OR MORE TIMES)  8 = OCCURRED, AMOUNT UNKNOWN  9 = UNKNOWN
58	EXTENT OF PREMARITAL PROSTITUTE EXPERIENCE:  CODED SAME AS COLUMN 57, EXCEPT  0 = HAD EXPERIENCE, BUT NOT IN PREMARITAL LIFE
59	EXTENT OF EXTRAMARITAL PROSTITUTE EXPERIENCE:  CODED SAME AND COLUMN 57, EXCEPT  0 = HAD EXPERIENCE, BUT NOT DURING MARRIAGE  7 = NEVER MARRIED, HAD PREMARITAL EXPERIENCE
60	EXTENT OF POSTMARITAL PROSTITUTE EXPERIENCE:  CODED SAME AS COLUMN 57, EXCEPT  0 = HAD EXPERIENCE, BUT NOT DURING POSTMARITAL LIFE  7 = NEVER MARRIED, OR MARRIED, BUT NEVER POSTMARITAL LIFE, BUT HAD PREMARITAL EXPERIENCE
61-63	TOTAL NUMBER OF PROSTITUTE EXPERIENCES IN LIFETIME:  BLANK = NEVER PROSTITUTE EXPERIENCE  001 = ONE  ACTUAL NUMBER CODED  500 = 500 OR MORE  610 = FEW  620 = SOME  630 = MANY  640 = VERY MANY  650 = VERY MANY  670 = "THOUSANDS"  899 = OCCURRED, UNKNOWN NUMBER  999 = UNKNOWN

#### LIFETIME HETEROSEXUAL PROSTITUTE EXPERIENCE

COLUMN	CODE
<u>oonorm</u>	<u></u>
64-65	AVERAGE AMOUNT PAID FOR PROSTITUTE EXPERIENCE:  BLANK = NEVER PROSTITUTE EXPERIENCE  01 = \$1 OR LESS  ACTUAL AMOUNT (IN DOLLARS) CODED  89 = \$89 OR MORE  90 = NO AVERAGE GIVEN  97 = BARTER (FOODSTUFFS, CANDY, GOODS)  98 = OCCURRED, COST UNKNOWN  99 = UNKNOWN
66-67	MINIMUM OF PAY RANGE FOR PROSTITUTE EXPERIENCE:  CODED SAME AS COLUMNS 64-65, EXCEPT  90 = NO RANGE GIVEN  91 = NO RANGE GIVEN ONLY MAXIMUM
68-69	MAXIMUM OF PAY RANGE FOR PROSTITUTE EXPERIENCE:  CODED SAME AS COLUMNS 64-65, EXCEPT  90 = NO RANGE GIVEN  91 = NO RANGE GIVEN ONLY MINIMUM
70	AMOUNT OF FELLATIO WITH A PROSTITUTE:  BLANK = NEVER PROSTITUTE EXPERIENCE  1 = NEVER  2 = RARELY  3 = LITTLE  4 = SOME  5 = MUCH  6 = OCCURRED, UNKNOWN AMOUNT  9 = UNKNOWN
71	AMOUNT OF CUNNILINGUS WITH A PROSTITUTE: CODED SAME AS COLUMN 70
72	PREFER PROSTITUTE OR NONPROSTITUTE IN COITUS:  BLANK = NEVER PROSTITUTE EXPERIENCE  1 = PREFER NONPROSTITUTE  2 = USUALLY PREFER NONPROSTITUTE  3 = INDIFFERENT  4 = USUALLY PREFER PROSTITUTE  5 = PREFER PROSTITUTE  8 = SUBJECT DOES NOT KNOW  9 = UNKNOWN

#### LIFETIME HETEROSEXUAL PROSTITUTE EXPERIENCE

	LIFETIME	HETEROSEXUAL PROSTITUTE EXPERIENCE
COLUMN	CODE	
72 74		DOD DDDDDDDDD OD DDOGMIMIME OD NONDDOGMIMIME.
73-74		FOR PREFERENCE OF PROSTITUTE OR NONPROSTITUTE:
	BL.	ANK = NEVER PROSTITUTE EXPERIENCE
		$\Gamma^{01}$ = REVOLTING, SORDID, DISGUSTING
		02 = COMMERCIAL (TOO BUSINESS-LIKE, PRODUCTION
		LINE, TOO QUICK, PAY SPOILS IT)
		03 = NOT EMOTIONALLY RESPONSIVE (NO AFFECTION,
		NOT PERSONAL, NO PASSION, NO PETTING)
		04 = MALE FEELS SHAME, REGRET
		05 = MALE WAS FRIGHTENED, TENSE
משששמת	COMPANION	06 = MALE FEAR VENEREAL DISEASE
PREFER	COMPANION	
		07 = FEMALE GENITAL INFERIORITY (TOO LOOSE)
		08 = FEMALE GENERALLY UNESTHETIC, UGLY, NOT
		ATTRACTIVE
		09 = NO CHALLENGE TO MALE
		10 = TOO MUCH LIKE MASTURBATION
		L <sub>19</sub> = OTHER REASON
		30 = NO DIFFERENCE BETWEEN COMPANION AND
		PROSTITUTE
PREFER	PROSTITUTE	r41 = SKILLED IN SEX (PROFESSIONAL, KNOW
		HOW, FREE ABOUT SEX, KNOWS MORE)
		42 = MALE NOT OBLIGATED, OR NOT RESPONSIBLE
		43 = OTHER REASON
		98 = PREFERENCE FOR COMPANION OR PROSTITUTE,
		BUT NO REASON GIVEN
		99 = UNKNOWN PREFERENCE (USED ALSO WITH CODE 8

IN COLUMN 72

75 MALE EVER PAID BY FEMALE:

BLANK = NEVER COITUS OR ONLY MARITAL COITUS

1 = NEVER

2 = EVER

9 = UNKNOWN

COLUMN	CODE
1-2	CARD NUMBER:  16 = FEMALE  17 = MALE
3-7	CASE HISTORY NUMBER:
8	TOTAL NUMBER OF MARRIAGES (LEGAL AND COMMON LAW): ACTUAL NUMBER CODED
9	NUMBER THIS MARRIAGE IS OF ALL MARRIAGES (1ST MARRIAGE, 2ND MARRIAGE, 3RD MARRIAGE, ETC.):  ACTUAL NUMBER CODED
10	CURRENT STATUS OF THIS MARRIAGE (BROKEN BY DEATH, SEPARATION, DIVORCE OR INTACT AT INTERVIEW):  1 = INTACT AT INTERVIEW 2 = INTACT, BUT INVOLUNTARY SEPARATION (ARMY, ETC.) 3 = INTACT, BUT WILL DIVORCE 4 = BROKEN: SEPARATION 5 = BROKEN: DIVORCE OR ANNULMENT 6 = BROKEN: DEATH
11	LEGAL STATUS OF MARRIAGE:  1 = LEGAL ALWAYS  2 = COMMON LAW ALWAYS  3 = COMMON LAW BECOMES LEGAL

### COLUMN CODE 12-15 DURATION OF MARRIAGE: COLUMNS 12-13 COLUMNS 14-15 FULL YEARS PERCENTAGE OF SINGLE YEAR $00 \mid 01 = 1\% \quad (1-4 \text{ DAYS})$ $00 \mid 02 = 2\% \quad (5-7 \text{ DAYS}) \quad (1 \text{ WEEK})$ $00 \mid 03 = 3\% \quad (8-11 \text{ DAYS})$ $00 \mid 04 = 4\% \quad (12-14 \text{ DAYS}) \quad (2 \text{ WEEKS})$ $00 \mid 05 = 5\% \quad (15-18 \text{ DAYS})$ $00 \mid 06 = 6\% \quad (19-22 \text{ DAYS}) \quad (3 \text{ WEEKS})$ 00 | 07 = 7% (23-25 DAYS) $00 \mid 08 = 8\% \quad (26-29 \text{ DAYS})$ $00 \mid 09 = 9\% \quad (30-32 \text{ DAYS}) \quad (1 \text{ MONTH})$ 00 | 17 = 17% (2 MONTHS)00 | 25 = 25% (3 MONTHS) $00 \mid 33 = 33\% \quad (4 \text{ MONTHS})$ $00 \mid 42 = 42\%$ (5 MONTHS) 00|50 = 50% (6 MONTHS) 00|58 = 58% (7 MONTHS) 00 | 67 = 67% (8 MONTHS) 00 | 75 = 75% (9 MONTHS) $00 \mid 83 = 83\% \quad (10 \text{ MONTHS})$ $00 \mid 92 = 92\%$ (11 MONTHS) 01 | 00 = 0% (1.0 YEAR)01 | 50 = 50% (1.5 YEARS)ETC. ETC. 99 99 = UNKNOWN 16-17 AGE OF MALE AT TIME OF MARRIAGE: ACTUAL AGE CODED 98 = SUBJECT DOES NOT KNOW 18-19 AGE OF FEMALE AT TIME OF MARRIAGE: ACTUAL AGE CODED 98 = SUBJECT DOES NOT KNOW

99 = NOT ASKED

#### COLUMN CODE 20-22 PERIOD AFTER MARRIAGE WHEN FIRST CHILD BORN: COLUMNS 20-21 COLUMN 22 YEARS MONTHS $00 \mid 0 = NO \text{ CHILDREN}$ $00 \mid 1 = 1$ ST OR 2ND MONTH $00 \mid 2 = 3RD \text{ OR } 4TH \text{ MONTH}$ $00 \mid 3 = 5$ TH OR 6TH MONTH $00 \mid 4 = 7$ TH OR 8TH MONTH 00|5 = 9TH OR 10TH MONTH 00 6 = 11TH MONTH 01 | 0 = 1 YEARETC. ETC. 80 0 = CHILD BORN BEFORE MARRIAGE 99 9 = UNKNOWN 23-24 MARITAL ADJUSTMENT RATING: COLUMN 23 COLUMN 24 CURRENT FORMER 1 = VERY HAPPY 2 = VERY HAPPY TO MODERATELY HAPPY = 2 3 = MODERATELY HAPPY 4 = MODERATELY HAPPY TO MODERATELY UNHAPPY = 45 = MODERATELY UNHAPPY = 5 6 = MODERATELY UNHAPPY TO VERY UNHAPPY = 6 7 = VERY UNHAPPY UNKNOWN 25-28 LENGTH OF TIME SUBJECT KNEW SPOUSE BEFORE MARRIAGE-CODED SAME AS COLUMNS 12-15 EXCEPT: 8000 = DURATION UNKNOWN (AMBIGUOUS LENGTH RECORDED) 9999 = UNKNOWN, NOT ASKED 29-32 LENGTH OF TIME SUBJECT WAS FORMALLY OR PUBLICLY ENGAGED TO BE MARRIED: CODED SAME AS COLUMNS 25-28, EXCEPT 0000 = NEVER ENGAGED 33 CURRENT TYPE OF RELIGION OF SPOUSE: 0 = NO RELIGION1 = PROTESTANT ORDINARY 2 = PROTESTANT FUNDAMENTALIST

3 = PROTESTANT LIBERALS

5 = JEWISH, REFORM

4 = CATHOLIC

COLUMN	CODE
	6 = JEWISH, ORTHODOX OR CONSERVATIVE 7 = GREEK ORTHODOX 8 = NON-CHRISTIAN (MUSLIM, HINDU, ETC.) 9 = UNKNOWN
34	CURRENT RELIGIOUS ATTENDANCE OF SPOUSE:  0 = INAPPLICABLE (NO RELIGION)  1 = ONCE A WEEK OR MORE  2 = ONCE A MONTH  3 = FEW TIMES A YEAR  4 = RELIGION, BUT DOES NOT ATTEND  9 = UNKNOWN
35-36	EDUCATION OF SPOUSE (STANDARD SCHOOL SYSTEM):  01 = 1ST GRADE OR ILLITERATE  02 = 2ND GRADE  03 = 3RD GRADE  04 = 4TH GRADE  05 = 5TH GRADE  06 = 6TH GRADE  07 = 7TH GRADE  08 = 8TH GRADE  09 = 9TH GRADE  10 = 10TH GRADE  11 = 11TH GRADE  12 = 12TH GRADE  13 = FRESHMAN  14 = SOPHOMORE  15 = JUNIOR  16 = SENIOR, COLLEGE GRADUATE  17 = 1ST YEAR GRADUATE  18 = 2ND YEAR GRADUATE, M.A.  19 = POST M.A. WORK, NOT PH.D.  20 = PH.D., M.D., LL.D.  99 = UNKNOWN
37	LAPSE OF TIME BETWEEN MARRIAGE AND FIRST MARITAL COITUS:  0 = NO MARITAL COITUS 1 = 1ST DAY OR MARRIAGE DAY 2 = 2-7 DAYS OR 1 WEEK 3 = 8-30 DAYS, WITHIN FIRST MONTH BUT NOT FIRST WEEK 4 = 31-179 DAYS, 2-5 MONTHS 5 = 180-364 DAYS, 6-11 MONTHS 6 = 1 YEAR OR MORE

9 = UNKNOWN

COLUMN	CODE
38	REASON FOR LAPSE OF TIME BETWEEN MARRIAGE AND FIRST MARITAL COITUS:  0 = NO TIME LAPSE OR NO MARITAL COITUS  1 = FEMALE PHYSICAL (HYMEN TOUGH, SPASM, ETC.,)  2 = FEMALE GENERAL INHIBITION (ANY FEARS, PREGNANCY, ETC.)  3 = FEMALE MENSTRUATION  4 = MALE NOT FUNCTION SEXUALLY  5 = TIRED (EITHER MALE OR FEMALE)  6 = LACK OPPORTUNITY  7 = OTHER REASON  9 = UNKNOWN
39-40	MAXIMUM FREQUENCY OF MARITAL COITUS IN ANY ONE WEEK:  00 = NEVER COITUS IN MARRIAGE ACTUAL NUMBER CODED  97 = 97 OR MORE 98 = COITUS, MAXIMUM NUMBER UNKNOWN 99 = UNKNOWN IF COITUS
41-42	AVERAGE PERIOD OF PRECOITAL PETTING:  00 = NO PETTING 01 = 1 MINUTE ETC. 60 = 60 MINUTES OR MORE 71 = "SHORT TIME" 72 = "MODERATE TIME" 73 = "LONG TIME" 80 = "VARIES" 90 = RANGE GIVEN ONLY 98 = COITUS, PERIOD OF PETTING UNKNOWN 99 = UNKNOWN IF COITUS
43-44	MINIMUM RANGE OF PRECOITAL PETTING;  CODED SAME AS COLUMNS 41-42, EXCEPT  90 = AVERAGE GIVEN ONLY  91 = MINIMUM RANGE NOT GIVEN
45-46	MAXIMUM RANGE OF PRECOITAL PETTING:  CODED SAME AS COLUMNS 43-44, EXCEPT  91 = MAXIMUM RANGE NOT GIVEN

COLUMN	CODE
47	KISSING IN PRECOITAL PLAY:  1 = NEVER  2 = NEVER, PLUS DISGUST OR OFFEND FEMALE  3 = NEVER, PLUS FEMALE WANTS OR DESIRES  4 = NEVER, PLUS MALE WANTS OR DESIRES  5 = RARE  6 = LITTLE  7 = SOME  8 = MUCH  9 = UNKNOWN
48	TONGUE KISSING IN PRECOITAL PLAY: CODED SAME AS COLUMN 47
49	MALE HAND ON FEMALE BREAST IN PRECOITAL PLAY: CODED SAME AS COLUMN 47
50	MALE MOUTH ON FEMALE BREAST IN PRECOITAL PLAY: CODED SAME AS COLUMN 47
51	MALE HAND ON FEMALE GENITALIA IN PRECOITAL PLAY: CODED SAME AS COLUMN 47
52	FEMALE HAND ON MALE GENITALIA IN PRECOITAL PLAY: CODED SAME AS COLUMN 47
53	MALE MOUTH ON FEMALE GENITALIA IN PRECOITAL PLAY: CODED SAME AS COLUMN 47
54	FEMALE EVER ORGASM FROM MALE MOUTH ON GENITALIA IN PRECOITAL PLAY:  1 = NEVER 2 = EVER 9 = UNKNOWN
55	FEMALE MOUTH ON MALE GENITALIA IN PRECOITAL PLAY: CODED SAME AS COLUMN 47
56	MALE EVER ORGASM FROM FEMALE MOUTH ON GENITALIA IN PRECOITAL PLAY:  1 = NEVER 2 = EVER 3 = EVER SWALLOW SPERM 9 = UNKNOWN

COLUMN	CODE
57	DESIRE FOR CHANGE IN GENITAL PETTING TECHNIQUES: [IF THERE IS ANY INDICATION RELATIVE TO MALE OR FEMALE WANTING MORE OR LESS OF THE TYPE OF TECHNIQUE IN COLUMNS 51, 52, 53, AND 55, INCLUDING THOSE CASES WHERE BEHAVIOR IS OTHER THAN NEVER, THIS DESIRE FOR CHANGE IS CODED BELOW]
	<pre>0 = NO COMMENT(S) 1 = RESPONDENT WANTS MORE 2 = SPOUSE WANTS MORE 3 = RESPONDENT WANTS LESS 4 = SPOUSE WANTS LESS 5 = RESPONDENT WANTS MORE, SPOUSE LESS 6 = SPOUSE WANTS MORE, RESPONDENT LESS 7 = BOTH WANT LESS OR BOTH OBJECT TO BEHAVIOR 9 = UNKNOWN</pre>
58-60	AVERAGE LENGTH OF TIME BETWEEN INTROMISSION AND EJACULATION:  000 = NEVER COITUS  005 = 30 SECONDS  010 = 1 MINUTE  015 = 1.5 MINUTES  ETC.  710 = PREMATURE EJACULATION  800 = MALE NOT EJACULATE IN COITUS  900 = "VARIES"  910 = RANGE TOO LARGE TO AVERAGE (MORE THAN 30 MINUTES)  999 = UNKNOWN
61	MALE ABOVE FEMALE IN COITUS:  0 = NEVER COITUS  1 = NEVER THIS POSITION  2 = NEVER, PLUS OFFENDS OR DISGUSTS  3 = NEVER, PLUS RESPONDENT WANTS  4 = RARE  5 = LITTLE  6 = SOME  7 = MUCH  9 = UNKNOWN
62	FEMALE ABOVE MALE IN COITUS: CODED SAME AS COLUMN 61
63	ON SIDE, FACING SPOUSE IN COITUS:  CODED SAME AS COLUMN 61
64	RESPONDENT SITTING IN COITUS:  CODED SAME AS COLUMN 61

COLUMN	CODE
65	VAGINAL COITUS, REAR ENTRY:  CODED SAME AS COLUMN 61
66	RESPONDENT STANDING IN COITUS:  CODED SAME AS COLUMN 61
67	DESIRE FOR A CHANGE IN COITAL POSITIONS:  0 = NO COMMENT(S)  1 = RESPONDENT WANTS MORE  2 = SPOUSE WANTS MORE  3 = RESPONDENT WANTS LESS  4 = SPOUSE WANTS LESS  5 = RESPONDENT WANTS MORE, SPOUSE LESS  6 = SPOUSE WANTS MORE, RESPONDENT LESS  7 = BOTH WANT LESS OR BOTH OBJECT  9 = UNKNOWN
68	ANAL INTERCOURSE:  CODED SAME AS COLUMN 61, EXCEPT  8 = TRY ONLY
69	NUDITY DURING COITUS:  0 = NEVER COITUS  1 = USUALLY CLOTHED  2 = OFTEN CLOTHED  3 = SOMETIMES CLOTHED  4 = USUALLY NUDE  9 = UNKNOWN
70	RESPONDENT'S PREFERENCE FOR NUDITY IN COITUS:  0 = NEVER COITUS  1 = PREFER CLOTHED  2 = GENERALLY PREFER CLOTHED  3 = GENERALLY PREFER NUDE  4 = PREFER NUDE  9 = UNKNOWN
71	MALE PREFERENCE FOR DARKNESS OR LIGHT DURING COITUS:  0 = NEVER COITUS 1 = PREFER DARK 2 = PREFER LITTLE LIGHT, DIM 3 = PREFER SOME LIGHT 4 = PREFER LIGHT 5 = NO PREFERENCE 8 = FOR MALE HISTORY = VARIES; FOR FEMALE HISTORY = DOES NOT KNOW MALE PREFERENCE 9 = UNKNOWN

COLUMN	CODE
72	FEMALE PREFERENCE FOR DARKNESS OR LIGHT DURING COITUS:  CODED SAME AS COLUMN 71, EXCEPT  8 = FOR MALE HISTORY = DOES NOT KNOW  FEMALE'S PREFERENCE;  FOR FEMALE HISTORY = VARIES
73-74	DURATION OF MARRIAGE (CONDENSED FROM COLUMNS 12-15) $01 = 1 \le \text{YEARS} < 2$ $02 = 2 \le \text{YEARS} < 3$ ETC. $25 = 25 \le \text{YEARS} < 30$ $26 = 30 \le \text{YEARS} < 35$ $27 = 35 \le \text{YEARS} < 40$ $28 = 40 \text{ OR MORE YEARS}$ $29 = \text{LESS THAN 3 MONTHS}$ $30 = 3 \le \text{MONTHS} < 6$ $31 = 6 \le \text{MONTHS} < 12$ $32 = \text{UNKNOWN}$
75-76	LENGTH OF TIME SUBJECT KNEW SPOUSE BEFORE MARRIAGE  (CONDENSED FROM COLUMNS 25-28):  01 = 1 \leq YEARS <2 02 = 2 \leq YEARS <3 ETC.  25 = 25 \leq YEARS <30 26 = 30 \leq YEARS <35 27 = 35 \leq YEARS <40 28 = 40 OR MORE YEARS 29 = 1 WEEK TO 2 MONTHS 30 = 3 \leq MONTHS <6 31 = 6 \leq MONTHS <12 32 = DURATION UNKNOWN (AMBIGUOUS LENGTH RECORDED) 33 = UNKNOWN, NOT ASKED

COLUMN	CODE
77-78	LENGTH OF TIME SUBJECT WAS FORMALLY OR PUBLICLY ENGAGED TO BE MARRIED (CONDENSED FROM COLUMNS 29- 32):  00 = NEVER ENGAGED 01 = 1 DAY TO <2 MONTHS 02 = 2 MONTHS <4 03 = 4 MONTHS <6 04 = 6 MONTHS <8 05 = 8 MONTHS <10 06 = 10 MONTHS <12 07 = 1 YEARS <2 08 = 2 YEARS <3 09 = 3 YEARS <4 10 = 4 YEARS <5 11 = 5 YEARS <6 12 = 6 OR MORE YEARS 13 = ENGAGED, DURATION UNKNOWN 14 = UNKNOWN IF ENGAGED

#### MARRIAGE CARD 2: FEMALE

COLUMN	CODE
1-2	CARD NUMBER:  18 = FEMALE
3-7	CASE HISTORY NUMBER:
8	TOTAL NUMBER OF MARRIAGES (LEGAL AND COMMON LAW): ACTUAL NUMBER CODED
9	NUMBER THIS MARRIAGE IS OF ALL MARRIAGES (1ST MARRIAGE, 2ND MARRIAGE, 3RD MARRIAGE, ETC.):  ACTUAL NUMBER CODED
10-12	PROPORTION OF FORMER MARITAL COITUS LEADING TO ORGASM FOR RESPONDENT:  000 = NO ORGASM 001 = 1% ETC.  095 = 95% 100 = 100% 200 = "RARE" 300 = "OCCASIONALLY" 400 = "USUALLY" 800 = NO FORMER RATE GIVEN 999 = UNKNOWN
13-15	PROPORTION OF CURRENT MARITAL COITUS LEADING TO ORGASM FOR RESPONDENT:  CODED SAME AS COLUMNS 10-12, EXCEPT  800 = NO CURRENT RATE GIVEN
16-18	FORMER AVERAGE NUMBER OF ORGASMS PER COITAL ACT FOR RESPONDENT:  000 = NO ORGASM 010 = 1 ORGASM PER COITUS 015 = 1-2 ORGASMS PER COITUS ETC. 800 = NO FORMER RATE GIVEN 999 = UNKNOWN
19-21	CURRENT AVERAGE NUMBER OF ORGASM PER COITAL ACT FOR RESPONDENT:  CODED SAME AS COLUMNS 16-18, EXCEPT  800 = NO CURRENT RATE GIVEN

#### MARRIAGE CARD 2: FEMALE

COLUMN	CODE
22	USE OF NONCOITAL TECHNIQUES DURING OR AFTER COITUS TO INCREASE FEMALE ORGASM RATE:  0 = NEVER ORGASM IN MARITAL COITUS 1 = NONE SPECIFIED 2 = MALE STIMULATE FEMALE 3 = FEMALE STIMULATE SELF 4 = FEMALE AND MALE STIMULATE FEMALE 5 = ORGASM ONLY OCCURS FROM THESE TECHNIQUES 9 = UNKNOWN
23	CLARITY OF MARITAL CONTRACEPTIVE DATA:
UNCLEAR WHETHER CONTRACEPTION DREFERS TO BOTH PREMARITAL OR MPERIODS, OR WHE ALL MARRIAGES ATREATED SEPARAT (COLUMNS 24-32)	ARITAL 3 = MAY HAVE DATA FROM OTHER MARRIAGES MIXED  THER IN HOWEVER, NO NONMARITAL DATA MIXED IN  RE 4 = MAY HAVE NONMARITAL DATA, BUT NO OTHER  ELY MARITAL DATA MIXED IN  ; 5 = MAY HAVE BOTH NONMARITAL AND OTHER MARRIAGE  DATA MIXED IN  9 = UNKNOWN FOR THIS MARRIAGE  IF  THIS  TY OF
24	CONTRACEPTIVE PRACTICES STOPPED OR NEVER USED IN MARRIAGE BECAUSE OF STERILITY:  0 = NEVER CONTRACEPTION FOR OTHER REASON (RELIGION, MENOPAUSE, ETC.)  1 = NO EVIDENCE FOR STERILITY (MAY OR MAY NOT HAVE USED CONTRACEPTION), OR USED CONTRA-

- CEPTION AND STOPPED BECAUSE OF MENOPAUSE
- 2 = NEVER CONTRACEPTION BECAUSE MALE OR FEMALE STERILE
- 3 = STOPPED USING BECAUSE MALE OR FEMALE STERILE
- 4 = USING, BUT SOME EVIDENCE FOR STERILITY
- 9 = UNKNOWN

COLUMN	CODE
25	STERILITY IN MARRIAGE:  0 = NEVER EVIDENCE OF STERILITY (EXCEPT MENOPAUSE)  1 = FEMALE STERILE, CONGENITAL  2 = MALE STERILE, CONGENITAL  3 = FEMALE STERILE, SURGICAL  4 = MALE STERILE, SURGICAL  5 = FEMALE STERILE, OTHER REASON OR CAUSE UNKNOWN  6 = MALE STERILE, OTHER REASON OR CAUSE UNKNOWN  7 = BOTH STERILE  9 = UNKNOWN
26	CONDOMS USED FOR CONTRACEPTION:  0 = NEVER CONTRACEPTION  1 = NEVER THIS METHOD  2 = TRY ONLY  3 = RARE  4 = LITTLE  5 = SOME  6 = MUCH  7 = USED, AMOUNT UNKNOWN  9 = UNKNOWN IF USED CONTRACEPTION OR THIS METHOD
27	DIAPHRAGM USED FOR CONTRACEPTION: CODED SAME AS COLUMN 26
28	WITHDRAWAL USED FOR CONTRACEPTION: CODED SAME AS COLUMN 26
29	RHYTHM USED FOR CONTRACEPTION: CODED SAME AS COLUMN 26
30	JELLY, SUPPOSITORIES, OR OTHER TECHNIQUES USED FOR CONTRACEPTION:  CODED SAME AS COLUMN 26
31	DOUCHE USED FOR CONTRACEPTION: CODED SAME AS COLUMN 26
32	MARITAL PREGNANCIES RESULTING FROM CONTRACEPTIVE FAILURE:  0 = INAPPLICABLE (NO CONTRACEPTION USED)  1 = NEVER  2 = EVER  9 = UNKNOWN

COLUMN	CODE
33	EVER EXTRAMARITAL PETTING OR COITUS WITH COMPANIONS IN THIS MARRIAGE:  0 = NO EXTRAMARITAL COITUS AND NO PETTING 1 = NO COITUS, NO DATA ON PETTING 2 = NO COITUS, BUT PETTING WITH COMPANIONS 3 = COITUS WITH COMPANIONS (ALSO PETTING) 9 = UNKNOWN
34	EXTENT OF EXTRAMARITAL PETTING TECHNIQUES WITH
COITUS AND NO RECORD OF PETTI TECHNIQUES, COLUMNS 34-36 A	COMPANIONS:  BLANK = NEVER PETTING OR COITUS IN THIS  MARRIAGE  HAD
35	NUMBER OF COMPANIONS IN EXTRAMARITAL PETTING VERSUS EXTRAMARITAL COITUS IN THIS MARRIAGE: BLANK = NEVER EXTRAMARITAL PETTING OR COITUS IN THIS MARRIAGE  1 = SAME NUMBER AS IN COITUS 2 = EXCEEDS NUMBER OF MALES IN COITUS 9 = UNKNOWN
36	ORGASM FOR RESPONDENT IN EXTRAMARITAL PETTING IN THIS MARRIAGE:  BLANK = NEVER PETTING OR COITUS IN THIS MARRIAGE  0 = NEVER  1 = EVER  9 = UNKNOWN
[IF ONLY PETTIN AND NO COITUS,	AGE FIRST EXTRAMARITAL COITUS WITH A COMPANION IN THIS MARRIAGE:  IG BLANK = NEVER EXTRAMARITAL COITUS ACTUAL AGE CODED  3D 98 = COITUS, AGE FIRST UNKNOWN  4] 99 = UNKNOWN IF COITUS
39-40	YEAR OF THIS MARRIAGE IN WHICH FIRST EXTRAMARITAL COITUS WITH COMPANIONS OCCURRED:  BLANK = NEVER EXTRAMARITAL COITUS  MARITAL YEAR CODED  98 = COITUS, YEAR UNKNOWN  99 = UNKNOWN

COLUMN	CODE
41	EXTENT OF EXTRAMARITAL COITUS WITH COMPANIONS:  BLANK = NEVER EXTRAMARITAL COITUS  1 = RARE (1 MALE AND/OR 1-5 TIMES)  2 = INCIDENTAL (2-4 MALES AND/OR 6-20 TIMES)  3 = MORE THAN INCIDENTAL (5-20 MALES AND/OR 21-50 TIMES)  4 = EXTENSIVE (21 OR MORE MALES AND/OR 51 OR MORE TIMES)  8 = OCCURRED, AMOUNT UNKNOWN  9 = UNKNOWN WHETHER OCCURRED
42-44	TOTAL NUMBER OF EXTRAMARITAL COITAL COMPANIONS:  BLANK = NEVER EXTRAMARITAL COITUS  001 = 1  ACTUAL NUMBER CODED  500 = 500 OR MORE COMPANIONS  610 = FEW  620 = SOME  630 = MANY  640 = VERY MANY  650 =   660 = "HUNDREDS"  670 = "THOUSANDS"  899 = UNKNOWN NUMBER, BUT OCCURRED  999 = UNKNOWN IF OCCURRED
45	SUBJECT'S EXPECTATION OF (A) EVER HAVING EXTRAMARITAL COITUS IF NEVER EXPERIENCED OR (B) HAVING MORE IF EXPERIENCED:  1 = WILL NOT HAVE 2 = MOST LIKELY WILL NOT HAVE 3 = POSSIBLY HAVE 4 = MOST LIKELY WILL HAVE 5 = WILL HAVE 6 = MIGHT HAVE UNDER SPECIAL CIRCUMSTANCES (IF SEPARATED, IN MILITARY, IF HUSBAND HAS, ETC.) 7 = WANTS, BUT WILL NOT HAVE 8 = SUBJECT DOESN'T KNOW 9 = UNKNOWN
46	CONSEQUENCES OF EXTRAMARITAL COITUS OF SUBJECT UPON MARRIAGE:  0 = NEVER EXTRAMARITAL COITUS  1 = HUSBAND DOES NOT KNOW  2 = HUSBAND KNOWS, HUSBAND APPROVES  3 = HUSBAND KNOWS, HUSBAND INDIFFERENT  4 = HUSBAND KNOWS, LITTLE TROUBLE  5 = HUSBAND KNOWS, SOME TROUBLE  6 = HUSBAND KNOWS, A GREAT DEAL OF TROUBLE  7 = HUSBAND KNOWS, RESULTED IN MARITAL  BREAKUP

COLUMN	CODE
	<pre>8 = HUSBAND SUSPECTS, LITTLE TO A LOT OF     TROUBLE 9 = UNKNOWN</pre>
47	<pre>IMPACT OF MILITARY SERVICE ON EXTRAMARITAL COITUS (EITHER PARTNER) IN THIS MARRIAGE:     0 = NEVER MILITARY SERVICE IN THIS MARRIAGE     1 = MILITARY SERVICE DURING MARRIAGE, NO         EXTRAMARITAL COITUS     2 = MILITARY SERVICE DURING MARRIAGE, EXTRAMARITAL DURING THIS PERIOD ONLY     3 = MILITARY SERVICE DURING MARRIAGE, EXTRAMARITAL COITUS DURING AND IN OTHER PERIODS OF MARRIAGE     8 = MILITARY SERVICE, UNKNOWN IF EXTRAMARITAL COITUS DURING THIS MARRIAGE     9 = UNKNOWN</pre>
48	NUMBER OF SPONTANEOUS ABORTIONS IN THIS MARRIAGE:  0 = NONE 1 = ONE ETC. 8 = 8 OR MORE 9 = UNKNOWN
49	NUMBER OF INDUCED ABORTIONS IN THIS MARRIAGE: CODED SAME AS COLUMN 48
50	NUMBER OF MALE LIVE BIRTHS IN THIS MARRIAGE: CODED SAME AS COLUMN 48
51	NUMBER OF FEMALE LIVE BIRTHS IN THIS MARRIAGE: CODED SAME AS COLUMN 48
52	NUMBER OF NONGENETIC MALE CHILDREN IN THIS MARRIAGE:  CODED SAME AS COLUMN 48
53	NUMBER OF NONGENETIC FEMALE CHILDREN IN THIS MARRIAGE:  CODED SAME AS COLUMN 48

COLUMN	CODE
1-2	CARD NUMBER: 19 = MALE
3-7	CASE HISTORY NUMBER:
8	TOTAL NUMBER OF MARRIAGES (LEGAL AND COMMON LAW): ACTUAL NUMBER CODED
9	NUMBER THIS MARRIAGE IS OF ALL MARRIAGES (1ST MARRIAGE, 2ND MARRIAGE, 3RD MARRIAGE, ETC.):  ACTUAL NUMBER CODED
10-12	PROPORTION OF FORMER MARITAL COITUS LEADING TO ORGASM FOR WIFE, ACCORDING TO HUSBAND:  000 = NO ORGASM 001 = 1% ETC. 095 = 95% 100 = 100% 200 = "RARE" 300 = "OCCASIONALLY" 400 = "USUALLY" 800 = NO FORMER RATE GIVEN 999 = UNKNOWN
13-15	PROPORTION OF CURRENT MARITAL COITUS LEADING TO ORGASM FOR WIFE, ACCORDING TO HUSBAND:  CODED SAME AS COLUMN 10-12, EXCEPT  800 = NO CURRENT RATE GIVEN
16-18	FORMER AVERAGE NUMBER OF ORGASMS PER COITAL ACT FOR WIFE:  000 = NO ORGASM  010 = 1 ORGASM PER COITUS  015 = 1-2 ORGASMS PER COITUS  ETC.  800 = NO FORMER RATE GIVEN  999 = UNKNOWN
19-21	CURRENT AVERAGE NUMBER OF ORGASMS PER COITAL ACT FOR WIFE:  CODED SAME AS COLUMN 16-18, EXCEPT  800 = NO CURRENT RATE GIVEN
22	USE OF NONCOITAL TECHNIQUES DURING OR AFTER COITUS TO INCREASE FEMALE ORGASM RATE:  0 = NEVER ORGASM IN MARITAL COITUS 1 = NONE SPECIFIED 2 = MALE STIMULATE FEMALE 3 = FEMALE STIMULATE SELF 4 = MALE AND FEMALE STIMULATE FEMALE

#### COLUMN CODE

- 5 = ORGASM OCCURS ONLY FROM THESE TECHNIQUES
- 9 = UNKNOWN
- 23 CLARITY OF MARITAL CONTRACEPTIVE DATA:
  - 1 = CLEARLY NO CONTRACEPTION USED IN THIS MARRIAGE

[IN MANY CASES IT IS CONTRACEPTION DATA

- UNCLEAR WHETHER THE 2 = CLEARLY CONTRACEPTION USED, AND DATA APPLIES SPECIFICALLY TO THIS MARRIAGE
- REFERS TO EITHER 3 = MAY HAVE DATA FROM OTHER MARRIAGES MIXED PREMARITAL AND/OR IN, BUT NO NONMARITAL DATA MIXED IN MARITAL PERIODS, OR 4 = MAY HAVE NONMARITAL DATA, BUT NO OTHER
- WHETHER ALL

  MARRIAGES ARE

  TREATED SEPARATELY

  (COLUMNS 24-32);

  MARITAL DATA MIXED IN

  5 = MAY HAVE BOTH NONMARITAL AND OTHER MARRIAGE

  DATA MIXED IN

  9 = UNKNOWN FOR THIS MARRIAGE

CODED WITH THE AVAILABLE INFORMATION AS IF DATA APPLIES TO THIS MARRIAGE; CLARITY OF THIS DATA IS CODED IN COLUMN 231

- 24 CONTRACEPTIVE PRACTICES STOPPED OR NEVER USED IN MARRIAGE BECAUSE OF STERILITY:
  - 0 = NEVER CONTRACEPTION FOR OTHER REASONS (RELIGION, MENOPAUSE, ETC.)
  - 1 = NO EVIDENCE FOR STERILITY (MAY OR MAY NOT HAVE USED CONTRACEPTION), OR USED CONTRACEPTION AND STOPPED BECAUSE OF MENOPAUSE)
  - 2 = NEVER CONTRACEPTION BECAUSE MALE OR FEMALE STERILE
  - 3 = STOPPED USING BECAUSE MALE OR FEMALE STERILE
  - 4 = USING, BUT SOME EVIDENCE FOR STERILITY
  - 9 = UNKNOWN
- 25 STERILITY IN MARRIAGE:
  - 0 = NEVER EVIDENCE OF STERILITY (EXCEPT MENOPAUSE)
  - 1 = FEMALE STERILE, CONGENITAL
  - 2 = MALE STERILE, CONGENITAL
  - 3 = FEMALE STERILE, SURGICAL
  - 4 = MALE STERILE, SURGICAL
  - 5 = FEMALE STERILE, OTHER REASON OR CAUSE UNKNOWN
  - 6 = MALE STERILE, OTHER REASON OR CAUSE UNKNOWN
  - 7 = BOTH STERILE
  - 9 = UNKNOWN

COLUMN	CODE
26	CONDOMS USED FOR CONTRACEPTION:  0 = NEVER CONTRACEPTION  1 = NEVER THIS METHOD  2 = TRY ONLY  3 = RARE  4 = LITTLE  5 = SOME  6 = MUCH  7 = USED, AMOUNT UNKNOWN  9 = UNKNOWN IF USED CONTRACEPTION OR THIS METHOD
27	DIAPHRAGM USED FOR CONTRACEPTION:  CODED SAME AS COLUMN 26
28	WITHDRAWAL USED FOR CONTRACEPTION: CODED SAME AS COLUMN 26
29	RHYTHM USED FOR CONTRACEPTION: CODED SAME AS COLUMN 26
30	JELLY, SUPPOSITORIES, OR OTHER TECHNIQUES USED FOR CONTRACEPTION:  CODED SAME AS COLUMN 26
31	DOUCHE USED FOR CONTRACEPTION: CODED SAME AS COLUMN 26
32	MARITAL PREGNANCIES RESULTING FROM CONTRACEPTIVE FAILURE:  0 = INAPPLICABLE (NO CONTRACEPTION USED)  1 = NEVER  2 = EVER  9 = UNKNOWN
33	EVER EXTRAMARITAL PETTING OR COITUS IN THIS MARRIAGE:
[IF RESPONDENT COITUS AND NO R OF PETTING TECH COLUMNS 34-36 A CODED AS UNKNOW	ECORD 4 = COITUS WITH PROSTITUTES AND NOT COMPANIONS NIQUES, (NO DATA ON PETTING WITH COMPANIONS) RE 5 = COITUS WITH PROSTITUTES AND NOT COMPANIONS

COLUMN	CODE
34	EXTENT OF EXTRAMARITAL PETTING TECHNIQUES:  BLANK = NEVER EXTRAMARITAL PETTING OR COITUS  1 = PETTING, BUT NO GENITAL TOUCHING  2 = MALE OR FEMALE TOUCHING OF OTHER'S  GENITALIA  3 = MALE MOUTH ON FEMALE GENITALIA  4 = FEMALE MOUTH ON MALE GENITALIA  5 = MUTUAL MOUTH-GENITAL CONTACT  7 = NO PETTING WITH COMPANIONS, ALL  EXTRAMARITAL WITH PROSTITUTES  9 = UNKNOWN
35	PARTNERS IN EXTRAMARITAL PETTING IN THIS MARRIAGE: BLANK = NEVER PETTING OR COITUS  1 = SAME NUMBER OF COMPANIONS AS IN COITUS 2 = EXCEEDS NUMBER OF COMPANIONS IN COITUS 7 = NO PETTING WITH COMPANIONS, ALL EXTRAMARITAL WITH PROSTITUTES 9 = UNKNOWN
36	ORGASM FOR SUBJECT IN EXTRAMARITAL PETTING WITH COMPANIONS IN THIS MARRIAGE:  BLANK = NEVER PETTING OR COITUS  0 = NEVER WITH COMPANIONS  1 = EVER WITH COMPANIONS  7 = NO PETTING WITH COMPANIONS, ALL EXTRAMARITAL WITH PROSTITUTES  9 = UNKNOWN
37-38	AGE FIRST EXTRAMARITAL COITUS WITH A COMPANION OR PROSTITUTE IN THIS MARRIAGE: BLANK = NEVER EXTRAMARITAL COITUS ACTUAL AGE CODED 98 = EXTRAMARITAL COITUS, AGE FIRST UNKNOWN 99 = UNKNOWN IF COITUS
39-40	YEAR OF THIS MARRIAGE IN WHICH FIRST EXTRAMARITAL COITUS OCCURRED (COMPANION OR PROSTITUTE): BLANK = NEVER EXTRAMARITAL COITUS MARITAL YEAR CODED 98 = COITUS, MARITAL YEAR UNKNOWN 99 = UNKNOWN
41	EXTENT OF EXTRAMARITAL COITUS WITH COMPANIONS:  BLANK = NEVER EXTRAMARITAL COITUS  0 = NEVER EXTRAMARITAL COITUS WITH  COMPANION BUT EXTRAMARITAL EXPERIENCE  WITH A PROSTITUTE  1 = RARE (1 FEMALE AND/OR 1-5 TIMES)  2 = INCIDENTAL (2-4 FEMALES AND/OR 6-20  TIMES)

COLUMN	CODE
	<pre>3 = MORE THAN INCIDENTAL (5-20 FEMALES     AND/OR 21-50 TIMES) 4 = EXTENSIVE (21 OR MORE FEMALES AND/OR     51 OR MORE TIMES) 8 = OCCURRED, AMOUNT UNKNOWN 9 = UNKNOWN WHETHER OCCURRED</pre>
42-44	TOTAL NUMBER OF EXTRAMARITAL COITAL COMPANIONS:  BLANK = NEVER EXTRAMARITAL COITUS  000 = NEVER EXTRAMARITAL COITUS WITH  COMPANIONS BUT EXTRAMARITAL  EXPERIENCE WITH A PROSTITUTE  001 = 1  ACTUAL NUMBER CODED  500 = 500 OR MORE  610 = FEW  620 = SOME  630 = MANY  640 = VERY MANY  650 =   660 = "HUNDREDS"  670 = "THOUSANDS"  899 = UNKNOWN NUMBER, BUT OCCURRED  999 = UNKNOWN IF OCCURRED
45	EXTENT OF EXTRAMARITAL EXPERIENCE WITH PROSTITUTE IN THIS MARRIAGE:  BLANK = NEVER EXTRAMARITAL COITUS  0 = NEVER EXTRAMARITAL COITUS WITH PROSTITUTES  1 = RARE (1 FEMALE AND/OR 1-5 TIMES)  2 = INCIDENTAL (2-4 FEMALES AND/OR 6-20 TIMES)  3 = MORE THAN INCIDENTAL (5-20 FEMALES AND/OR 21-50 TIMES)  4 = EXTENSIVE (21 OR MORE FEMALES AND/OR 51 OR MORE TIMES)  8 = OCCURRED, AMOUNT UNKNOWN 9 = UNKNOWN WHETHER OCCURRED
46-48	TOTAL NUMBER OF EXTRAMARITAL PROSTITUTES IN THIS MARRIAGE:  BLANK = NEVER EXTRAMARITAL COITUS  000 = NEVER EXTRAMARITAL COITUS WITH A PROSTITUTE, BUT EXTRAMARITAL COITUS WITH COMPANIONS  001 = 1 ETC. 500 = 500 OR MORE 610 = FEW 620 = SOME

COLUMN	CODE
	630 = MANY 640 = VERY MANY 650 = "HUNDREDS" 660 = "HUNDREDS" 670 = "THOUSANDS" 899 = UNKNOWN NUMBER, BUT OCCURRED 999 = UNKNOWN IF OCCURRED
49	SUBJECT'S EXPECTATION OF (A) EVER HAVING EXTRA- MARITAL COITUS IF NEVER EXPERIENCED, OR (B) HAVING MORE IF EXPERIENCED:  1 = WILL NOT HAVE 2 = MOST LIKELY WILL NOT HAVE 3 = POSSIBLY WILL HAVE 4 = MOST LIKELY WILL HAVE 5 = WILL HAVE 6 = UNDER SPECIAL CIRCUMSTANCES (IF SEPARATE IF IN MILITARY, IF WIFE HAS EXPERIENCE, ETC.) 7 = WANTS, BUT WILL NOT HAVE 8 = SUBJECT DOES NOT KNOW 9 = UNKNOWN, NOT ASKED
50	CONSEQUENCES OF EXTRAMARITAL COITUS OF SUBJECT UPON MARRIAGE:  0 = NEVER EXTRAMARITAL COITUS 1 = WIFE NOT KNOW 2 = WIFE KNOWS, WIFE APPROVES 3 = WIFE KNOWS, WIFE INDIFFERENT 4 = WIFE KNOWS, LITTLE TROUBLE 5 = WIFE KNOWS, SOME TROUBLE 6 = WIFE KNOWS, A GREAT DEAL OF TROUBLE 7 = WIFE KNOWS, RESULTED IN MARITAL BREAKUP 8 = WIFE SUSPECTS, LITTLE TO A LOT OF TROUBLE 9 = UNKNOWN

COLUMN	CODE
51	<pre>IMPACT OF MILITARY SERVICE ON EXTRAMARITAL COITUS IN THIS MARRIAGE (EITHER PARTNER):     0 = NEVER MILITARY SERVICE IN THIS MARRIAGE     1 = MILITARY SERVICE DURING THIS MARRIAGE,         NO EXTRAMARITAL COITUS     2 = MILITARY SERVICE DURING THIS MARRIAGE,         AND EXTRAMARITAL COITUS DURING THIS         PERIOD ONLY     3 = MILITARY SERVICE DURING MARRIAGE,         EXTRAMARITAL COITUS DURING THIS AND IN         OTHER PERIODS OF MARRIAGE     8 = MILITARY SERVICE, UNKNOWN IF         EXTRAMARITAL COITUS DURING MILITARY         SERVICE     9 = UNKNOWN</pre>
52	NUMBER OF SPONTANEOUS ABORTIONS IN THIS MARRIAGE:  0 = NONE  1 = ONE  ETC.  8 = EIGHT OR MORE  9 = UNKNOWN
53	NUMBER OF INDUCED ABORTIONS IN THIS MARRIAGE: CODED SAME AS COLUMN 52
54	NUMBER OF MALE LIVE BIRTHS IN THIS MARRIAGE: CODED SAME AS COLUMN 52
55	NUMBER OF FEMALE LIVE BIRTHS IN THIS MARRIAGE: CODED SAME AS COLUMN 52
56	NUMBER OF NONGENETIC MALE CHILDREN IN THIS MARRIAGE:  CODED SAME AS COLUMN 52
57	NUMBER OF NONGENETIC FEMALE CHILDREN IN THIS MARRIAGE:  CODED SAME AS COLUMN 52

MARRIAGE CARD 3		
COLUMN	CODE	
1-2	CARD NUMBER:  20 = FEMALE  21 = MALE	
3-7	CASE HISTORY NUMBER:	
8	TOTAL NUMBER OF MARRIAGES (LEGAL AND COMMON LAW): ACTUAL NUMBER CODED	
9	NUMBER THIS MARRIAGE IS OF ALL MARRIAGES (1ST MARRIAGE, 2ND MARRIAGE, 3RD MARRIAGE, ETC.):  ACTUAL NUMBER CODED	
10 PRESENCE OR ABSENCE OF MARITAL TROUBLE:  [FORMER AS WELL 0 = NO MARITAL TROUBLE, ACCORDING TO SUBJECT AS CURRENT TROUBLES 1 = MARITAL TROUBLE RECORDED ARE RECORDED] 9 = UNKNOWN		
[NOTES ON COLU	MN 10 AS IT APPLIES TO REST OF CARD:	
	OR 9 IN THIS COLUMN, AND ONLY (FIRST) S INTACT, THE REST OF THE CARD IS	
BEEN A SEP	OR 9 IN THIS COLUMN, AND THERE HAS ARATION OR DIVORCE, COLUMNS 11-63 AND COLUMNS 64-76 ARE CODED	
HAS BEEN B	OR 9 IN THIS COLUMN, AND MARRIAGE ROKEN BY DEATH, COLUMNS 11-67 ARE COLUMNS 68-76 ARE CODED	
4) IF CODED 1	IN THIS COLUMN AND ONLY MARRIAGE IS LUMNS 68-76 ARE BLANK	
5) IF CODED 1	IN THIS COLUMN, AND THERE HAS BEEN ON OR DIVORCE, ALL COLUMNS ARE CODED	
6) IF CODED 1 BROKEN BY	IN THIS COLUMN, AND MARRIAGE HAS BEEN DEATH, ALL COLUMNS ARE CODED (COLUMNS BOTH CODED 0)]	

- 11 EXTRAVAGANCE OR CARELESSNESS WITH MONEY:
  - 0 = NOT MENTIONED
  - 1 = MALE EXTRAVAGANT OR CARELESS WITH MONEY
  - 2 = FEMALE EXTRAVAGANT OR CARELESS WITH MONEY
  - 3 = BOTH EXTRAVAGANT OR CARELESS WITH MONEY
  - 8 = UNSPECIFIED AND OTHER TROUBLE OVER MONEY

COLUMN	CODE
12	<pre>INADEQUATE CONTRIBUTION TO INCOME:     0 = NOT MENTIONED     1 = MALE NOT WORK OR EARN ENOUGH FOR         ADEQUATE SUPPORT     2 = FEMALE NOT CONTRIBUTE ADEQUATELY TO         FAMILY INCOME</pre>
13	EMPLOYMENT TROUBLE:  0 = NOT MENTIONED  1 = MALE JOB OR SCHOOL TOO DEMANDING IN TERMS OF TIME OR TRAVEL; WIFE RESENTS  2 = MALE RESENTS WIFE WORKING  3 = FEMALE RESENTS HAVING TO WORK  4 = FEMALE RESENTS NOT BEING ABLE TO WORK, GO TO SCHOOL OR HAVE CAREER  5 = MAN FEELS OVERWORKED OR RESENTS HIS JOB  8 = UNSPECIFIED OR OTHER EMPLOYMENT TROUBLE (WOMAN EARNS MORE THAN MAN, BOTH TOO BUSY PROFESSIONALLY, ETC.)
14	FEMALE'S RELATIVES CAUSE TROUBLE:  0 = NOT MENTIONED  1 = FATHER  2 = MOTHER  3 = BOTH PARENTS  4 = OTHER SPECIFIED RELATIVES (INCLUDING FORMER SPOUSE)  5 = COMBINATION OF RELATIVES  8 = UNSPECIFIED RELATIVES
15	MALE'S RELATIVES CAUSE TROUBLE: CODED SAME AS COLUMN 14
16	A RELATIVE LIVING WITH THE HUSBAND AND WIFE WHO CAUSED TROUBLE:  0 = NOT MENTIONED  1 = FEMALE RELATIVE 2 = MALE RELATIVE 3 = FEMALE'S CHILD BY FORMER MARRIAGE 4 = MALE'S CHILD BY FORMER MARRIAGE 5 = BOTH PARENTS' CHILDREN BY FORMER MARRIAGES 6 = WOMAN'S CHILDREN FROM EXTRAMARITAL OR PREMARITAL RELATIONS
17	FEMALE HOUSEHOLD DUTIES AS A DEFICIENCY:  0 = NOT MENTIONED  1 = POOR HOUSEKEEPER  2 = POOR COOK  3 = POOR HOUSEKEEPER AND POOR COOK  4 = OTHER

COLUMN	CODE
18	MALE HOUSEHOLD DUTIES AS A DEFICIENCY:  0 = NOT MENTIONED  1 = MALE DOES NOT ADEQUATELY DO MALE CHORES  2 = MALE DOES NOT HELP FEMALE WITH HER CHORES  3 = BOTH 1 AND 2  4 = OTHER
19	DIFFERENT RELIGIOUS DENOMINATIONS CAUSE TROUBLE:  0 = NOT MENTIONED - SAME RELIGION  1 - NOT MENTIONED - DIFFERENT RELIGION  2 = YES  9 = UNKNOWN (USED IF RELIGION OF ONE'S SPOUSE IS UNKNOWN)
20	DIFFERENCE IN RELIGIOUS DEVOUTNESS OR CHURCH ATTENDANCE CAUSES TROUBLE (SAME RELIGION):  0 = NOT MENTIONED  1 = YES
21	TROUBLE OVER HAVING OR ADOPTING CHILDREN:  0 = NOT MENTIONED  1 = FEMALE WANTS CHILDREN (OR MORE CHILDREN), MALE DOES NOT  2 = MALE WANTS CHILDREN (OR MORE CHILDREN), FEMALE DOES NOT  3 = INVOLUNTARY STERILITY OF EITHER SPOUSE CAUSES TROUBLE
22	CHILD BEARING CAUSING PROBLEMS:  0 = NOT MENTIONED  1 = FEMALE DOES NOT PAY ENOUGH ATTENTION TO CHILD REARING  2 = MALE DOES NOT PAY ENOUGH ATTENTION TO CHILD REARING  3 = DISCORD OVER METHOD OF CHILD REARING
23	<pre>INTERESTS ARE DIFFERENT: 0 = NOT MENTIONED 1 = DISCORD OVER DIFFERENT INTERESTS AND/OR</pre>

COLUMN	CODE
24	SOCIABILITY DIFFERENCE:  0 = NOT MENTIONED  1 = FEMALE NOT AS SOCIABLE AS MALE WANTS  2 = FEMALE FRIENDS A SOURCE OF DISCORD  3 = MALE NOT AS SOCIABLE AS FEMALE WANTS  4 = MALE FRIENDS A SOURCE OF DISCORD  5 = SPOUSE SPENDS TOO MUCH TIME ON SOCIAL ACTIVITIES  6 = SUBJECT SPENDS TOO MUCH TIME ON SOCIAL ACTIVITIES
25	ALCOHOL AND DRUGS CAUSING TROUBLE:  0 = NOT MENTIONED  1 = FEMALE DRINKING A SOURCE OF DISCORD  2 = MALE DRINKING A SOURCE OF DISCORD  3 = BOTH DRINKING A SOURCE OF DISCORD  4 = FEMALE DRUG USE A SOURCE OF DISCORD  5 = MALE DRUG USE A SOURCE OF DISCORD  6 = BOTH USING DRUGS A SOURCE OF DISCORD  7 = COMBINATION OF 1 AND 4  8 = COMBINATION OF 2 AND 5
26	AGE DIFFERENCE CAUSING TROUBLE:  0 = NOT MENTIONED  1 = FEMALE TOO OLD FOR MALE  2 = MALE TOO OLD FOR FEMALE
27	APPEARANCE OR UNCLEANLINESS CAUSING TROUBLE:  0 = NOT MENTIONED  1 = FEMALE HAS UNPLEASANT PHYSICAL TRAITS  2 = MALE HAS UNPLEASANT PHYSICAL TRAITS  3 = BOTH HAVE UNPLEASANT PHYSICAL TRAITS  4 = WOMAN HAS UNPLEASANT ODOR (DUE TO UNCLEANLINESS)  5 = MALE HAS UNPLEASANT ODOR (DUE TO UNCLEANLINESS)
28	HEALTH AS CAUSE FOR TROUBLE (NOT INCLUDING MENTAL ILLNESS:  0 = NOT MENTIONED  1 = FEMALE HEALTH A SOURCE OF TROUBLE  2 = MALE HEALTH A SOURCE OF TROUBLE  3 = HEALTH OF BOTH A SOURCE OF TROUBLE  4 = FEMALE FATIGUED  5 = MALE FATIGUED  6 = BOTH FATIGUED

FARTAGE CARD 3			
COLUMN	CODE		
29	SEPARATION LEADING TO ALIENATION OR TROUBLE:  0 = NOT MENTIONED  1 = MALE IN MILITARY SERVICE  2 = MALE IN PRISON  3 = MALE AWAY ON JOB OR FOR EDUCATION  4 = MALE IN HOSPITAL OR ASYLUM  5 = FEMALE IN PRISON  6 = FEMALE AWAY ON JOB OR WITH RELATIVES  OR FOR EDUCATION  7 = FEMALE IN HOSPITAL OR ASYLUM  8 = OTHER LIVING APART SITUATIONS  (INCLUDING SECRET MARRIAGE AND  UNSPECIFIED SITUATIONS)		
30	REASON MARRIED AS CAUSE FOR TROUBLE:  0 = NOT MENTIONED  1 = SUBJECT TALKED INTO MARRIAGE BY SPOUSE,		
31	UNRELIABLE, IMMATURE, IRRESPONSIBLE, UNTRUSTWORTHY, SCATTER BRAINED, NOT LOYAL, DECEITFUL, UNSTABLE:  0 = NOT MENTIONED  1 = SPOUSE'S TRAIT  2 = SUBJECT'S TRAIT  3 = BOTH SHARE THIS TRAIT		
32	SELFISH, INCONSIDERATE, EGOTISTICAL, VAIN, SPOILED, RESENTS MAN, MERCENARY, GREEDY, NON- SEXUAL JEALOUSY, INSENSITIVE: CODED SAME AS COLUMN 31		
33	CRUDE, RUDE, UNCULTURED, CRASS, SLOPPY: CODED SAME AS COLUMN 31		
34	DULL, STUPID, SILLY, NOT INTELLIGENT:  CODED SAME AS COLUMN 31		

## MARRIAGE CARD 3 PERSONALITY TRAIT AS CAUSE OF TROUBLE

COLUMN	CODE
35	LAZY, NOT AMBITIOUS, LOAFS:  CODED SAME AS COLUMN 31
36	OVERLY DEMANDING, PERFECTIONIST, TOO AMBITIOUS, CRITICAL, METICULOUS, FUSSY, IMPATIENT:  CODED SAME AS COLUMN 31
37	DOMINEERING, BOSSY, AGGRESSIVE, POSSESSIVE, STRONG-WILLED, DOGMATIC, STRONG PERSONALITIES:  CODED SAME AS COLUMN 31
38	STUBBORN, CONTRARY, SELF-WILLED, UNREASONABLE: CODED SAME AS COLUMN 31
39	OVER EMOTIONAL, SENSITIVE, TEMPERAMENTAL, NEUROTIC, DEPRESSED, MOODY, TENSE, NERVOUS, QUICK TO ANGER, VIOLENT CHARACTER, BASICALLY UNHAPPY: CODED SAME AS COLUMN 31
40	BAD TEMPER, BAD DISPOSITION, SHREW, NAG, ALWAYS COMPLAINS, IRRITABLE, PARANOID:  CODED SAME AS COLUMN 31
41	INTROVERT, INGROWN, ASOCIAL, SHY, RESERVED, TACITURN:  CODED SAME AS COLUMN 31
42	EXTROVERT, OUTGOING, LOUD, BRASH, ROWDY, COCKY, LOUD TALK:  CODED SAME AS COLUMN 31
43	INFERIORITY AND INADEQUACY FEELINGS, INSECURE, TOO DEPENDENT UPON SPOUSE, SUBMISSIVE:  CODED SAME AS COLUMN 31
44	NERVOUS BREAKDOWN OR PSYCHOSIS (SERIOUS BREAKDOWN), WENT TO MENTAL HOSPITAL, INSTITUTION OR PSYCHIATRIST FOR HELP: CODED SAME AS COLUMN 31
45	UNSPECIFIED PERSONALITY TROUBLES, INCOMPATIBLE, DIFFERENT TEMPERAMENTS, PERSONALITY CONFLICTS:  CODED SAME AS COLUMN 31
46	LACK OF LOVE OR DEEP AFFECTION FOR SPOUSE, LOSE INTEREST, "FALL OUT OF LOVE," MAN OR WOMAN LOVES ANOTHER:  CODED SAME AS COLUMN 31

### MARRIAGE CARD 3 PERSONALITY TRAIT AS CAUSE OF TROUBLE

	PERSONALITY TRAIT AS CAUSE OF TROUBLE
COLUMN	<u>CODE</u>
47	OTHER (TOO IDEALISTIC, RIGID, HARSH, REALISTIC, CONVENTIONAL, NARROW-MINDED, RESTLESS, AFFECTED, NOT FRANK ENOUGH, MALADJUSTED, CRUEL, SARCASTIC, ETC.:  CODED SAME AS COLUMN 31
	SEXUAL TROUBLES
48	JEALOUSY BECAUSE OF SEXUALITY AS SOURCE OF TROUBLE:  0 = NOT MENTIONED  1 = FEMALE JEALOUS  2 = MALE JEALOUS  3 = BOTH JEALOUS
49	EXTRAMARITAL COITUS OR PETTING AS SOURCE OF TROUBLE:  0 = NOT MENTIONED  1 = FEMALE UPSET BY MALE ACTIVITY  2 = MALE UPSET BY FEMALE ACTIVITY  3 = BOTH UPSET BY EACH OTHER'S ACTIVITY  4 = SUBJECT UPSET BY GUILT, SPOUSE DOES NOT KNOW OR CARE
50	DURATION OF PRECOITAL PETTING AS SOURCE OF TROUBLE:  0 = NOT MENTIONED  1 = FEMALE WANTS LENGTHIER  2 = FEMALE WANTS SHORTER  3 = MALE WANTS LENGTHIER  4 = MALE WANTS SHORTER  5 = COMBINATION OF ABOVE  8 = UNSPECIFIED
51	PETTING TECHNIQUES AS SOURCE OF TROUBLE:  0 = NOT MENTIONED  1 = FEMALE WANTS CUNNILINGUS  2 = FEMALE WANTS TO FELLATE MALE  3 = MALE WANTS CUNNILINGUS  4 = MALE WANTS TO BE FELLATED  5 = COMBINATION OF ABOVE  8 = UNSPECIFIED AND OTHER (INCLUDING SUBJECT WANTS LESS FELLATIO, ETC.)
52	COITAL FREQUENCY AS A SOURCE OF TROUBLE:  0 = NOT MENTIONED  1 = FEMALE WANTS MORE  2 = FEMALE WANTS LESS  3 = MALE WANTS MORE

## MARRIAGE CARD 3 SEXUAL TROUBLES

COLUMN	CODE	
		4 = MALE WANTS LESS 5 = FEMALE WANTS MORE, MALE LESS 6 = FEMALE WANTS LESS, MALE MORE 8 = UNSPECIFIED AND OTHER
53	COITAL	POSITIONS AS SOURCE OF TROUBLE:  0 = NOT MENTIONED  1 = FEMALE WANTS CERTAIN POSITION, MALE DOES NOT  2 = MALE WANTS CERTAIN POSITION, FEMALE DOES NOT  8 = UNSPECIFIED, INCLUDING WANTS VARIETY AND EXPERIMENTATION
54	COITAL	CIRCUMSTANCES A SOURCE OF TROUBLE:  0 = NOT MENTIONED  1 = TROUBLE OVER TIME, SETTING, NUDITY, CONTRACEPTIVES, LIGHT AND DARK  2 = SUBJECT FEELS SEXUALLY INADEQUATE  8 = UNSPECIFIED
55	COITAL	DURATION A SOURCE OF TROUBLE:  0 = NOT MENTIONED  1 = FEMALE WANTS LENGTHIER  2 = FEMALE WANTS SHORTER  3 = MALE WANTS LENGTHIER  4 = MALE WANTS SHORTER  5 = COMBINATIONS OF ABOVE  8 = UNSPECIFIED
56	FEMALE	ORGASM AS SOURCE OF TROUBLE:  0 = NOT MENTIONED  1 = FEMALE UPSET BECAUSE LACK OF ORGASM  2 = MALE UPSET BECAUSE LACK OF ORGASM  3 = BOTH UPSET BECAUSE LACK OF ORGASM  4 = ORGASM OCCURS, BUT NONCOITAL TECHNIQUES REQUIRED  8 = UNSPECIFIED AS TO WHO IS UPSET
57	GENERA.	L SEXUAL RESPONSIVENESS A SOURCE OF TROUBLE:  0 = NOT MENTIONED  1 = FEMALE NOT RESPONSIVE ENOUGH TO SUIT MALE  2 = MALE NOT RESPONSIVE ENOUGH TO SUIT FEMALE  3 = FEMALE NOT SEXUALLY ATTRACTED TO MALE  4 = MALE NOT SEXUALLY ATTRACTED TO FEMALE  5 = BOTH NOT SEXUALLY ATTRACTED TO EACH OTHER

## MARRIAGE CARD 3 SEXUAL TROUBLES

COLUMN	CODE CODE
58	MALE DIFFICULTIES AS SOURCE OF TROUBLE:  0 = NOT MENTIONED  1 = ERECTILE IMPOTENCE  2 = SOME TROUBLE KEEPING ERECTION  3 = PREMATURE EJACULATION  4 = EJACULATORY IMPOTENCE  5 = 1 (OR 2) + 3  6 = 1 (OR 2) + 4  7 = OTHER
59	FEMALE DIFFICULTIES AS SOURCE OF TROUBLE:  0 = NOT MENTIONED  1 = COITUS PAINFUL  2 = VAGINAL SPASM  3 = LACK ADEQUATE LUBRICATION  4 = OTHER FEMALE PHYSICAL TROUBLE
60	FEMALE DEVIATION AS A SOURCE OF TROUBLE (INCLUDING GUILT OR WORRY BY SUBJECT OVER DEVIATION):  0 = NOT MENTIONED  1 = FEMALE HOMOSEXUALITY  2 = FEMALE SADISM  3 = FEMALE MASOCHISM  4 = FEMALE OTHER DEVIATION (INCEST, BIGAMY, EMBEZZLER)  5 = FEMALE A PROSTITUTE
61	MALE DEVIATION AS A SOURCE OF TROUBLE (INCLUDING GUILT OR WORRY BY SUBJECT OVER DEVIATION):  0 = NOT MENTIONED  1 = MALE HOMOSEXUALITY  2 = MALE SADISM  3 = MALE MASOCHISM  4 = MALE FETISHISM  5 = MALE TRANSVESTISM OR TRANSSEXUALISM  6 = MALE VOYEURISM  7 = MALE OTHER DEVIATION (INCEST, SEX OFFENSE, EMBEZZLER, THIEF, BIGAMY)
62	FEAR OF PREGNANCY AS A SOURCE OF TROUBLE:  0 = NOT MENTIONED  1 = YES

## MARRIAGE CARD 3 SEXUAL TROUBLES

COLUMN	CODE
63	MISCELLANEOUS TROUBLES:  0 = NOT MENTIONED  1 = UNSPECIFIED TROUBLE (INCLUDING "ARGUE OVER TRIVIA," ETC.)  2 = TROUBLES OTHER THAN THOSE LISTED IN COLUMNS 11-62  3 = SPOUSE NOT AFFECTIONATE ENOUGH  4 = FEMALE RESENTS BEING TIED TO HOME OR CHILDREN
	PRODUCTS OF MARITAL TROUBLE
64	ARGUMENTS:  0 = NOT MENTIONED  1 = FEW  2 = SOME  3 = MANY  4 = ARGUE, AMOUNT UNKNOWN
65	PHYSICAL VIOLENCE:  0 = NOT MENTIONED  1 = FEMALE ON MALE, MILD VIOLENCE (SLAP, HIT, PUSH, SPANK)  2 = FEMALE ON MALE, SEVERE VIOLENCE (BEAT, BLACK EYE, USE WEAPON)  3 = MALE ON FEMALE, MILD VIOLENCE  4 = MALE ON FEMALE, SEVERE VIOLENCE  5 = MUTUAL FIGHT, MILD VIOLENCE  6 = MUTUAL FIGHT, SEVERE VIOLENCE
66 [IF MARRIAGE BROKEN BY DEATH, COLUMNS 66 AND 67 = 0'S]	SEPARATION, EVER (INCLUDING TEMPORARY OR TERMINAL SEPARATION BUT NOT INCLUDING INVOLUNTARY SEPARATION OR DEATH):  0 = NO 1 = YES
CODED IF MARRIA IS BROKEN  CODED IF MARRIA IS INTACT AND O OR BOTH WANT, THREATENED, OR THOUGHT OF A SEPARATION	3 = BOTH WANT OR WANTED  4 = UNKNOWN WHO WANTS OR WANTED  5 = SPOUSE

## MARRIAGE CARD 3 POST-MARITAL SEX

	POST-MARITAL SEX
COLUMN	CODE
<del></del>	
68-70	NUMBER OF POSTMARITAL COITAL COMPANIONS:  BLANK = NEVER POSTMARITAL LIFE (MARRIAGE INTACT)  000 = NONE (MARRIAGE BROKEN, BUT NO
	POSTMARITAL COITUS WITH COMPANIONS)  001 = 1  002 = 2
	ACTUAL NUMBER CODED 500 = 500 OR MORE
	610 = "FEW"
	620 = "SOME" 630 = "MANY"
	640 = "VERY MANY"
	650 = "HUNDREDS"
	670 = "THOUSANDS"
	898 = UNKNOWN, BUT SOME
	999 = UNKNOWN
71-73	NUMBER OF POSTMARITAL RELATIONS WITH PROSTITUTES:  CODED SAME AS COLUMNS 68-70, EXCEPT  000 = NO RELATIONS WITH A PROSTITUTE
74	POSTMARITAL COITUS WITH SUBSEQUENT SPOUSE OR
	FIANCE(E):
	BLANK = NEVER POSTMARITAL LIFE (MARRIAGE INTACT)
	0 = INAPPLICABLE, NO POSTMARITAL COITUS
	1 = COITUS, BUT NOT WITH SUBSEQUENT SPOUSE OR FIANCE(E)
	2 = COITUS WITH SUBSEQUENT SPOUSE OR
	FIANCE(E) 9 = UNKNOWN
	9 - UNKNOWN
75	POSTMARITAL PREGNANCIES OCCURRING:
	BLANK = NEVER POSTMARITAL LIFE (MARRIAGE INTACT)
	0 = INAPPLICABLE, NO POST-MARITAL COITUS
	1 = NONE
	2 = SOME (1 OR MORE)
	8 = SUBJECT NOT SURE
	9 = UNKNOWN

## MARRIAGE CARD 3 POST-MARITAL SEX

COLUMN	CODE
76	PETTING OR COITAL TECHNIQUES USED IN POSTMARITAL LIFE BUT NEVER BEFORE IN MARRIAGE:
	BLANK = NEVER POSTMARITAL LIFE (MARRIAGE
	INTACT)
	0 = INAPPLICABLE, NO POSTMARITAL COITUS OR
	PETTING
	1 = NO
	2 = YES - A NEW TECHNIQUE OR POSITION NOT
	USED IN MARRIAGE
	9 = UNKNOWN

### HEALTH, RECREATION, SEEING SEX, RESTRAINTS, MISCELLANEOUS DATA

COLUMN	CODE
1-2	CARD NUMBER:  22 = FEMALE  23 = MALE
3-7	CASE HISTORY NUMBER:
	HEALTH
8	CURRENT HEALTH:
	<pre>1 = BAD HEALTH 2 = POOR HEALTH 3 = MODERATE HEALTH 4 = GOOD HEALTH IN GENERAL, SOME     QUALIFICATION 5 = GOOD HEALTH 9 = UNKNOWN</pre>
9	HEALTH AS A CHILD: CODED SAME AS COLUMN 8
10	PHYSICAL DEFECT OF SERIOUS NATURE:  1 = NONE SPECIFIED  2 = SERIOUS VISION DEFECT (BLIND, ONE-EYED)  3 = AMPUTEE (HAND, FOOT, LIMB)  4 = OTHER SERIOUS DEFECT (SPASTIC, PARALYSIS, POLIO, ATROPHY, BIRTH DEFECT, MALE CASTRATION, BREAST REMOVED, CRIPPLE, ETC.)  5 = SERIOUS COSMETIC DEFECT ("UGLY," OBESE, CROSS-EYED, ETC.)  6 = SPEECH DEFECT  9 = UNKNOWN
	RECREATION
11	MEMBERSHIP EVER IN COLLEGE SOCIAL FRATERNITY:  0 = INAPPLICABLE, NEVER COLLEGE  1 = NO 2 = YES 9 = UNKNOWN
12	EXTRA-CURRICULAR ACTIVITIES IN HIGH SCHOOL AND COLLEGE:  0 = INAPPLICABLE, GRAMMAR SCHOOL ONLY OR NEVER PUBLIC SCHOOL  1 = NONE RECORDED  2 = MUSICAL ONLY (BAND, ORCHESTRA, GLEE CLUB, CHOIR)

## HEALTH, RECREATION, SEEING SEX, RESTRAINTS, MISCELLANEOUS DATA RECREATION

COLUMN	CODE	
	4 = 5 = 6 = 7 =	DRAMA PLUS DANCE ONLY POLITICS, PUBLICATIONS, DEBATING, PUBLIC SPEAKING ONLY OTHER CLUBS 2+3 ALL OTHER COMBINATIONS UNKNOWN
13	ATHLETICS: 0 = 1 = 2 = 3 = 4 = 5 = 6 = 7 = 8 =	INAPPLICABLE, GRAMMAR SCHOOL ONLY NONE BODY CONTACT SPORTS (FOOTBALL, SOCCER, HOCKEY, BOXING, WRESTLING, LACROSSE) RECIPROCAL SPORTS WITHOUT CONTACT (TENNIS, BASKETBALL, BASEBALL, FENCING, ETC.) INDIVIDUAL TYPE SPORTS (TRACK, SWIMMING, GYMNASTICS, ETC.) 2+3 2+4 3+4 2+3+4 UNKNOWN
14	0 = 1 = 2 = 3 = 4 = 5 = 6 = 7 = 8 =	OF MOTION PICTURES: INAPPLICABLE NONE LITTLE SOME MUCH VERY MUCH NONE NOW, BUT FORMERLY SOME SOME NOW, FORMERLY LESS DOES, AMOUNT UNKNOWN UNKNOWN
15	SOCIAL DANG	CING: ED SAME AS COLUMN 14
16	CARD PLAYIN	NG: ED SAME AS COLUMN 14
17	GAMBLING: CODE	ED SAME AS COLUMN 14
18	SMOKING: CODE	ED SAME AS COLUMN 14

## HEALTH, RECREATION, SEEING SEX, RESTRAINTS, MISCELLANEOUS DATA RECREATION

COLUMN	RECREATION CODE
19	DRINKING: CODED SAME AS COLUMN 14
20	USE OF DRUGS OTHER THAN MARIJUANA:  CODED SAME AS COLUMN 14, EXCEPT  8 = TRY ONLY
21	USE OF MARIJUANA: CODED SAME AS COLUMN 20
22	HUNTING: CODED SAME AS COLUMN 14
23	FISHING: CODED SAME AS COLUMN 14
24	READING: CODED SAME AS COLUMN 14
25	SEWING:  CODED SAME AS COLUMN 14
26	COOKING: CODED SAME AS COLUMN 14
27	HOUSEWORK: CODED SAME AS COLUMN 14
28	PLAYING MUSICAL INSTRUMENT OR SINGING: CODED SAME AS COLUMN 14
29	LISTENING TO MUSIC:  CODED SAME AS COLUMN 14
30	PARTICIPATING IN SPORTS:  CODED SAME AS COLUMN 14
31	SPECTATOR ROLE IN SPORTS:  CODED SAME AS COLUMN 14
32	OUTDOOR RECREATION (CAMPING, HIKING, WALKING, RIDING, ETC.):  1 = NOT MENTIONED  2 = YES  3 = FORMERLY, NOT NOW
33	TECHNICAL HOBBIES (PHOTOGRAPHY, RADIO, AUTO REPAIR, ETC.):  CODED SAME AS COLUMN 32

# HEALTH, RECREATION, SEEING SEX, RESTRAINTS, MISCELLANEOUS DATA RECREATION

COLUMN	CODE
34	HOUSEHOLD IMPROVEMENT AND REPAIR:  CODED SAME AS COLUMN 32
35	COLLECTING (STAMPS, COINS, CHINA, ETC.): CODED SAME AS COLUMN 32
36	INTELLECTUAL HOBBIES (WRITING, DRAMATICS, POETRY, SCIENCE, ETC.):  CODED SAME AS COLUMN 32
37	GARDENING AND AMATEUR FARMING: CODED SAME AS COLUMN 32
38	GAMES (NON-ATHLETIC) OTHER THAN CARDS (PUZZLES, CHESS, BINGO, ETC.):  CODED SAME AS COLUMN 32
39	ART AND CRAFT WORK:  CODED SAME AS COLUMN 32
40	SOCIAL ACTIVITIES AND CLUBS: CODED SAME AS COLUMN 32
41	OTHER RECREATIONS:  CODED SAME AS COLUMN 32

### SIGHT OF SEX

42 H	AS ANYONE S	SEEN THE SUBJECT IN COITUS:
	0 = I	INAPPLICABLE, NEVER COITUS
	1 = N	10
[IF SEEN MORE THA	$N \qquad 2 = Y$	YES, SITUATION UNSPECIFIED
ONCE, THE FOLLOWIN	$NG \qquad 3 = Y$	YES, DOUBLE DATE
CODES IN ORDER OF	4 = Y	YES, SHARED OR TRADED PARTNERS
PRECEDENCE WAS US	ED: 5 = Y	YES, IN A PROSTITUTE OR EXHIBITION
5, 4, 3, 6, 7, 2]	S	SITUATION
	6 = Y	YES, ACCIDENTAL
	7 = Y	YES, OTHER SITUATION
	8 = S	SUBJECT NOT SURE
	9 = U	JNKNOWN

### HEALTH, RECREATION, SEEING SEX, RESTRAINTS, MISCELLANEOUS DATA SIGHT OF SEX

	SIGHT OF SEX
COLUMN	CODE
43	HAS THE SUBJECT PLAYED STRIP POKER WITH THE  OPPOSITE SEX (OTHER THAN SPOUSE):  0 = INAPPLICABLE (VARIOUS REASONS, INCLUDING DOES NOT PLAY CARDS)  1 = NO  2 = YES, NO OTHER DATA RECORDED  3 = YES, DID NOT LEAD TO SEXUAL ACTIVITY  4 = YES, DID LEAD TO SEXUAL ACTIVITY  9 = UNKNOWN
44	HAS THE SUBJECT SEEN A PORNOGRAPHIC MOTION PICTURE:  0 = INAPPLICABLE (BLINDNESS OR OTHER REASON) 1 = NO 2 = YES, CONTENT NOT SPECIFIED 3 = YES, SHOWED HETEROSEXUAL ACTIVITY ONLY 4 = YES, SHOWED FEMALE HOMOSEXUAL ACTIVITY O 5 = YES, SHOWED FEMALE WITH ANIMAL ONLY 6 = YES, 3+4 7 = YES, 3+4+5 8 = YES, OTHER TYPES OR COMBINATIONS 9 = UNKNOWN
45	HAS THE SUBJECT EVER SEEN COITUS (OTHER THAN HIS PARENTS):  CODED SAME AS COLUMN 42
46	HAS THE SUBJECT EVER SEEN HIS PARENTS IN COITUS:  0 = INAPPLICABLE (LIVED IN ORPHAN HOME, DID NOT KNOW PARENTS)  1 = NO 2 = YES 9 = UNKNOWN
47	WAS THE SUBJECT SEXUALLY AROUSED BY SEEING COITUS:  0 = INAPPLICABLE (HAS NOT SEEN COITUS OR OTHER REASON)  1 = NO 2 = RARELY TO SOME 3 = MUCH 9 = UNKNOWN
48	HAS THE SUBJECT EVER SEEN A "LIVE" SEX SHOW:  0 = INAPPLICABLE (BLINDNESS)  1 = NO  2 = YES, CONTENT NOT SPECIFIED  3 = YES, HETEROSEXUAL ACTIVITY ONLY  4 = YES, FEMALE HOMOSEXUAL ACTIVITY ONLY  5 = YES, FEMALE WITH ANIMAL  6 = YES, SOLITARY FEMALE ACTIVITY ONLY

## HEALTH, RECREATION, SEEING SEX, RESTRAINTS, MISCELLANEOUS DATA SIGHT OF SEX

COLUMN CODE

7	=	VES	MAT.E.	HOMOSEXUAL	$\Delta$ CTT $77$ TT $7$	ONT.Y
/	_	T Li O .	ظططتا	THOMOSENOAL	ACIIVIII	OMPT

8 = YES, COMBINATIONS OF THE ABOVE

9 = UNKNOWN

### PREMARITAL COITAL RESTRAINTS

49	MORAL RESTRAINT:  0 = INAPPLICABLE, DID NOT KNOW ABOUT COITUS  1 = NONE  2 = LITTLE  3 = SOME  4 = MUCH  5 = SUBJECT SAYS NONE, BUT THE INTERVIEWER  BELIEVES MUCH  6 = SUBJECT SAYS NONE, BUT THE INTERVIEWER  BELIEVES LITTLE OR SOME  9 = UNKNOWN
50	LACK OPPORTUNITY: CODED SAME AS COLUMN 49
51	LACK OF INTEREST:  CODED SAME AS COLUMN 49, EXCEPT  8 = COMMENT MADE BUT DEGREE NOT GIVEN
52	REASON FOR LACK OF INTEREST:  0 = INAPPLICABLE, NO LACK OF INTEREST  1 = SHY, INEPT, TIMID, ETC.  2 = SATIATION OF COITUS BEFORE MARRIAGE  3 = HOMOSEXUAL  4 = OTHER  8 = NO REASON SPECIFIED  9 = UNKNOWN
53	FEAR OF PREGNANCY: CODED SAME AS COLUMN 49
54	FEAR OF VENEREAL DISEASE:  CODED SAME AS COLUMN 49
55	FEAR OF PUBLIC OPINION:  CODED SAME AS COLUMN 49
56	DESIRE TO MARRY A VIRGIN:  0 = INAPPLICABLE, DOESN'T WANT TO MARRY  1 = DESIRE NON-VIRGIN  2 = SLIGHT PREFERENCE FOR NON-VIRGIN  3 = INDIFFERENT  4 = SLIGHT PREFERENCE FOR VIRGIN

### HEALTH, RECREATION, SEEING SEX, RESTRAINTS, MISCELLANEOUS DATA MISCELLANEOUS DATA

#### COLUMN CODE

5 = DESIRE VIRGIN

6 = INSIST ON VIRGIN

8 = SUBJECT DOESN'T KNOW

9 = UNKNOWN

#### MISCELLANEOUS DATA

57 DESIRE TO MARRY:

- A. ASKED OF SINGLE PERSONS DO THEY WANT TO MARRY?
- B. ASKED OF MARRIED PERSONS DID THEY WANT TO MARRY AT THE TIME THEY MARRIED?
  - 1 = NO DESIRE
  - 2 = LITTLE DESIRE
  - 3 = SOME DESIRE
  - 4 = GREAT DESIRE
  - 5 = NO DESIRE, PLUS FORCED BY PREGNANCY
  - 6 = LITTLE OR SOME DESIRE, PLUS FORCED BY PREGNANCY
  - 7 = GREAT DESIRE, PLUS FORCED BY PREGNANCY
  - 8 = UNCERTAIN, ONLY UNDER SPECIAL CIRCUMSTANCES, ETC.
  - 9 = UNKNOWN
- NUMBER OF CHILDREN DESIRED:
  - A. ASKED OF SINGLE PERSONS CURRENT DESIRE;
  - B. ASKED OF MARRIED PERSONS NUMBER DESIRED AT THE TIME OF MARRIAGE;
    - 0 = NONE
    - 1 = 1
    - 2 = 2
    - 3 = 3
    - 4 = 4-5
    - 5 = 6 OR MORE
    - 6 = INDIFFERENT
    - 7 = WANTS, NUMBER UNKNOWN
    - 8 = MISCODED, CONSIDER SAME AS 0 CODE (NONE)
    - 9 = UNKNOWN

### HEALTH, RECREATION, SEEING SEX, RESTRAINTS, MISCELLANEOUS DATA MISCELLANEOUS DATA

MISCELLANEOUS DATA			
COLUMN	CODE		
F.0	<u> </u>		
59	CURRENT DESIRE OF INDIVIDUAL TO HAVE (OR TO HAVE		
	HAD, IF MARRIED) PREMARITAL COITUS OR MORE		
	PREMARITAL COITUS:		
	0 = INAPPLICABLE (SUBJECT NOT KNOW ABOUT COITUS		
	1 = DOUBT IF WILL HAVE (OR WOULD HAVE HAD)		
	2 = MIGHT		
	3 = HOPING TO (OR HOPED TO)		
	4 = WANTS VERY MUCH (OR WANTED VERY MUCH)		
	5 = SUBJECT SAYS NO, BUT INTERVIEWER		
	BELIEVES SUBJECT MIGHT, WILL OR WOULD		
	HAVE		
	6 = SUBJECT SAYS MIGHT OR WILL HAVE (WOULD		
	HAVE), BUT INTERVIEWER DOUBTS THE		
	SUBJECT WILL (OR WOULD HAVE)		
	7 = SUBJECT DOESN'T REMEMBER		
	8 = UNDER SPECIAL CIRCUMSTANCES ONLY		
	9 = UNKNOWN		
60	PROSTITUTION:		
	0 = NEVER		
	1 = HETEROSEXUAL PROSTITUTE		
	2 = HOMOSEXUAL PROSTITUTE		
	3 = PIMP OR MADAM ONLY		
	4 = 1+2		
	5 = 1+3		
	6 = 1+2+3		
	7 = 2+3		
	8 = GIFTS OR SUPPORT ONLY, BUT NOT A		
	PROSTITUTE		
	9 = UNKNOWN		
61	TRANSVESTISM:		
	0 = NEVER		
	1 = TRANSVESTITE, INCIDENTAL		
	2 = TRANSVESTITE, MORE THAN INCIDENTAL		
	3 = TRANSSEXUAL (OPERATION)		
	0 21411.002110112 (012141112011)		
62	FETISHISM:		
	0 = NONE		
	1 = PREFERENCE, BUT NOT FETISH, NEVER AN		
	INANIMATE OBJECT		
	2 = FETISH, ALWAYS INANIMATE OR HAIR		

### HEALTH, RECREATION, SEEING SEX, RESTRAINTS, MISCELLANEOUS DATA MISCELLANEOUS DATA

COLUMN	MISCELLANEOUS DATA
COLUMN	CODE
63	SADOMASOCHISM:  0 = NONE  1 = PSYCHIC ONLY  2 = OVERT
	9 = UNKNOWN
64	SEX OFFENSE:  0 = NO SEX OFFENSE CONVICTION  1 = JUVENILE DETENTION OR IMPRISONMENT  BECAUSE OF SEX BEHAVIOR, ONLY  2 = CONVICTION FOR PROSTITUTION, ONLY  3 = ADULT CONVICTION FOR ANY SEX OFFENSE  OTHER THAN PROSTITUTION  4 = CONVICTION FOR SEX-ASSOCIATED ACTS ONLY  (BIGAMY, BASTARDY, PORNOGRAPHY, ETC.)  9 = UNKNOWN (SUSPICION OF CONVICTION BUT NO DATA)
65	ANY OTHER BIZARRE SEXUALITY NOT YET RECORDED:  0 = NONE  1 = PEEPING, NOT CONVICTED  2 = INCESTUOUS PETTING (POSTPUBERTAL), NOT CONVICTED  3 = OTHER  4 = COMBINATIONS
66	MILITARY SERVICE:  0 = NONE  1 = ARMY - WAC  2 = NAVY - WAVE  3 = MARINES  4 = COAST GUARD  5 = MERCHANT MARINE - SPAR  6 = COMBINATIONS  7 = AIR FORCE - WAF  8 - CONSCIENTIOUS OBJECTOR  9 = UNKNOWN

## HEALTH, RECREATION, SEEING SEX, RESTRAINTS, MISCELLANEOUS DATA MISCELLANEOUS DATA

COLUMN	CODE	
67	PRISON OR JAIL:  0 = NO RECORD  1 = JAIL, SERVED FOR CONVICTION (30 DAYS OF MORE BEFORE TRIAL)  2 = PRISON  3 = JUVENILE DETENTION  4 = ARRESTED  A) CASE DISMISSED  B) NOT GUILTY  C) UNKNOWN IF CONVICTED  D) UNKNOWN IF JAIL  5 = ARRESTED AND CONVICTED  A) NO DETENTION OR LESS THAN 8 HOURS  6 = ARRESTED, JAIL, TRIAL, CONVICTED  A) FINE  B) PROBATION  C) SUSPENDED SENTENCE  7 = ARRESTED, JAIL UNTIL TRIAL  A) DISMISSED  B) CHARGES DROPPED  C) NOT GUILTY	₹
68	SYCHOTHERAPY (MORE THAN OBSERVATION):  0 = NONE  1 = HAD THERAPY, NEVER INSTITUTIONALIZED  2 = INSTITUTIONALIZED  9 = UNKNOWN	
69	NTELLIGENCE OF SUBJECT:  TEST SCORES USED WHEN AVAILABLE  1 = BELOW AVERAGE, IQ OF 89 OR LESS 2 = AVERAGE IQ OF 90-110 3 = ABOVE AVERAGE IQ OF 111 OR MORE  COMMENTS OF INTERVIEWER 4 = BELOW AVERAGE 5 = AVERAGE 6 = ABOVE AVERAGE 9 = UNKNOWN	
70	VAILABILITY OF ADDITIONAL DATA:  0 = NONE  1 = RETAKE(S) OF CASE HISTORY  2 = CALENDARS, DIARIES, CONTINUATION PAGES, AND OTHER SUPPLEMENTARY DATA  3 = REFERENCES TO OTHER CASE HISTORIES ARE MADE (SPOUSE, CHILDREN, ETC.)  4 = 1+2  5 = 1+3  6 = 2+3  7 = 1+2+3  9 = UNKNOWN	•

#### FEMALE FREQUENCY DATA

COLUMN	CODE
1-2	CARD NUMBER:
	30 = FEMALE
3-7	CASE HISTORY NUMBER:

[THESE DATA DETAIL FREQUENCY OF SEXUAL OUTLET; THERE IS ONE "CARD 30" FOR EACH POST-PUBERTAL YEAR OF LIFE FOR EACH SUBJECT; AFTER THE CARD REPRESENTING THE YEAR OF INTERVIEW WITH THE SUBJECT, BLANK CARDS WERE ADDED TO PAD OUT THE BLOCK SO THAT ALL SUBJECTS HAVE THE SAME NUMBER OF CARDS]

8-9	TOTAL N	NUMBER OF YEARS OF LIFE AFTER PUBERTY: CODE ACTUAL NUMBER
10-11	AGE AT	PUBERTY MINUS ONE YEAR: CODE ACTUAL NUMBER
14-15	NUMBER	OF EACH YEAR OF LIFE AFTER PUBERTY: STARTS WITH 1; INCREMENTS BY 1 FOR EACH NEW CARD; WHEN SUMMED WITH VALUE IN COLUMNS 10-11, YIELDS AGE FOR THIS CARD; IF HIGHER THAN THE VALUE IN COLUMNS 8-9, CARD WILL BE BLANK AND IRRELEVANT
16	INSTITU	TIONAL STATUS:  0 = NOT INSTITUTIONALIZED  1 = PRISON (ANY TYPE)  2 = OTHER CLOSED INSTITUTION (E.G. MENTAL HOSPITAL)  3 = MILITARY SERVICE OF 6 MONTHS OR MORE  4 = TOO COMPLICATED TO CODE  5 = SPOUSE IN MILITARY  6 = SPOUSE IN PRISON  7 = OTHER INVOLUNTARY SEPARATION

### FEMALE FREQUENCY DATA

COLUMN	CODE
17-18	MARITAL STATUS:  BLANK = UNKNOWN  10 = SINGLE  11 = SINGLE, 1ST YEAR OUT OF A PRISON OR  CLOSED INSTITUTION
	12 = SINGLE, 2ND AND LATER YEAR OUT AFTER HAVING BEEN IN A PRISON OR CLOSED INSTITUTION
	20 = MARRIED, 1ST YEAR OF MARRIAGE OF 1ST MARRIAGE
	21 = MARRIED, 2ND AND LATER YEARS OF 1ST MARRIAGE
	22 = MARRIED, 1ST YEAR OF MARRIAGE OF 2ND MARRIAGE
	23 = MARRIED, 2ND AND LATER YEARS OF 2ND MARRIAGE
	ETC. 40 = POSTMARITAL, 1ST YEAR OF 1ST
	POSTMARITAL PERIOD  41 = POSTMARITAL, 2ND AND LATER YEARS OF 1ST POSTMARITAL PERIOD
	42 = POSTMARITAL, 1ST YEAR OF 2ND POSTMARITAL PERIOD ETC.
19-21	MASTURBATION TO ORGASM; AVERAGE FREQUENCY/WEEK: CODED TO TWO DECIMAL PLACES
22-24	DREAMS TO ORGASM; AVERAGE FREQUENCY/WEEK: CODED TO TWO DECIMAL PLACES
25-27	PETTING TO ORGASM; AVERAGE FREQUENCY/WEEK: CODED TO TWO DECIMAL PLACES
28-30	AVERAGE FREQUENCY/WEEK OF COITUS WITH COMPANIONS (FOR SINGLE WOMEN) AND COITUS WITH SPOUSE (FOR MARRIED WOMEN): [THIS IS FREQUENCY OF EXPERIENCE, NOT JUST FREQUENCY TO ORGASM]  CODED TO ONE DECIMAL PLACE
31-33	AVERAGE FREQUENCY/WEEK OF EXTRAMARITAL COITUS WITH COMPANIONS:  CODED TO TWO DECIMAL PLACES
34-36	AVERAGE FREQUENCY/WEEK OF COITUS AS PROSTITUTES, WITH OR WITHOUT ORGASM:  CODED TO ONE DECIMAL PLACE

### FEMALE FREQUENCY DATA

COLUMN	CODE
37-39	AVERAGE FREQUENCY/WEEK OF HOMOSEXUAL CONTACT:  CODED TO ONE DECIMAL PLACE
40-42	AVERAGE FREQUENCY/WEEK OF ANIMAL CONTACT:  CODED TO TWO DECIMAL PLACES
43-45	PERCENTAGE OF PREMARITAL, MARITAL, AND POSTMARITAL COITUS WITH COMPANIONS WHICH RESULTED IN ORGASM FOR THE SUBJECT:
46-48	PERCENTAGE OF EXTRAMARITAL COITUS WITH COMPANIONS WHICH RESULTED IN ORGASM FOR THE SUBJECT:
49-51	PERCENTAGE OF HOMOSEXUAL CONTACTS WHICH RESULTED IN ORGASM FOR THE SUBJECT:

#### MALE FREQUENCY DATA

COLUMN	CODE
1-2	CARD NUMBER: 31 = MALE
3-7	CASE HISTORY NUMBER:

[THESE DATA DETAIL FREQUENCY OF SEXUAL OUTLET; THERE IS ONE "CARD 31" FOR EACH POST-PUBERTAL YEAR OF LIFE FOR EACH SUBJECT; AFTER THE CARD REPRESENTING THE YEAR OF INTERVIEW WITH THE SUBJECT, BLANK CARDS WERE ADDED TO PAD OUT THE BLOCK SO THAT ALL SUBJECTS HAVE THE SAME NUMBER OF CARDS]

8-9	TOTAL N	NUMBER OF YEARS OF LIFE AFTER PUBERTY: CODE ACTUAL NUMBER
10-11	AGE AT	PUBERTY MINUS ONE YEAR: CODE ACTUAL NUMBER
14-15	NUMBER	OF EACH YEAR OF LIFE AFTER PUBERTY: STARTS WITH 1; INCREMENTS BY 1 FOR EACH NEW CARD; WHEN SUMMED WITH VALUE IN COLUMNS 10-11, YIELDS AGE FOR THIS CARD; IF HIGHER THAN THE VALUE IN COLUMNS 8-9, CARD WILL BE BLANK AND IRRELEVANT
16	INSTITU	UTIONAL STATUS:  0 = NOT INSTITUTIONALIZED  1 = PRISON (ANY TYPE)  2 = OTHER CLOSED INSTITUTION (E.G. MENTAL HOSPITAL)  3 = MILITARY SERVICE OF 6 MONTHS OR MORE  4 = TOO COMPLICATED TO CODE  5 = SPOUSE IN MILITARY  6 = SPOUSE IN PRISON  7 = OTHER INVOLUNTARY SEPARATION

### MALE FREQUENCY DATA

COLUMN	CODE
17-18	MARITAL STATUS:  BLANK = UNKNOWN  10 = SINGLE  11 = SINGLE, 1ST YEAR OUT OF A PRISON OR CLOSED INSTITUTION  12 = SINGLE, 2ND AND LATER YEAR OUT AFTER HAVING BEEN IN A PRISON OR CLOSED INSTITUTION  20 = MARRIED, 1ST YEAR OF MARRIAGE OF 1ST MARRIAGE  21 = MARRIED, 2ND AND LATER YEARS OF 1ST MARRIAGE  22 = MARRIED, 1ST YEAR OF MARRIAGE OF 2ND MARRIAGE  23 = MARRIED, 2ND AND LATER YEARS OF 2ND MARRIAGE  ETC.  40 = POSTMARITAL, 1ST YEAR OF 1ST POSTMARITAL PERIOD  41 = POSTMARITAL, 2ND AND LATER YEARS OF 1ST POSTMARITAL PERIOD  42 = POSTMARITAL, 1ST YEAR OF 2ND POSTMARITAL PERIOD  ETC.
19-21	MASTURBATION TO ORGASM; AVERAGE FREQUENCY/WEEK: CODED TO ONE DECIMAL PLACE
22-24	DREAMS TO ORGASM; AVERAGE FREQUENCY/WEEK: CODED TO TWO DECIMAL PLACES
25-27	PETTING TO ORGASM; AVERAGE FREQUENCY/WEEK: CODED TO TWO DECIMAL PLACES
28-30	AVERAGE FREQUENCY/WEEK OF COITUS WITH COMPANIONS (FOR SINGLE MEN) AND COITUS WITH SPOUSE (FOR MARRIED MEN): [THIS IS FREQUENCY OF EXPERIENCE, NOT JUST FREQUENCY TO ORGASM]  CODED TO ONE DECIMAL PLACE
31-33	AVERAGE FREQUENCY/WEEK OF EXTRAMARITAL COITUS WITH COMPANIONS:  CODED TO TWO DECIMAL PLACES
34-36	AVERAGE FREQUENCY/WEEK OF PETTING AND/OR COITUS WITH FEMALE PROSTITUTES, WITH OR WITHOUT ORGASM:  CODED TO TWO DECIMAL PLACES

### MALE FREQUENCY DATA

COLUMN	CODE
37-39	AVERAGE FREQUENCY/WEEK OF HOMOSEXUAL CONTACT:  CODED TO ONE DECIMAL PLACE
40-42	AVERAGE FREQUENCY/WEEK OF ANIMAL CONTACT:  CODED TO TWO DECIMAL PLACES
43-45	PERCENTAGE OF PREMARITAL, MARITAL, AND POSTMARITAL COITUS WITH COMPANIONS WHICH RESULTED IN ORGASM FOR THE SUBJECT:
46-48	PERCENTAGE OF EXTRAMARITAL COITUS WITH COMPANIONS WHICH RESULTED IN ORGASM FOR THE SUBJECT:
49-51	PERCENTAGE OF HOMOSEXUAL CONTACTS WHICH RESULTED IN ORGASM FOR THE SUBJECT:

<u>COLUMN</u> <u>CODE</u>

1-2 CARD NUMBER:

40 = FEMALE

3-7 CASE HISTORY NUMBER:

8 EXTENT OF POSTPUBERTAL HOMOSEXUAL EXPERIENCE:

0 = NEVER

[SEE CARD 8, COLUMN

1 = RARE (1 FEMALE AND/OR 1-5 TIMES)

55 FOR DATA

2 = INCIDENTAL (2-4 FEMALES AND/OR 6-20 TIMES) 3 = MORE THAN INCIDENTAL (5-20 FEMALES AND/OR

21-50 TIMES)

4 = EXTENSIVE (21 OR MORE FEMALES AND/OR

51 OR MORE TIMES)

7 = AROUSED BY APPROACH OR NONSEXUALLY

MOTIVATED CONTACT

8 = OCCURRED, AMOUNT UNKNOWN

9 = UNKNOWN WHETHER OCCURRED

#### FIRST POSTPUBERTAL HOMOSEXUAL EXPERIENCE

9-10 AGE FIRST POSTPUBERTAL HOMOSEXUAL EXPERIENCE WITH OR WITHOUT ORGASM:

[SEE CARD 8, COLUMN ACTUAL AGE CODED

56-57 FOR DATA] 98 = EXPERIENCE, AGE UNKNOWN

11 EXTENT OF HOMOSEXUAL HISTORY TAKEN:

1 = MORE THAN INCIDENTAL EXPERIENCE (5 OR MORE FEMALES AND/OR 21 OR MORE TIMES); EXTENSIVE HISTORY RECORDED

2 = RARE TO INCIDENTAL EXPERIENCE (1-4 FEMALES
 AND/OR 1-20 TIMES); EXTENSIVE HISTORY
 RECORDED

3 = MORE THAN INCIDENTAL EXPERIENCE (5 OR MORE FEMALES AND/OR 21 OR MORE TIMES); EXTENSIVE HISTORY NOT RECORDED

12-13 AGE OF FIRST PARTNER:

ACTUAL AGE CODED

90 = UNKNOWN, BUT AROUND RESPONDENT'S AGE

91 = UNKNOWN, BUT CONSIDERABLY OLDER THAN

RESPONDENT

98 = AGE UNKNOWN

99 = UNKNOWN

# FEMALE HOMOSEXUAL BEHAVIOR (CARD 1 OF 3) CIRCUMSTANCES OF FIRST POSTPUBERTAL EXPERIENCE

COLUMN CIRC	CUMSTANCES OF FIRST POSTPUBERTAL EXPERIENCE  CODE
14	<pre>INITIATIVE IN FIRST POSTPUBERTAL CONTACT:     1 = SUBJECT APPROACHED PARTNER     2 = PARTNER APPROACHED SUBJECT     3 = MUTUAL     4 = SUBJECT FORCED PARTNER     5 = PARTNER OR PARTNERS FORCED SUBJECT     9 = UNKNOWN</pre>
15	RELATIONSHIP TO FIRST PARTNER:  1 = STRANGER 2 = ACQUAINTANCE 3 = FRIEND, ROOMMATE, COMPANION, PLAYMATE, ETC. 4 = RELATIVE 5 = PERSON IN CHARGE OF RESPONDENT TO SOME DEGREE (TEACHER, ETC.) 6 = PARTNER WAS HOMOSEXUAL PROSTITUTE 7 = PARTNER WAS A CLIENT (SUBJECT WAS PAID) 9 = UNKNOWN
16-17	TECHNIQUE OF FIRST CONTACT (RANKED BY MOST EXTENSIVE):  10 = PET (NONGENITAL CONTACT INCLUDING HUG, KISS, BREAST CONTACT)  20 = MASTURBATION (PASSIVE) 21 = MASTURBATION (ACTIVE) 22 = MASTURBATION (MUTUAL) 30 = BODY CONTACT 40 = MOUTH-GENITAL (PASSIVE) 41 = MOUTH-GENITAL (ACTIVE) 42 = MOUTH-GENITAL (MUTUAL) 80 = OTHER 99 = UNKNOWN TECHNIQUE
18	DID SUBJECT ENJOY FIRST HOMOSEXUAL EXPERIENCE:  1 = NO 2 = LITTLE 3 = SOME 4 = MUCH 8 = SUBJECT NOT REMEMBER 9 = UNKNOWN
19	ANY REASON GIVEN FOR NOT ENJOYING FIRST HOMOSEXUAL EXPERIENCE, REGARDLESS OF DEGREE IN COLUMN 18:  0 = ENJOYED  1 = FEARFUL, UPSET, SHOCKED  2 = DISGUSTED  3 = PAINFUL  4 = NOVELTY, STRANGE, SURPRISED  5 = GUILT, REGRET, SHAME  6 = DRUNK

# FEMALE HOMOSEXUAL BEHAVIOR (CARD 1 OF 3) CIRCUMSTANCES OF FIRST POSTPUBERTAL EXPERIENCE

COLUMN CIRC	UMSTANCES OF FIRST POSTPUBERTAL EXPERIENCE  CODE
	7 = OTHER (DID NOT LIKE THE FEMALE, ETC.) 8 = SUBJECT NOT KNOW IF ENJOYED 9 = UNKNOWN (NOT ASKED)
20-21	AGE SUBJECT FIRST MASTURBATED BY OTHER FEMALE, WITH OR WITHOUT ORGASM:  00 = NEVER MASTURBATED ACTUAL AGE CODED  90 = ALSO OCCURRED IN PREPUBERTAL, BUT POSTPUBERTAL AGE UNKNOWN  98 = OCCURRED, AGE UNKNOWN  99 = UNKNOWN IF OCCURRED
22-23	AGE SUBJECT FIRST MASTURBATED ANOTHER FEMALE: CODED SAME AS COLUMNS 20-21
24-25	AGE SUBJECT FIRST PASSIVE MOUTH-GENITAL CONTACT CODED SAME AS COLUMNS 20-21
26-27	AGE SUBJECT FIRST ACTIVE MOUTH-GENITAL CONTACT: CODED SAME AS COLUMNS 20-21
28-29	AGE SUBJECT FIRST HAD ORGASM FROM BREAST STIMULATION BY ANOTHER FEMALE:  CODED SAME AS COLUMNS 20-21
30-31	SUBJECT'S AGE AT FIRST BRINGING ANOTHER FEMALE TO ORGASM THROUGH BREAST STIMULATION:  CODED SAME AS COLUMNS 20-21
32-33	AGE FIRST BODY CONTACT OR FRICTATION:  CODED SAME AS COLUMNS 20-21
34-36	FREQUENCY OF HOMOSEXUAL CONTACT IN THE FIRST YEAR OF POSTPUBERTAL EXPERIENCE, WITH OR WITHOUT ORGASM:  ACTUAL NUMBER OF TIMES CODED  001 = 1 TIME  ETC.  900 = 900 TIMES OR MORE  999 = FREQUENCY UNKNOWN
37-40	TOTAL NUMBER OF HOMOSEXUAL EXPERIENCES (WITH OR WITHOUT ORGASM) IN POSTPUBERTAL LIFETIME:  0001 = 1 TIME  ACTUAL NUMBER CODED  9900 = 9,900 TIMES OR MORE  9998 = NUMBER UNKNOWN, BUT VERY MANY 9999 = NUMBER UNKNOWN

COLUMN	CODE
41-42	YEARS OF HOMOSEXUAL EXPERIENCE FROM PUBERTY (INCLUDING FIRST POSTPUBERTAL YEAR):  01 = 1 YEAR  ACTUAL NUMBER OF YEARS CODED  99 = YEARS UNKNOWN
43-44	MAXIMUM NUMBER OF HOMOSEXUAL EXPERIENCES IN ANY ONE DAY:  01 = 1 TIME  ACTUAL NUMBER CODED  99 = UNKNOWN
45-46	MAXIMUM NUMBER OF HOMOSEXUAL EXPERIENCES IN ANY ONE WEEK:  01 = 1 TIME  ACTUAL NUMBER CODED  98 = 98 TIMES OR MORE  99 = UNKNOWN
47-50	TOTAL NUMBER OF HOMOSEXUAL PARTNERS:  0001 = 1 PARTNER  ACTUAL NUMBER CODED  9950 = 9950 PARTNERS OR MORE  9961 = FEW  9962 = SOME  9963 = MANY  9964 = VERY MANY  9965 = 9970 = "HUNDREDS"  9980 = "THOUSANDS"  9999 = UNKNOWN
51-52	AGE OLDEST HOMOSEXUAL PARTNER EVER IN POSTPUBERTAL LIFE: ACTUAL AGE CODED 99 = AGE UNKNOWN
53-54	AGE YOUNGEST HOMOSEXUAL PARTNER EVER IN POST-PUBERTAL LIFE:  ACTUAL AGE CODED  99 = UNKNOWN
55-56	AGE YOUNGEST PARTNER SINCE AGE 18: ACTUAL AGE CODED  97 = NO HOMOSEXUALITY SINCE AGE 18 98 = SUBJECT HAS NOT YET REACHED AGE 18 99 = UNKNOWN

COLUMN	CODE
57	PROPORTION OF PARTNERS WHO WERE SUBJECT'S OWN AGE:  1 = 0% 2 = 1 - 19% 3 = 20 - 39% 4 = 40 - 59% 5 = 60 - 79% 6 = 80 - 100% 9 = UNKNOWN
58	PERCENTAGE OF PARTNERS WHO WERE OLDER THAN THE SUBJECT:  CODED SAME AS COLUMN 57
59	PERCENTAGE OF PARTNERS WHO WERE YOUNGER THAN THE SUBJECT:  CODED SAME AS COLUMN 57
60-61	AVERAGE AGE PREFERRED IN HOMOSEXUAL CONTACT:  ACTUAL AGE CODED  69 = 69 YEARS OF AGE OR MORE  70 = "OWN AGE" (INCLUDING"OWN AGE OR YOUNGER" OR "OWN AGE OR OLDER")  80 = "ANY AGE"  81 = "YOUNGER" THAN SELF  82 = "OLDER" THAN SELF  90 = NO AVERAGE AGE, ONLY RANGE GIVEN 98 = SUBJECT DOES NOT KNOW  99 = UNKNOWN
62-63	MINIMUM AGE PREFERRED IN HOMOSEXUAL CONTACT:  CODED SAME AS COLUMNS 60-61, EXCEPT  90 = NO MINIMUM, ONLY AVERAGE GIVEN  91 = NO MINIMUM, ONLY MAXIMUM GIVEN
64-65	MAXIMUM AGE PREFERRED IN HOMOSEXUAL CONTACT:  CODED SAME AS COLUMNS 60-61, EXCEPT  90 = NO MAXIMUM, ONLY AVERAGE GIVEN  91 = NO MAXIMUM, ONLY MINIMUM GIVEN
66-67	NUMBER OF PARTNERS MARRIED AT TIME OF CONTACT:  00 = NONE  ACTUAL NUMBER CODED  90 = 90 OR MORE  91 = FEW  92 = SOME  93 = MOST  98 = SUBJECT DOES NOT KNOW  99 = UNKNOWN

COLUMN	CODE
68-69	NUMBER OF PARTNERS WHO WERE HOMOSEXUAL VIRGINS AT FIRST CONTACT:  CODED SAME AS COLUMNS 66-67
70-72	PERCENTAGE OF PARTNERS WITH WHOM SUBJECT HAD ONLY ONE CONTACT:  000 = NONE 001 = 1% ACTUAL PERCENTAGE CODED  100 = 100% 200 = FEW 300 = SOME 400 = MOST 800 = SUBJECT DOES NOT KNOW 998 = UNKNOWN
73	SUBJECT ACTIVE OR PASSIVE IN HOMOSEXUAL APPROACH:  1 = ACTIVE ONLY 2 = ACTIVE MORE THAN PASSIVE 3 = EQUALLY ACTIVE AND PASSIVE 4 = PASSIVE MORE THAN ACTIVE 5 = PASSIVE ONLY 9 = UNKNOWN
74-76	LONGEST HOMOSEXUAL AFFAIR:  000 = NO AFFAIRS  001 = 1 MONTH  002 = 2 MONTHS  003 = 3 MONTHS  004 = 4 MONTHS  005 = 5 MONTHS  006 = 6 MONTHS  007 = 7 MONTHS  008 = 8-9 MONTHS  009 = 10-11 MONTHS  010 = 1 YEAR  ETC.  980 = OCCURRED, YEARS UNKNOWN  990 = UNKNOWN
77	NUMBER OF LOVE AFFAIRS (NOT NECESSARILY SEXUAL):  0 = NONE  ACTUAL NUMBER CODED  8 = 8 OR MORE  9 = UNKNOWN

COLUMN	CODE
78	PERCENTAGE OF PARTNERS WHO WERE WHITE:  1 = NONE  2 = FEW (1% - 33%)  3 = SOME (34% - 66%)  4 = MANY (67% - 100%)  5 = ALL PARTNERS
	9 = UNKNOWN
79	PERCENTAGE OF PARTNERS WHO WERE BLACK CODED SAME AS COLUMN 78
80	PERCENTAGE OF PARTNERS WHO WERE OTHER RACES (ORIENTAL, AMERICAN INDIAN, ETC.):  CODED SAME AS COLUMN 78

COLUMN	CODE
1-2	CARD NUMBER: 41 = MALE
3-7	CASE HISTORY NUMBER:
8	EXTENT OF POSTPUBERTAL HOMOSEXUAL EXPERIENCE:  0 = NEVER  1 = RARE (1 MALE AND/OR 1-5 TIMES)  2 = INCIDENTAL (2-4 MALES AND/OR 6-20 TIMES)  3 = MORE THAN INCIDENTAL (5-20 MALES AND/OR 21-50 TIMES)  4 = EXTENSIVE (21 OR MORE MALES AND/OR 51 OR MORE TIMES)  7 = AROUSED BY APPROACH OR NON-SEXUALLY MOTIVATED CONTACT  8 = OCCURRED, UNKNOWN AMOUNT  9 = UNKNOWN WHETHER OCCURRED
9-10	AGE FIRST POSTPUBERTAL HOMOSEXUAL EXPERIENCE, WITH OR WITHOUT ORGASM: ACTUAL AGE CODED 98 = EXPERIENCE, AGE UNKNOWN
11	EXTENT OF HOMOSEXUAL HISTORY TAKEN:  1 = MORE THAN INCIDENTAL EXPERIENCE (5 OR MORE MALES AND/OR 21 OR MORE TIMES); EXTENSIVE HISTORY RECORDED  2 = RARE TO INCIDENTAL EXPERIENCE (1-4 MALES AND/OR 1-20 TIMES); EXTENSIVE HISTORY RECORDED  3 = MORE THAN INCIDENTAL EXPERIENCE (5 OR MORE MALES AND/OR 21 OR MORE TIMES); EXTENSIVE HISTORY NOT RECORDED

#### FIRST POSTPUBERTAL HOMOSEXUAL EXPERIENCE

12-13	AGE OF	FIRST PARTNER:
		ACTUAL AGE CODED
		90 = UNKNOWN, BUT CLOSE TO SUBJECT'S AGE
		91 = UNKNOWN, BUT CONSIDERABLY OLDER THAN
		SUBJECT
		99 = UNKNOWN

# MALE HOMOSEXUAL BEHAVIOR (CARD 1 OF 4) FIRST POSTPUBERTAL HOMOSEXUAL EXPERIENCE

COLUMN	CODE CODE
14	<pre>INITIATIVE IN FIRST POSTPUBERTAL CONTACT:     1 = SUBJECT APPROACHED PARTNER     2 = PARTNER APPROACHED SUBJECT     3 = MUTUAL     4 = SUBJECT FORCED PARTNER     5 = PARTNER OR PARTNERS FORCED SUBJECT     9 = UNKNOWN</pre>
15	RELATIONSHIP TO FIRST PARTNER:  1 = STRANGER 2 = ACQUAINTANCE 3 = FRIEND, COMPANION, ROOMMATE, PLAYMATE, ETC. 4 = RELATIVE 5 = PERSON IN CHARGE OF SUBJECT TO SOME DEGREE (TEACHER, ETC.) 6 = HOMOSEXUAL PROSTITUTE 7 = CLIENT 8 = PERSON WHOM SUBJECT IS IN CHARGE OF TO SOME DEGREE 9 = UNKNOWN, NOT ASKED
16-17	TECHNIQUE OF FIRST CONTACT, RANKED BY MOST EXTENSIVE (ANAL>MOUTH-GENITAL>MASTURBATION> FEMORAL>BODY CONTACT):  10 = MASTURBATION (PASSIVE)  11 = MASTURBATION (ACTIVE)  12 = MASTURBATION (MUTUAL)  20 = BODY CONTACT  30 = MOUTH-GENITAL (PASSIVE)  31 = MOUTH-GENITAL (ACTIVE)  32 = MOUTH-GENITAL (MUTUAL)  40 = ANAL CONTACT (ACTIVE)  41 = ANAL CONTACT (PASSIVE)  42 = ANAL CONTACT (MUTUAL)  50 = FEMORAL (ACTIVE)  51 = FEMORAL (PASSIVE)  52 = FEMORAL (MUTUAL)  80 = OTHER (PET, KISS, HUG, ETC.)  99 = UNKNOWN TECHNIQUE
18	DID SUBJECT ENJOY FIRST HOMOSEXUAL EXPERIENCE:  1 = NO 2 = LITTLE 3 = SOME 4 = MUCH 8 = SUBJECT DOES NOT REMEMBER (DRUNK, UNCONSCIOUS) 9 = UNKNOWN

# MALE HOMOSEXUAL BEHAVIOR (CARD 1 OF 4) FIRST POSTPUBERTAL HOMOSEXUAL EXPERIENCE

COLUMN	CODE CODE
19	ANY REASON GIVEN FOR NOT ENJOYING FIRST HOMOSEXUAL EXPERIENCE, REGARDLESS OF DEGREE STATED IN COLUMN 18:  0 = ENJOYED (COLUMN 18 IS CODED 4, WITH NO ADVERSE REMARKS)  1 = FEAR, UPSET, SHOCKED, ALARMED  2 = DISGUST 3 = PAIN 4 = NOVELTY, STRANGENESS, SURPRISE, CURIOUS 5 = GUILT, REGRET, SHAME, EMBARRASSED 6 = DRUNK 7 = OTHER 8 = SUBJECT DOES NOT KNOW IF ENJOYED 9 = NOT ASKED (LESS THAN "MUCH" IN COLUMN 18)
20-21	AGE SUBJECT FIRST MASTURBATED BY OTHER MALE, WITH OR WITHOUT ORGASM:  00 = NEVER ACTUAL AGE CODED  90 = ALSO OCCURRED IN PREPUBERTAL, BUT POSTPUBERTAL AGE UNKNOWN  98 = OCCURRED, AGE UNKNOWN  99 = UNKNOWN IF OCCURRED
22-23	AGE SUBJECT FIRST MASTURBATED ANOTHER MALE: CODED SAME AS COLUMNS 20-21
24-25	AGE SUBJECT FIRST FELLATED BY ANOTHER MALE: CODED SAME AS COLUMNS 20-21
26-27	AGE SUBJECT FIRST FELLATED ANOTHER MALE: CODED SAME AS COLUMNS 20-21
28-29	AGE SUBJECT FIRST HAD ACTIVE ANAL INTERCOURSE WITH ANOTHER MALE:  CODED SAME AS COLUMNS 20-21
30-31	AGE SUBJECT FIRST HAD PASSIVE ANAL INTERCOURSE WITH ANOTHER MALE:  CODED SAME AS COLUMNS 20-21
32-33	AGE SUBJECT FIRST HAD ORGASM FROM BREAST STIMULATION BY ANOTHER MALE:  CODED SAME AS COLUMNS 20-21
34-35	AGE SUBJECT FIRST BROUGHT ANOTHER MALE TO ORGASM THROUGH BREAST STIMULATION:  CODED SAME AS COLUMNS 20-21

# MALE HOMOSEXUAL BEHAVIOR (CARD 1 OF 4) FIRST POSTPUBERTAL HOMOSEXUAL EXPERIENCE

COLUMN	CODE
36-37	AGE SUBJECT FIRST HAD ORGASM FROM BODY CONTACT OR FRICTATION WITH ANOTHER MALE:  CODED SAME AS COLUMNS 20-21
38-39	AGE SUBJECT FIRST BROUGHT ANOTHER MALE TO ORGASM THROUGH BODY CONTACT OR FRICTATION:  CODED SAME AS COLUMNS 20-21
40-41	AGE SUBJECT FIRST HAD INTERFEMORAL INTERCOURSE (ACTIVE):  CODED SAME AS COLUMNS 20-21
42-43	AGE SUBJECT FIRST HAD INTERFEMORAL INTERCOURSE (PASSIVE):  CODED SAME AS COLUMNS 20-21
44-46	FREQUENCY OF HOMOSEXUAL EXPERIENCE IN THE FIRST YEAR OF POSTPUBERTAL EXPERIENCE, WITH OR WITHOUT ORGASM:  001 = 1 TIME ACTUAL NUMBER CODED 900 = 900 TIMES OR MORE 999 = FREQUENCY UNKNOWN
47-50	TOTAL NUMBER OF HOMOSEXUAL EXPERIENCES IN POST- PUBERTAL LIFETIME, WITH OR WITHOUT ORGASM:  0001 = 1 TIME  ACTUAL NUMBER CODED  9900 = 9,900 TIMES OR MORE  9998 = FREQUENCY UNKNOWN BUT HIGH  9999 = FREQUENCY UNKNOWN
	YEARS OF HOMOSEXUAL EXPERIENCE AFTER PUBERTY (INCLUDING FIRST POSTPUBERTAL YEAR): 01 = 1 YEAR ANY ACTUAL NUMBER OF YEARS CODED TUTES 99 = YEARS UNKNOWN
53-54	MAXIMUM NUMBER OF HOMOSEXUAL EXPERIENCES IN ANY ONE DAY:  01 = 1 TIME  ACTUAL NUMBER CODED  99 = UNKNOWN

COLUMN	CODE
55-56	MAXIMUM NUMBER OF HOMOSEXUAL EXPERIENCES IN ANY ONE WEEK:  01 = 1 TIME  ACTUAL NUMBER CODED  98 = 98 TIMES OR MORE  99 = UNKNOWN
57-60	TOTAL NUMBER OF HOMOSEXUAL PARTNERS:  0001 = 1 PARTNER  ACTUAL NUMBER CODED  9950 = 9950 PARTNERS OR MORE  9961 = FEW  9962 = SOME  9963 = MANY  9964 = VERY MANY  9965 = "HUNDREDS"  9980 = "THOUSANDS"  9999 = UNKNOWN
61-62	AGE OLDEST PARTNER EVER IN POSTPUBERTAL LIFE:  ACTUAL AGE CODED  99 = UNKNOWN
63-64	AGE YOUNGEST PARTNER EVER IN POSTPUBERTAL LIFE: ACTUAL AGE CODED 99 = UNKNOWN
65-66	AGE YOUNGEST PARTNER SINCE AGE 18:  ACTUAL AGE CODED  97 = NO HOMOSEXUALITY SINCE AGE 18  98 = SUBJECT HAS NOT REACHED AGE 18
67	PROPORTION OF PARTNERS WHO WERE SUBJECT'S OWN AGE:  1 = 0% 2 = 1-19% 3 = 20-39% 4 = 40-59% 5 = 60-79% 6 = 80-100% 9 = UNKNOWN
68	PERCENTAGE OF PARTNERS WHO WERE OLDER THAN SUBJECT:  CODED SAME AS COLUMN 67
69	PERCENTAGE OF PARTNERS WHO WERE YOUNGER THAN SUBJECT:  CODED SAME AS COLUMN 67

COLUMN	CODE
70-71	AVERAGE AGE PREFERRED IN HOMOSEXUAL CONTACT:  ACTUAL AGE CODED  69 = 69 YEARS OF AGE OR MORE  70 = OWN AGE  80 = ANY AGE  81 = YOUNGER THAN SELF  82 = OLDER THAN SELF  90 = NO AVERAGE AGE, ONLY RANGE GIVEN  98 = SUBJECT DOES NOT KNOW  99 = UNKNOWN
72-73	MINIMUM AGE PREFERRED IN HOMOSEXUAL CONTACT CODED SAME AS COLUMNS 70-71, EXCEPT 90 = NO RANGE, ONLY AVERAGE GIVEN 91 = NO MINIMUM, ONLY MAXIMUM GIVEN
74-75	MAXIMUM AGE PREFERRED IN HOMOSEXUAL CONTACT:  CODED SAME AS COLUMNS 70-71, EXCEPT  90 = NO RANGE, ONLY AVERAGE GIVEN  91 = NO MAXIMUM, ONLY MINIMUM GIVEN

COLUMN	CODE
1-2	CARD NUMBER: 42 = FEMALE
3-7	CASE HISTORY NUMBER:
HAD EXTENSIVE O	LUMN 11 IS CODED AS 3, THE SUBJECT R MORE THAN INCIDENTAL HOMOSEXUAL INTERVIEWER DID NOT OBTAIN AN Y; THE REMAINDER OF THIS CARD IS
8-9	NUMBER OF GROUP HOMOSEXUAL PARTIES:  00 = NONE  ACTUAL NUMBER CODED  90 = 90 TIMES OR MORE  91 = FEW  92 = SOME  93 = MANY 94 = MANY 94 = MANY 95 = OCCURRED, NUMBER UNKNOWN 99 = UNKNOWN IF OCCURRED
10-11	AGE RESPONDENT FIRST KISSED ANOTHER FEMALE:  00 = NEVER  ACTUAL AGE CODED  98 = KISSED, AGE UNKNOWN  99 = UNKNOWN
12-13	PERCENTAGE OF CONTACTS WITH KISSING:  00 = NONE  ACTUAL PERCENTAGE CODED  90 = 90% OR MORE  91 = FEW  92 = SOME  93 = MANY  94 =   98 = OCCURRED, PERCENTAGE UNKNOWN  99 = UNKNOWN IF OCCURRED
14	PARTNER KISSED RESPONDENT:  0 = NEVER  1 = NEVER, PLUS OFFENDS, DISGUSTS  2 = NEVER, BUT WANTS  3 = 1-3 TIMES  4 = LITTLE (1-33%)  5 = SOME (34-66%)  6 = MUCH (67-100%)  7 = OCCURRED, AMOUNT UNKNOWN  8 = TRY ONLY  9 = UNKNOWN

COLUMN	CODE
15	PARTNER TONGUE-KISSED RESPONDENT: CODED SAME AS COLUMN 14
16	PARTNER'S HAND ON RESPONDENT'S BREAST: CODED SAME AS COLUMN 14
17	PARTNER'S MOUTH ON RESPONDENT'S BREAST: CODED SAME AS COLUMN 14
18	PARTNER'S HAND ON RESPONDENT'S GENITALIA: CODED SAME AS COLUMN 14
19	PARTNER'S MOUTH ON RESPONDENT'S GENITALIA: CODED SAME AS COLUMN 14
20	MASOCHISTIC ACTIVITY: CODED SAME AS COLUMN 14
21	PARTNER URINATED ON RESPONDENT: CODED SAME AS COLUMN 14
22	PARTNER'S TONGUE ON RESPONDENT'S ANUS: CODED SAME AS COLUMN 14
23	RESPONDENT KISSED PARTNER:  CODED SAME AS COLUMN 14
24	RESPONDENT TONGUE-KISSED PARTNER: CODED SAME AS COLUMN 14
25	RESPONDENT'S HAND ON PARTNER'S BREAST: CODED SAME AS COLUMN 14
26	RESPONDENT'S MOUTH ON PARTNER'S BREAST: CODED SAME AS COLUMN 14
27	RESPONDENT'S HAND ON PARTNER'S GENITALIA: CODED SAME AS COLUMN 14
28	RESPONDENT'S MOUTH ON PARTNER'S GENITALIA: CODED SAME AS COLUMN 14
29	SADISTIC ACTIVITY:  CODED SAME AS COLUMN 14
30	RESPONDENT URINATED ON PARTNER:  CODED SAME AS COLUMN 14
31	RESPONDENT'S TONGUE ON PARTNER'S ANUS: CODED SAME AS COLUMN 14

COLUMN	CODE
32-33	PROPORTION OF TIMES PARTNERS COME TO ORGASM IN HOMOSEXUAL CONTACTS:  00 = NEVER ACTUAL PERCENTAGE CODED  97 = 97% OR MORE 98 = OCCURS, PERCENTAGE UNKNOWN 99 = UNKNOWN, NOT ASKED
34	MASTURBATION OF PARTNER BY RESPONDENT AS SOURCE  OF ORGASM:  1 = NONE 2 = 1-19% 3 = 20-39% 4 = 40-59% 5 = 60-79% 6 = 80-100% 7 = NONE NOW, BUT FORMERLY SOME - PERCENTAGE UNKNOWN 8 = OCCURRED, AMOUNT UNKNOWN 9 = UNKNOWN
35	PARTNER MASTURBATES SELF TO ORGASM: CODED SAME AS COLUMN 34
36	MOUTH-GENITAL CONTACT ACTIVE AS SOURCE OF ORGASM FOR PARTNER:  CODED SAME AS COLUMN 34
37	BODY CONTACT AS SOURCE OF PARTNER'S ORGASM: CODED SAME AS COLUMN 34
38	OTHER TECHNIQUES AS SOURCE OF ORGASM FOR PARTNER:  CODED SAME AS COLUMN 34
39-40	PROPORTION OF TIME THAT RESPONDENT COMES TO ORGASM IN HOMOSEXUAL EXPERIENCE:  CODED SAME AS COLUMNS 32-33
41	SPONTANEOUS ORGASM FOR RESPONDENT IN PRESENCE OF A PARTNER  CODED SAME AS COLUMN 34
42	MASTURBATION OF RESPONDENT BY PARTNER AS A SOURCE OF ORGASM:  CODED SAME AS COLUMN 34
43	MOUTH-GENITAL CONTACT PASSIVE AS A SOURCE OF ORGASM FOR RESPONDENT:  CODED SAME AS COLUMN 34

COLUMN	CODE
44	BODY CONTACT AS A SOURCE OF RESPONDENT'S ORGASM: CODED SAME AS COLUMN 34
45	OTHER TECHNIQUES AS A SOURCE OF ORGASM FOR RESPONDENT:  CODED SAME AS COLUMN 34
46	PROPORTION OF CONTACTS INVOLVING SIMULTANEOUS ORGASM:  CODED SAME AS COLUMN 34
47	PROPORTION OF CONTACTS INVOLVING CONSECUTIVE ORGASM:  CODED SAME AS COLUMN 34
48	SUBJECT'S PREFERENCE FOR LIGHT OR DARK DURING SEXUAL ACTIVITY:  1 = DARK 2 = NO PREFERENCE 3 = LIGHT 9 = UNKNOWN
49	DO HOMOSEXUAL CONTACTS TAKE PLACE NUDE OR CLOTHED:  1 = CLOTHED 2 = NUDE 9 = UNKNOWN
	LOCATIONS OF HOMOSEXUAL CONTACTS
50	OUTSIDE USED FOR HOMOSEXUAL CONTACT:  1 = NEVER MENTIONED  2 = RARELY (1-3 TIMES)  3 = SELDOM (1-33%)  4 = SOMETIMES (34-66%)  5 = OFTEN (67-100%)  6 = OCCURRED, UNKNOWN AMOUNT  9 = UNKNOWN IF OCCURRED
51	SUBJECT'S HOUSE USED FOR HOMOSEXUAL CONTACT: CODED SAME AS COLUMN 50
52	PARTNER'S HOUSE USED FOR HOMOSEXUAL CONTACT: CODED SAME AS COLUMN 50
53	HOTEL USED FOR HOMOSEXUAL CONTACT: CODED SAME AS COLUMN 50

COLUMN	CODE
54	MOTEL USED FOR HOMOSEXUAL CONTACT: CODED SAME AS COLUMN 50
55	CAR OR OTHER MOTOR VEHICLE USED FOR HOMOSEXUAL CONTACT:
	CODED SAME AS COLUMN 50
56	OTHER LOCATION USED FOR HOMOSEXUAL CONTACT:  CODED SAME AS COLUMN 50, EXCEPT  7 = PRISON OR OTHER CLOSED INSTITUTION
57	RESPONDENT'S PREFERENCE FOR MASCULINE OR FEMININE PARTNER:  1 = MASCULINE ONLY 2 = MORE MASCULINE THAN FEMININE 3 = INDIFFERENT OR NEITHER EXTREME 4 = MORE FEMININE THAN MASCULINE 5 = FEMININE ONLY 9 = UNKNOWN
58	RESPONDENT'S PREFERENCE FOR HEIGHT OF PARTNER:  1 = SHORT 2 = BETWEEN SHORT AND MEDIUM 3 = MEDIUM 4 = TALL 5 = INDIFFERENT 9 = UNKNOWN
59	RESPONDENT'S PREFERENCE FOR WEIGHT OF PARTNER:  1 = LIGHT 2 = BETWEEN LIGHT AND MEDIUM 3 = MEDIUM 4 = HEAVY 5 = INDIFFERENT 9 = UNKNOWN
60	RESPONDENT'S PREFERENCE IN COMPLEXION OF PARTNER:  1 = LIGHT 2 = DARK 3 = INDIFFERENT 9 = UNKNOWN
61	RESPONDENT'S PREFERENCE FOR BODY HAIR OF PARTNER:  1 = HAIRLESS 2 = LITTLE HAIR 3 = SOME HAIR 4 = HAIRY 5 = INDIFFERENT 9 = UNKNOWN

COLUMN	CODE
62	RESPONDENT'S PREFERENCE FOR BREAST SIZE OF PARTNER:  1 = SMALL 2 = SMALL TO MEDIUM 3 = MEDIUM TO LARGE 4 = LARGE 5 = INDIFFERENT 9 = UNKNOWN
63-65	PROPORTION OF PARTNERS WHO WERE STRANGERS OR PICKUPS:  000 = NONE 001 = 1% ETC. 100 = 100% 999 = UNKNOWN

COLUMN CODE 1-2 CARD NUMBER: 43 = MALE3-7 CASE HISTORY NUMBER: [IF CARD 41, COLUMN 11 IS CODED AS 3, THE SUBJECT HAD EXTENSIVE OR MORE THAN INCIDENTAL HOMOSEXUAL EXPERIENCE BUT INTERVIEWER DID NOT OBTAIN AN IN-DEPTH HISTORY; THE REMAINDER OF THIS CARD IS BLANK] 8-9 NUMBER OF PARTNERS MARRIED AT TIME OF CONTACT: 00 = NONEACTUAL NUMBER CODED 90 = 90 OR MORE MALES 91 = FEW 92 = SOME93 = MOST98 = SUBJECT DOES NOT KNOW 99 = UNKNOWN 10-11 NUMBER OF PARTNERS WHO WERE HOMOSEXUAL VIRGINS AT FIRST CONTACT: CODED SAME AS COLUMNS 8-9 12-14 PERCENTAGE OF PARTNERS WITH WHOM THE SUBJECT HAD ONLY ONE CONTACT: 000 = NONE001 = 1%ACTUAL PERCENTAGE CODED 100 = 100% 200 = FEW300 = SOME400 = MOST800 = SUBJECT DOES NOT KNOW 999 = UNKNOWN15 SUBJECT ACTIVE OR PASSIVE IN HOMOSEXUAL APPROACH: 1 = ACTIVE2 = ACTIVE MORE THAN PASSIVE 3 = ACTIVE IS EQUAL TO PASSIVE 4 = PASSIVE MORE THAN ACTIVE 5 = PASSIVE9 = UNKNOWN

COLUMN	CODE
	LONGEST HOMOSEXUAL AFFAIR WITH THE SAME MALE:  000 = NO AFFAIRS  WEEKS 001 = 1 MONTH  T 002 = 2 MONTHS  003 = 3 MONTHS  004 = 4 MONTHS  005 = 5 MONTHS  006 = 6 MONTHS  007 = 7 MONTHS  008 = 8-9 MONTHS  009 = 10-11 MONTHS  010 = 1 YEAR  ETC.  980 = OCCURRED, LENGTH UNKNOWN  990 = UNKNOWN IF OCCURRED
19	NUMBER OF LOVE AFFAIRS (NOT NECESSARILY SEXUAL): 0 = NONE ACTUAL NUMBER CODED 8 = 8 OR MORE
20	PERCENTAGE OF PARTNERS WHO WERE WHITE:  1 = NONE 2 = FEW (1-33%) 3 = SOME (34-66%) 4 = MANY (67-99%) 5 = ALL (100%) 9 = UNKNOWN
21	PERCENTAGE OF PARTNERS WHO WERE BLACK: CODED SAME AS COLUMN 20
22	PERCENTAGE OF PARTNERS WHO WERE OTHER RACES (ORIENTAL, AMERICAN INDIAN, ETC.):  CODED SAME AS COLUMN 20
23-24	NUMBER OF GROUP HOMOSEXUAL PARTIES:  00 = NONE  ACTUAL NUMBER CODED  90 = 90 TIMES OR MORE  91 = FEW  92 = SOME  93 = MANY  94 =   98 = OCCURRED, NUMBER UNKNOWN  99 = UNKNOWN IF OCCURRED

COLUMN	CODE
25-26	AGE SUBJECT FIRST KISSED ANOTHER MALE:  00 = NEVER  ACTUAL AGE CODED  98 = KISSED, AGE UNKNOWN  99 = UNKNOWN IF OCCURRED
27-28	PERCENTAGE OF CONTACTS WITH KISSING:  00 = NEVER  ACTUAL PERCENTAGE CODED  90 = 90% OR MORE  91 = FEW  92 = SOME  93 = MANY  94 =   98 = OCCURRED, PERCENTAGE UNKNOWN  99 = UNKNOWN
29	PARTNER KISSED RESPONDENT:  0 = NEVER  1 = NEVER, PLUS OFFENDS, DISGUSTS  2 = NEVER, BUT WANTS  3 = RARE, 1-3 TIMES  4 = LITTLE (1-33%)  5 = SOME (34-66%)  6 = MUCH (67-100%)  7 = OCCURRED, AMOUNT UNKNOWN  8 = TRY ONLY  9 = UNKNOWN
30	PARTNER TONGUE-KISSED RESPONDENT: CODED SAME AS COLUMN 29
31	PARTNER'S HAND ON RESPONDENT'S BREAST: CODED SAME AS COLUMN 29
32	PARTNER'S MOUTH ON RESPONDENT'S BREAST: CODED SAME AS COLUMN 29
33	PARTNER'S HAND ON RESPONDENT'S GENITALIA: CODED SAME AS COLUMN 29
34	PARTNER'S MOUTH ON RESPONDENT'S GENITALIA: CODED SAME AS COLUMN 29
35	PARTNER'S HAND ON RESPONDENT'S SCROTUM: CODED SAME AS COLUMN 29
36	PARTNER'S MOUTH ON RESPONDENT'S SCROTUM: CODED SAME AS COLUMN 29

COLUMN	CODE
37	MASOCHISTIC ACTIVITY:  CODED SAME AS COLUMN 29
38	PARTNER URINATED ON RESPONDENT: CODED SAME AS COLUMN 29
39	PARTNER'S TONGUE ON RESPONDENT'S ANUS: CODED SAME AS COLUMN 29
40	RESPONDENT KISSED PARTNER:  CODED SAME AS COLUMN 29
41	RESPONDENT TONGUE-KISSED PARTNER: CODED SAME AS COLUMN 29
42	RESPONDENT'S HAND ON PARTNER'S BREAST: CODED SAME AS COLUMN 29
43	RESPONDENT'S MOUTH ON PARTNER'S BREAST: CODED SAME AS COLUMN 29
44	RESPONDENT'S HAND ON PARTNER'S GENITALIA: CODED SAME AS COLUMN 29
45	RESPONDENT'S MOUTH ON PARTNER'S GENITALIA: CODED SAME AS COLUMN 29
46	RESPONDENT'S HAND ON PARTNER'S SCROTUM: CODED SAME AS COLUMN 29
47	RESPONDENT'S MOUTH ON PARTNER'S SCROTUM: CODED SAME AS COLUMN 29
48	SADISTIC ACTIVITY:  CODED SAME AS COLUMN 29
49	RESPONDENT URINATED ON PARTNER:  CODED SAME AS COLUMN 29
50	RESPONDENT'S TONGUE ON PARTNER'S ANUS: CODED SAME AS COLUMN 29

### MALE HOMOSEXUAL BEHAVIOR (CARD 2 OF 4) TECHNIOUES FOR PARTNER'S ORGASM

	TECHNIQUES FOR PARTNER'S ORGASM
COLUMN	CODE
51-52	PROPORTION OF TIMES PARTNERS COMES TO ORGASM IN
31 32	HOMOSEXUAL CONTACTS:  00 = NEVER
	ACTUAL PERCENTAGE CODED
	97 = 97% OR MORE
	98 = OCCURS, PERCENTAGE UNKNOWN 99 = UNKNOWN, NOT ASKED
53	MASTURBATION OF PARTNER BY SUBJECT AS SOURCE OF
	ORGASM: 1 = NONE
	2 = 1-19%
	3 = 20-39%
	4 = 40-59%
	5 = 60-79% 6 = 80-100%
	7 = NONE NOW, FORMERLY SOME (PERCENTAGE UNKNOWN)
	8 = OCCURRED, PERCENTAGE UNKNOWN
	9 = UNKNOWN
54	PARTNER MASTURBATES SELF TO ORGASM:
	CODED SAME AS COLUMN 53
55	ACTIVE MOUTH-GENITAL CONTACT AS SOURCE OF ORGASM
	FOR PARTNER:
	CODED SAME AS COLUMN 53
56	RESPONDENT SWALLOWING OR SPITTING EJACULATE:
	0 = NEVER FELLATIO OR FELLATIO TO ORGASM
	1 = ALWAYS SWALLOW
	2 = SWALLOW CONDITIONALLY (IF IN LOVE,
	GREATLY AROUSED, ETC.)  3 = SWALLOW MORE THAN SPIT
	4 = SWALLOWING EOUALS SPITTING
	5 = SPIT MORE THAN SWALLOW
	6 = ALWAYS SPIT
	9 = UNKNOWN
57	OTHER TECHNIQUES AS SOURCE OF ORGASM FOR PARTNER:
	CODED SAME AS COLUMN 53
58	ANAL INTERCOURSE AS SOURCE OF ORGASM FOR PARTNER:
	CODED SAME AS COLUMN 53
59	FEMORAL INTERCOURSE AS SOURCE OF ORGASM FOR PARTNER:
	CODED SAME AS COLUMN 53

## MALE HOMOSEXUAL BEHAVIOR (CARD 2 OF 4) TECHNIQUES FOR SUBJECT'S ORGASM

	TECHNIQUES FOR SUBJECT'S ORGASM
COLUMN	CODE
60-61	PROPORTION OF TIME THAT RESPONDENT COMES TO ORGASM IN HOMOSEXUAL EXPERIENCE:  CODED SAME AS COLUMNS 51-52
62	SPONTANEOUS EJACULATION FOR RESPONDENT IN PRESENCE OF PARTNER:  CODED SAME AS COLUMN 53
63	MASTURBATION OF RESPONDENT BY PARTNER AS A SOURCE OF ORGASM:  CODED SAME AS COLUMN 53
64	SELF-MASTURBATION BY RESPONDENT AS A SOURCE OF ORGASM:  CODED SAME AS COLUMN 53
65	PASSIVE MOUTH-GENITAL CONTACT AS A SOURCE OF ORGASM FOR RESPONDENT:  CODED SAME AS COLUMN 53
66	ANAL INTERCOURSE AS A SOURCE OF ORGASM FOR RESPONDENT:  CODED SAME AS COLUMN 53
67	BODY CONTACT AS A SOURCE OF ORGASM FOR RESPONDENT: CODED SAME AS COLUMN 53
68	OTHER TECHNIQUES AS A SOURCE OF ORGASM FOR RESPONDENT:  CODED SAME AS COLUMN 53
	SITUATIONAL RESPONSES
69	RESPONDENT'S RESPONSE TO TASTE OF SEMEN:  0 = NEVER FELLATIO OR FELLATIO TO ORGASM  1 = NOT ENJOY  2 = INDIFFERENT  3 = ENJOY  4 = DESCRIPTIVE COMMENT ONLY ("BITTER," ETC.)  9 = UNKNOWN
70	PROPORTION OF CONTACTS INVOLVING SIMULTANEOUS ORGASM:  CODED SAME AS COLUMN 53
71	PROPORTION OF CONTACTS INVOLVING CONSECUTIVE ORGASM:  CODED SAME AS COLUMN 53

# MALE HOMOSEXUAL BEHAVIOR (CARD 2 OF 4) SITUATIONAL RESPONSES

COLUMN	CODE
72	SUBJECT'S PREFERENCE FOR LIGHT OR DARK DURING SEXUAL ACTIVITY:  1 = DARK 2 = NO PREFERENCE
	3 = LIGHT 9 = UNKNOWN
73	DO HOMOSEXUAL CONTACTS TAKE PLACE NUDE OR CLOTHED:
	1 = CLOTHED 2 = SOMETIMES CLOTHED, SOMETIMES NUDE 3 = NUDE 9 = UNKNOWN

COLUMN CODE

1-2 CARD NUMBER:

44 = FEMALE

3-7 CASE HISTORY NUMBER:

[IF CARD 40, COLUMN 11 IS CODED AS 3, THE SUBJECT HAD EXTENSIVE OR MORE THAN INCIDENTAL HOMOSEXUAL EXPERIENCE BUT INTERVIEWER DID NOT OBTAIN AN IN-DEPTH HISTORY; THE REMAINDER OF THIS CARD IS BLANK]

#### DIFFICULTIES IN HOMOSEXUAL LIFE

8 IN GRADE SCHOOL:

1 = NONE (OR NOT MENTIONED)

[NOTE: COLUMNS 8-11 2 = LITTLE OR MINOR REFER TO PEER AND/OR 3 = MUCH OR SERIOUS

AUTHORITY TROUBLE] 4 = TROUBLE IN JUVENILE INSTITUTION

8 = TROUBLE OCCURRED, DEGREE UNKNOWN

9 = UNKNOWN

9 IN HIGH SCHOOL:

CODED AS COLUMN 8, EXCEPT

0 = NO HIGH SCHOOL

10 IN COLLEGE:

CODED AS COLUMN 8, EXCEPT

0 = NO COLLEGE

11 MILITARY TROUBLE:

0 = NEVER MILITARY

1 = NO MILITARY TROUBLE OVER HOMOSEXUALITY

2 = MINOR TROUBLE, SUSPICIOUS, QUESTIONED

3 = ANY DISCHARGE OTHER THAN HONORABLE CLEARLY FOR HOMOSEXUALITY

4 = ANY DISCHARGE OTHER THAN HONORABLE FOR

ANY REASON

5 = MILITARY PRISON FOR HOMOSEXUALITY

6 = MILITARY PRISON FOR OTHER REASONS THAN HOMOSEXUALITY

8 = TROUBLE, BUT UNSPECIFIED

9 = UNKNOWN

## FEMALE HOMOSEXUAL BEHAVIOR (CARD 3 OF 3) DIFFICULTIES IN HOMOSEXUAL LIFE

	DIFFICULTIES IN HOMOSEXUAL LIFE
COLUMN	CODE
12	BUSINESS TROUBLE:  1 = NEVER TROUBLE  2 = UNABLE TO GET A JOB BECAUSE OF HOMOSEXUALITY  3 = LOST JOB BECAUSE OF HOMOSEXUALITY  4 = 2+3  5 = OTHER BUSINESS TROUBLE  9 = UNKNOWN
	5 0.1.2.10.1.1.
[NOTE: JUVENILE CHARGES NOT INCLUDED]	TROUBLE WITH POLICE OVER HOMOSEXUALITY:  0 = NEVER  1 = ARRESTED ONE TIME (NO CONVICTION)  2 = ARRESTED TWO OR MORE TIMES (NO CONVICTION)  3 = CONVICTED ONE TIME (FINE OR JAIL)  4 = CONVICTED TWO OR MORE TIMES (FINE OR JAIL)  5 = CONVICTED: FELONY (PROBATION)  6 = CONVICTED: FELONY (PRISON)  7 = PICKED UP OR QUESTIONED, NO ARREST  8 = TROUBLE OCCURRED, NUMBER OF TIMES UNKNOWN  9 = UNKNOWN
14	TROUBLE WITH FAMILY:  1 = NO TROUBLE  2 = SOME TROUBLE  3 = SERIOUS TROUBLE  9 = UNKNOWN
15	SUBJECT ROBBED OR ROLLED HOMOSEXUAL PARTNER:  0 = NEVER  1 = 1 TIME  2 = 2-3 TIMES  3 = 4-5 TIMES  4 = 6-10 TIMES  5 = 11-20 TIMES  6 = 21-50 TIMES  7 = 51 OR MORE TIMES  8 = OCCURRED, NUMBER OF TIMES UNKNOWN  9 = UNKNOWN
16	HOMOSEXUAL PARTNER ROBBED OR ROLLED SUBJECT: CODED SAME AS COLUMN 15
17	SUBJECT EVER BLACKMAIL OTHERS: CODED SAME AS COLUMN 15
18	OTHERS BLACKMAIL SUBJECT: CODED SAME AS COLUMN 15

COLUMN	CODE
19	NUMBER OF TIMES SUBJECT WAS PAID FOR HOMOSEXUAL EXPERIENCE:  CODED SAME AS COLUMN 15
20	NUMBER OF TIMES SUBJECT PAID OTHERS FOR HOMOSEXUAL EXPERIENCE: CODED SAME AS COLUMN 15
21	NUMBER OF TIMES SUBJECT WAS EVER KEPT:  0 = NEVER KEPT  1 = ONE  2 = TWO  3 = THREE  4 = FOUR  5 = FIVE  6 = SIX  7 = SEVEN  8 = KEPT, TIMES UNKNOWN  9 = UNKNOWN
22	LONGEST PERIOD SUBJECT EVER KEPT:  0 = NEVER KEPT  1 = TO 3 MONTHS  2 = TO 6 MONTHS  3 = TO 1 YEAR  4 = TO 2 YEARS  5 = TO 4 YEARS  6 = FIVE YEARS OR MORE  8 = KEPT, DURATION UNKNOWN  9 = UNKNOWN
23	NUMBER OF TIMES SUBJECT KEPT OTHER FEMALES: CODED SAME AS COLUMN 21
24	LONGEST PERIOD SUBJECT EVER KEPT ANOTHER FEMALE: CODED SAME AS COLUMN 22
	OBVIOUSNESS OF HOMOSEXUAL TRAITS
25	HAND MOVEMENTS (ACCORDING TO SUBJECT):  1 = NOT OBVIOUS  2 = SLIGHTLY OBVIOUS  3 = MORE OBVIOUS  4 = OBVIOUS  8 = OBVIOUS, DEGREE UNKNOWN  9 = UNKNOWN, NOT ASKED
26	HAND MOVEMENTS (ACCORDING TO INTERVIEWER): CODED SAME AS COLUMN 25

# FEMALE HOMOSEXUAL BEHAVIOR (CARD 3 OF 3) OBVIOUSNESS OF HOMOSEXUAL TRAITS

COLUMN	CODE
27	WALKING/HIPS (ACCORDING TO SUBJECT): CODED SAME AS COLUMN 25
28	WALKING/HIPS (ACCORDING TO INTERVIEWER): CODED SAME AS COLUMN 25
29	VOICE (ACCORDING TO SUBJECT): CODED SAME AS COLUMN 25
30	VOICE (ACCORDING TO INTERVIEWER): CODED SAME AS COLUMN 25
31	DRESS (ACCORDING TO SUBJECT): CODED SAME AS COLUMN 25
32	DRESS (ACCORDING TO INTERVIEWER): CODED SAME AS COLUMN 25
33	DOES SUBJECT GO IN DRAG:  1 = NEVER 2 = RARE 3 = SOME 4 = MUCH 5 = OCCURS, AMOUNT UNKNOWN 9 = UNKNOWN
34	HAIR (ACCORDING TO SUBJECT):  CODED SAME AS COLUMN 25
35	HAIR (ACCORDING TO INTERVIEWER): CODED SAME AS COLUMN 25
36	OTHER (ACCORDING TO SUBJECT): CODED SAME AS COLUMN 25
37	OTHER (ACCORDING TO INTERVIEWER): CODED SAME AS COLUMN 25
PER MONTH TO ABO ONCE PER WEEK;	PER 3 = SOME  JICE 4 = MUCH  SUT 5 = NOT NOW, FORMERLY MORE  6 = LITTLE NOW, FORMERLY MORE  7 = SOME NOW, FORMERLY MORE

```
COLUMN
                CODE
39-41
                PERCENTAGE OF FRIENDS WHO ARE HOMOSEXUAL:
                       000 = NONE
                       001 = 1%
                       ETC.
                       100 = 100%
                       200 = "FEW"
                       300 = "SOME"
                       400 = "MANY"
                       500 = "MOST"
                       998 = SUBJECT DOES NOT KNOW
                       999 = UNKNOWN
42-43
               CURRENT HOMOSEXUAL-HETEROSEXUAL RATING ACCORDING
                TO SUBJECT:
                       00 = KINSEY 0 (100% HETEROSEXUAL)
                       05 = KINSEY 0-1
                       10 = KINSEY 1
                       15 = KINSEY 1-2
                       20 = KINSEY 2
                       25 = KINSEY 2-3
                       30 = KINSEY 3
                       35 = KINSEY 3-4
                       40 = KINSEY 4
                       45 = KINSEY 4-5
                       50 = KINSEY 5
                       55 = KINSEY 5-6
                       60 = KINSEY 6 (100% HOMOSEXUAL)
                       98 = SUBJECT DOES NOT KNOW
                       99 = UNKNOWN
44
                DID SUBJECT FORMERLY REGRET HER HOMOSEXUAL
                HISTORY:
                       0 = NO FORMER CODED
                       1 = NO
                       2 = LITTLE
                       3 = SOME
                       4 = MUCH
                       8 = REGRET, AMOUNT UNKNOWN
                       9 = UNKNOWN
45
               DOES SUBJECT CURRENTLY REGRET HER HOMOSEXUAL
               HISTORY:
                       CODED SAME AS COLUMN 44
46
               REASONS FOR REGRET OVER HOMOSEXUALITY:
                      0 = NO REGRETS
                       1 = CODED "LITTLE" TO "MUCH," BUT NO
[NOTE: COLUMNS
46-52 MAY BE
                          REASON GIVEN
                     2 = REGRET(S) MENTIONED
FORMER OR CURRENT
REGRETS]
                      9 = UNKNOWN
```

COLUMN	CODE
47	DEPRIVATION OF MARRIAGE AND CHILDREN BECAUSE HOMOSEXUAL:  0 = NOT MENTIONED  1 = MENTIONED  9 = UNKNOWN
48	CHARACTER OF HOMOSEXUAL LIFE IS STERILE, TRANSITORY, LONELY, ETC.: CODED SAME AS COLUMN 47
49	SOCIAL DIFFICULTIES BECAUSE HOMOSEXUAL (ARREST, JOB LOSS, OSTRACISM, ETC.):  CODED SAME AS COLUMN 47
50	GUILT, SHAME, (IMMORAL, UNNATURAL) BECAUSE OF HOMOSEXUAL EXPERIENCE:  CODED SAME AS COLUMN 47
51	FEAR OF POTENTIAL TROUBLE OVER HOMOSEXUALITY: CODED SAME AS COLUMN 47
52	OTHER FACTORS REGRETTED AS A RESULT OF BEING HOMOSEXUAL:  CODED SAME AS COLUMN 47
53	DOES SUBJECT WANT TO STOP HOMOSEXUAL ACTIVITY:  1 = NO 2 = YES 3 = SUBJECT DOES NOT KNOW 8 = HISTORY TAKEN 1/1951 OR AFTER 9 = UNKNOWN
54	CAN SUBJECT STOP HAVING HOMOSEXUAL ACTIVITY:  CODED SAME AS COLUMN 53, EXCEPT CODE "8"  NOT USED
55	DOES SUBJECT WANT HOMOSEXUAL MONOGAMY:  1 = NO 2 = YES 3 = SUBJECT DOES NOT KNOW 8 = HISTORY TAKEN 1/1951 OR LATER 9 = UNKNOWN
56 ["QUALIFIED ADVICE" MEANS ADVICE TO CEASE OR CONTINUE DEPENDING ON VARIOUS CIRCUMSTAN	

# FEMALE HOMOSEXUAL BEHAVIOR (CARD 3 OF 3) REASONS FOR SUBJECT'S HOMOSEXUAL HISTORY, ACCORDING TO SUBJECT

COLUMN	CODE CODE
57	POOR CHILDHOOD SOCIALIZATION DUE TO PHYSICAL CHARACTERISTICS (UGLY, SPEECH DEFECT, CRIPPLE):  1 = NOT MENTIONED 2 = MENTIONED 9 = UNKNOWN
58	POOR RELATIONSHIP WITH MOTHER (DISLIKE, TOO STRICT, NOT STRICT ENOUGH, ABSENT, NO AFFECTION, UNHAPPY MARRIAGE, PREFERRED SIBLING, ETC.): CODED SAME AS COLUMN 57
59	POOR RELATIONSHIP WITH FATHER (AS EXPLAINED IN COLUMN 58, PLUS ALSO: TOO CLOSE, ELECTRA, FIXATION, OVER-IDENTIFY):  CODED SAME AS COLUMN 57
60	ANTI-HETEROSEXUAL TRAINING (MORALS, INHIBITION, ETC.):  CODED SAME AS COLUMN 57
61	DISAPPOINTMENT IN OVERT HETEROSEXUALITY (MARITAL FAILURE, LACK AROUSAL, ETC.):  CODED SAME AS COLUMN 57
62	MALES UNAVAILABLE:  1 = NOT MENTIONED  2 = KEPT FROM MALES BY FAMILY THOUGH MALES WERE AROUND  3 = MONOSEXUAL ENVIRONMENT, FEMALE SCHOOL, PRISON, HOSPITAL  4 = 2+3 9 = UNKNOWN
63	SOCIALLY INEFFECTIVE (SHYNESS, FELT INFERIOR, NOT KNOW HOW TO MAKE UP TO MALE, SOCIAL MISFIT, NOT GET ALONG WITH MALE):  CODED SAME AS COLUMN 57
64	PREPUBERTAL AND EARLY HOMOSEXUAL CONTACTS:  1 = NOT MENTIONED  2 = GENERAL ATTRACTION TO FEMALES  3 = PREPUBERTAL SEX WITH FEMALES  4 = EARLY CONTACT WITH ADULT FEMALES  5 = 3+4  6 = EARLY POSTPUBERTAL CONTACT WITH PEERS  9 = UNKNOWN

# FEMALE HOMOSEXUAL BEHAVIOR (CARD 3 OF 3) REASONS FOR SUBJECT'S HOMOSEXUAL HISTORY, ACCORDING TO SUBJECT

COLUMN	CODE CODE
65	NON-FEMININE DEVELOPMENT (TOMBOY, LIKE ROUGH PLAY, BROUGHT UP LIKE MALE EXCLUDED FROM FEMALES, NOT GET ALONG WITH FEMALE PEERS, LOOK MASCULINE AS CHILD): CODED SAME AS COLUMN 57
66	DESIRE FOR LOVE, COMPANIONSHIP, AFFECTION: CODED SAME AS COLUMN 57
67	FEAR OF HETEROSEXUALITY (FEAR OF PREGNANCY, VD, AVOID MARITAL RESPONSIBILITY, FEAR OF MALE GENITALS, OF FAILURE IN HETEROSEXUALITY):  CODED SAME AS COLUMN 57
68	BORN HOMOSEXUAL:  1 = NOT MENTIONED  2 = SUBJECT THINKS BORN HOMOSEXUAL  3 = DOESN'T KNOW IF BORN HOMOSEXUAL  4 = SUBJECT THINKS NOT BORN HOMOSEXUAL  9 = UNKNOWN
69	CIRCUMSTANCES OF ASSOCIATION (FELL IN WITH A HOMOSEXUAL GROUP, HOMOSEXUAL FRIENDS):  CODED SAME AS COLUMN 57
70	MORAL DEFECT (LAZY, EASY LIFE, WEAK CHARACTER, MONEY, IMMATURITY):  CODED SAME AS COLUMN 57
71	POOR SEX EDUCATION: CODED SAME AS COLUMN 57
72	OTHER REASONS:  CODED AS COLUMN 57 EXCEPT  3 = HOMOSEXUALITY MORE AVAILABLE
73-74	PERCENTAGE OF FEMALES IN U.S. WITH HOMOSEXUAL HISTORY (REGARDLESS OF DEGREE OF EXPERIENCE):  00 = NONE 01 = 1% ETC. 97 = 97% OR MORE 98 = SUBJECT DOESN'T KNOW 99 = UNKNOWN

### FEMALE HOMOSEXUAL BEHAVIOR (CARD 3 OF 3)

COLUMN	CODE
75	ARE THERE MORE MALES OR FEMALES WITH HOMOSEXUAL HISTORIES:  1 = MALES MORE THAN FEMALES 2 = MALES EQUAL TO FEMALES 3 = MALES LESS THAN FEMALES 8 = SUBJECT DOES NOT KNOW 9 = UNKNOWN
76	ARE THERE MORE BLACKS OR WHITES WITH HOMOSEXUAL HISTORIES:  1 = WHITES MORE THAN BLACKS 2 = WHITES EQUAL BLACK 3 = WHITES LESS THAN BLACKS 8 = SUBJECT DOES NOT KNOW 9 = UNKNOWN

#### MALE HOMOSEXUAL BEHAVIOR (CARD 3 OF 4)

COLUMN	CODE
1-2	CARD NUMBER: 45 = MALE
3-7	CASE HISTORY NUMBER:

[IF CARD 41, COLUMN 11 IS CODED AS 3, THE SUBJECT HAD EXTENSIVE OR MORE THAN INCIDENTAL HOMOSEXUAL EXPERIENCE BUT INTERVIEWER DID NOT OBTAIN AN IN-DEPTH HISTORY; THE REMAINDER OF THIS CARD IS BLANK]

#### LOCATIONS OF HOMOSEXUAL CONTACTS

8	OUTSIDE:  1 = NOT OUTSIDE OR NOT MENTIONED 2 = RARELY (1-3 TIMES) 3 = SELDOM OUTSIDE 4 = SOMETIMES OUTSIDE 5 = OFTEN OUTSIDE 6 = OCCURRED, AMOUNT UNKNOWN 9 = UNKNOWN
9	SUBJECT'S HOUSE:  CODED SAME AS COLUMN 8
10	PARTNER'S HOUSE: CODED SAME AS COLUMN 8
11	HOTEL: CODED SAME AS COLUMN 8
12	MOTEL OR CABIN: CODED SAME AS COLUMN 8
13	CAR OR OTHER MOTOR VEHICLE: CODED SAME AS COLUMN 8
14	BEACH: CODED SAME AS COLUMN 8
15	PUBLIC BUILDINGS (CHURCH, SCHOOL, COURTHOUSE, BARS, THEATERS, ETC.):  CODED SAME AS COLUMN 8
16	NON-RESIDENTIAL STRUCTURES OTHER THAN PUBLIC BUILDINGS (BARN, WAREHOUSE, OFFICE, STUDIO, ETC.):  CODED SAME AS COLUMN 8

# MALE HOMOSEXUAL BEHAVIOR (CARD 3 OF 4) LOCATIONS OF HOMOSEXUAL CONTACTS

COLUMN	LOCATIONS OF HOMOSEXUAL CONTACTS  CODE
17	PUBLIC TOILETS:  CODED SAME AS COLUMN 8
18	BATHS: CODED SAME AS COLUMN 8
19	OTHER (BOAT, TRAIN, ETC.):  CODED SAME AS COLUMN 8, EXCEPT  7 = PRISON OR OTHER CLOSED INSTITUTION  CURRENT PREFERENCES FOR PARTNER
20	MASCULINE OR FEMININE:  1 = MASCULINE ONLY 2 = MORE MASCULINE THAN FEMININE 3 = INDIFFERENT 4 = MORE FEMININE THAN MASCULINE 5 = FEMININE ONLY 9 = UNKNOWN
21	HEIGHT:  1 = SHORT 2 = SHORT TO MEDIUM 3 = MEDIUM 4 = TALL 5 = INDIFFERENT 9 = UNKNOWN
22	WEIGHT:  1 = LIGHT 2 = LIGHT TO MEDIUM 3 = MEDIUM 4 = HEAVY 5 = INDIFFERENT 9 = UNKNOWN
23	COMPLEXION:  1 = BLONDE (OR LIGHT)  2 = BRUNETTE (OR DARK)  3 = INDIFFERENT  9 = UNKNOWN
24	BODY HAIR:  1 = HAIRLESS 2 = LITTLE HAIR 3 = SOME HAIR 4 = HAIRY 5 = INDIFFERENT 9 = UNKNOWN

### MALE HOMOSEXUAL BEHAVIOR (CARD 3 OF 4) CURRENT PREFERENCES FOR PARTNER

	CURRENT PREFERENCES FOR PARTNER
COLUMN	CODE
25	SIZE OF PENIS:
25	1 = SMALL
	2 = SMALL TO MEDIUM
	3 = MEDIUM TO LARGE
	4 = LARGE
	5 = INDIFFERENT
	9 = UNKNOWN
26	PREFER CIRCUMCISION:
20	1 = NO
	2 = YES
	3 = INDIFFERENT
	9 = UNKNOWN
27	REASON FOR CIRCUMCISION PREFERENCE:
	0 = NO PREFERENCE OR INDIFFERENT 1 = CLEANLINESS, NO ODOR
FOR	2 = AESTHETIC
CIRCUMCISION	3 = BECAUSE SUBJECT IS CIRCUMCISED
CINCOMCIDION	5 = OTHER REASONS
	6 = AESTHETIC
AGAINST	F7 = BECAUSE SUBJECT IS NOT CIRCUMCISED
CIRCUMCISION	8 = OTHER REASONS
	9 = UNKNOWN
	LOCATIONS OF PICKUPS
	HOCATIONS OF FICKUPS
28-30	PROPORTION OF PARTNERS WHO WERE PICKUPS:
20 30	000 = NONE
	001 = 1%
	ETC.
	100 = 100%
	999 = UNKNOWN
31	STREET:
J1	1 = NONE
	2 = RARE (1-3 TIMES)
	3 = FEW (1-5%)
	4 = LITTLE (6-33%)
	5 = SOME (34-67%)
	6 = MUCH (68-100%)
	8 = OCCURRED, AMOUNT UNKNOWN
	9 = UNKNOWN
32	THEATER:
J4	CODED SAME AS COLUMN 31
	CODED SAME AS COHOMN SI
33	PARKS:
	CODED SAME AS COLUMN 31

# MALE HOMOSEXUAL BEHAVIOR (CARD 3 OF 4) LOCATIONS OF PICKUPS

COLUMN	CODE CODE
34	TAVERNS:  CODED SAME AS COLUMN 31
35	PUBLIC TOILETS:  CODED SAME AS COLUMN 31
36	BEACHES: CODED SAME AS COLUMN 31
37	HITCHHIKING: CODED SAME AS COLUMN 31
38	PUBLIC TERMINALS OR CONVEYANCES: CODED SAME AS COLUMN 31
39	TURKISH BATHS: CODED SAME AS COLUMN 31
	DIFFICULTIES IN HOMOSEXUAL LIFE
40	<pre>IN GRADE SCHOOL:     1 = NONE     2 = LITTLE OR MINOR     3 = MUCH OR SERIOUS     8 = TROUBLE OCCURRED, AMOUNT UNKNOWN     9 = UNKNOWN</pre>
41	<pre>IN HIGH SCHOOL:      CODED SAME AS COLUMN 40, EXCEPT      0 = NO HIGH SCHOOL</pre>
42	<pre>IN COLLEGE:     CODED SAME AS COLUMN 40, EXCEPT     0 = NO COLLEGE</pre>
43	MILITARY TROUBLE:  0 = NEVER MILITARY  1 = NO MILITARY TROUBLE OVER HOMOSEXUALITY  2 = MINOR TROUBLE, SUSPICIOUS, QUESTIONED  3 = ANY DISCHARGE OTHER THAN HONORABLE  CLEARLY FOR HOMOSEXUALITY  4 = ANY DISCHARGE OTHER THAN HONORABLE FOR  ANY REASON  5 = MILITARY PRISON FOR HOMOSEXUALITY  8 = TROUBLE, UNSPECIFIED  9 = UNKNOWN IF MILITARY SERVICE

# MALE HOMOSEXUAL BEHAVIOR (CARD 3 OF 4) DIFFICULTIES IN HOMOSEXUAL LIFE

COLUMN	DIFFICULTIES IN HOMOSEXUAL LIFE
COLUMN	CODE
44	BUSINESS TROUBLE:  1 = NEVER TROUBLE  2 = UNABLE TO GET JOB BECAUSE OF HOMOSEXUALITY  3 = LOST JOB BECAUSE OF HOMOSEXUALITY  4 = 2+3  5 = OTHER BUSINESS TROUBLE  9 = UNKNOWN
45	TROUBLE WITH POLICE OVER HOMOSEXUALITY:  0 = NEVER  1 = ARRESTED ONE TIME (NO CONVICTION)  2 = ARRESTED 2 OR MORE TIMES (NO CONVICTIONS)  3 = CONVICTED ONE TIME (FINE OR JAIL)  4 = CONVICTED 2 OR MORE TIMES (FINE OR JAIL)  5 = CONVICTED: FELONY (PROBATION)  6 = CONVICTED: FELONY (PRISON)  7 = PICKED UP OR QUESTIONED, NO ARREST  8 = TROUBLE OCCURRED, NUMBER OF TIMES UNKNOWN  9 = UNKNOWN
46	TROUBLE WITH FAMILY:  1 = NO TROUBLE  2 = SOME TROUBLE  3 = SERIOUS TROUBLE  9 = UNKNOWN
47	SUBJECT ROBBED OR ROLLED HOMOSEXUAL PARTNER:  0 = NEVER  1 = 1 TIME  2 = 2-3 TIMES  3 = 4-5 TIMES  4 = 6-10 TIMES  5 = 11-20 TIMES  6 = 21-50 TIMES  7 = 51 OR MORE TIMES  8 = OCCURRED, NUMBER OF TIMES UNKNOWN  9 = UNKNOWN
48	HOMOSEXUAL PARTNER ROBBED OR ROLLED SUBJECT: CODED SAME AS COLUMN 47
49	SUBJECT EVER BLACKMAIL HOMOSEXUAL PARTNER: CODED SAME AS COLUMN 47
50	HOMOSEXUAL PARTNER EVER BLACKMAIL SUBJECT: CODED SAME AS COLUMN 47

### MALE HOMOSEXUAL BEHAVIOR (CARD 3 OF 4)

COLUMN	CODE
51 [NOTE: GIFTS ARE NOT CONSIDERED PAYMENT IN COLUMNS 51-52]	NUMBER OF TIMES SUBJECT WAS PAID FOR HOMOSEXUAL EXPERIENCE:  CODED SAME AS COLUMN 47
52	NUMBER OF TIMES SUBJECT PAID OTHERS FOR HOMOSEXUAL EXPERIENCE:  CODED SAME AS COLUMN 47
53	NUMBER OF TIMES SUBJECT WAS EVER KEPT:  0 = NEVER KEPT  1 = ONE  ETC.  7 = SEVEN  8 = KEPT, NUMBER OF TIMES UNKNOWN  9 = UNKNOWN
54	LONGEST PERIOD SUBJECT EVER KEPT:  0 = NEVER KEPT  1 = TO 3 MONTHS  2 = TO 6 MONTHS  3 = TO 1 YEAR  4 = TO 2 YEARS  5 = TO 4 YEARS  6 = 5 YEARS OR MORE  8 = KEPT, DURATION UNKNOWN  9 = UNKNOWN
55	NUMBER OF TIMES SUBJECT KEPT OTHER MALES: CODED SAME AS COLUMN 53
56	LONGEST PERIOD SUBJECT EVER KEPT ANOTHER MALE: CODED SAME AS COLUMN 54

### MALE HOMOSEXUAL BEHAVIOR (CARD 4 OF 4)

COLUMN	CODE
1-2	CARD NUMBER: 47 = MALE
3-7	CASE HISTORY NUMBER:
HAD EXTENSIVE O	LUMN 11 IS CODED AS 3, THE SUBJECT R MORE THAN INCIDENTAL HOMOSEXUAL INTERVIEWER DID NOT OBTAIN AN Y; THE REMAINDER OF THIS CARD IS

BLANK]

#### OBVIOUSNESS OF HOMOSEXUAL TRAITS

8	HAND MOVEMENTS (ACCORDING TO SUBJECT):  1 = NOT OBVIOUS  2 = SLIGHTLY OBVIOUS  3 = MORE OBVIOUS  4 = OBVIOUS  8 = OBVIOUS, DEGREE UNKNOWN  9 = UNKNOWN, NOT ASKED
9	HAND MOVEMENTS (ACCORDING TO INTERVIEWER): CODED SAME AS COLUMN 8
10	WALKING/HIPS (ACCORDING TO SUBJECT): CODED SAME AS COLUMN 8
11	WALKING/HIPS (ACCORDING TO INTERVIEWER): CODED SAME AS COLUMN 8
12	VOICE (ACCORDING TO SUBJECT): CODED SAME AS COLUMN 8
13	VOICE (ACCORDING TO INTERVIEWER): CODED SAME AS COLUMN 8
14	DRESS (ACCORDING TO SUBJECT): CODED SAME AS COLUMN 8
15	DRESS (ACCORDING TO INTERVIEWER): CODED SAME AS COLUMN 8
16	DOES SUBJECT GO IN DRAG:  1 = NEVER 2 = RARE 3 = SOME 4 = MUCH 5 = OCCURS, NUMBER OF TIMES UNKNOWN 9 = UNKNOWN

# MALE HOMOSEXUAL BEHAVIOR (CARD 4 OF 4) OBVIOUSNESS OF HOMOSEXUAL TRAITS

COLUMN	OBVIOUSNESS OF HOMOSEXUAL TRAITS  CODE
17	HAIR (ACCORDING TO SUBJECT): CODED SAME AS COLUMN 8
18	HAIR (ACCORDING TO INTERVIEWER):  CODED SAME AS COLUMN 8)
19	PLUCK EYEBROWS (ACCORDING TO SUBJECT): CODED SAME AS COLUMN 8
20	PLUCK EYEBROWS (ACCORDING TO INTERVIEWER): CODED SAME AS COLUMN 8
21	OTHER (JEWELRY, PERFUME, COSMETICS, ETC.) (ACCORDING TO SUBJECT):  CODED SAME AS COLUMN 8
22	OTHER (ACCORDING TO INTERVIEWER): CODED SAME AS COLUMN 8
23	DOES SUBJECT GO TO HOMOSEXUAL TAVERNS:  1 = NEVER  2 = LITTLE (LESS THAN ONCE PER MONTH)  3 = SOME (ONCE A MONTH TO LESS THAN ONCE A WEEK)  4 = MUCH (ONCE A WEEK OR MORE)  5 = NOT NOW, FORMERLY MORE  6 = LITTLE NOW, FORMERLY MORE  7 = SOME NOW, FORMERLY MORE  8 = OCCURRED, UNKNOWN TIMES  9 = UNKNOWN
24-26	PERCENTAGE OF FRIENDS WHO ARE HOMOSEXUAL:  000 = NONE 001 = 1% ETC.  100 = 100% 200 = "FEW" 300 = "SOME" 400 = "MANY" 500 = "MOST" 998 = SUBJECT DOES NOT KNOW 999 = UNKNOWN
27-28	CURRENT HOMOSEXUAL-HETEROSEXUAL RATING ACCORDING TO SUBJECT:  00 = KINSEY 0 (100% HETEROSEXUAL)  05 = KINSEY 0-1  10 = KINSEY 1  15 = KINSEY 1-2  20 = KINSEY 2  25 = KINSEY 2-3

#### MALE HOMOSEXUAL BEHAVIOR (CARD 4 OF 4)

### COLUMN CODE 30 = KINSEY 335 = KINSEY 3-440 = KINSEY 445 = KINSEY 4-550 = KINSEY 555 = KINSEY 5-660 = KINSEY 6 (100% HOMOSEXUAL) 98 = SUBJECT DOES NOT KNOW 99 = UNKNOWN ATTITUDES TOWARD HOMOSEXUALITY 29 DOES SUBJECT REGRET HIS FORMER HOMOSEXUAL HISTORY: 0 = NO FORMER REGRET CODED 1 = NO2 = LITTLE3 = SOME4 = MUCH8 = OCCURRED, AMOUNT OF REGRET IS UNKNOWN 9 = UNKNOWN 30 DOES SUBJECT REGRET HIS CURRENT HOMOSEXUAL HISTORY: CODED SAME AS COLUMN 29 REASONS FOR REGRETS: 0 = NO REGRETS [MAY BE CODED FOR 1 = CODED "LITTLE" TO "SOME," BUT NO CURRENT OR FORMER REASON GIVEN 2 = REGRETS MENTIONED REGRETS] 9 = UNKNOWN 32 DEPRIVATION OF MARRIAGE AND CHILDREN: 0 = NOT MENTIONED1 = MENTIONED9 = UNKNOWN 33 CHARACTER OF HOMOSEXUAL LIFE (STERILE, TRANSITORY, LONELY, ETC.): CODED SAME AS COLUMN 32 34 SOCIAL DIFFICULTIES (ARREST, JOB LOSS, OSTRACISM,

CODED SAME AS COLUMN 32

GUILT, SHAME, IMMORAL, UNNATURAL:
CODED SAME AS COLUMN 32

ETC.):

35

#### MALE HOMOSEXUAL BEHAVIOR (CARD 4 OF 4) ATTITUDES TOWARD HOMOSEXUALITY

COLUMN	CODE
36	FEAR OF POTENTIAL TROUBLE:  CODED SAME AS COLUMN 32
37	OTHER FACTORS: CODED SAME AS COLUMN 32
38	DOES SUBJECT WANT TO STOP HOMOSEXUAL ACTIVITY:  1 = NO 2 = YES 3 = SUBJECT DOES NOT KNOW 8 = HISTORY TAKEN 1/51 OR LATER, NOT ASKED 9 = UNKNOWN
39	CAN SUBJECT STOP HIS HOMOSEXUAL ACTIVITY:  CODED SAME AS COLUMN 38, EXCEPT CODE 8  IS NOT USED
40	DOES SUBJECT WANT HOMOSEXUAL MONOGAMY:  1 = NO 2 = YES 3 = SUBJECT DOES NOT KNOW 8 = HISTORY TAKEN 1/1951 OR LATER, NOT ASKED 9 = UNKNOWN
OR CONTINUE DEPENDING	ADVICE SUBJECT WOULD GIVE TO ADOLESCENT WHO WANTED TO HAVE HOMOSEXUAL ACTIVITY:  0 = SUBJECT WOULD REFUSE TO ADVISE 1 = WOULD ADVISE TO CEASE HOMOSEXUAL ACTIVITY 2 = QUALIFIED ADVICE CES] 3 = WOULD ADVISE TO HAVE HOMOSEXUAL ACTIVITY 9 = UNKNOWN

#### REASONS FOR SUBJECT'S HOMOSEXUAL HISTORY, ACCORDING TO SUBJECT

42	POOR CHILDHOOD SOCIALIZATION DUE TO PHYSICAL CHARACTERISTICS (UGLY, SPEECH DEFECT, CRIPPLE):  1 = NOT MENTIONED 2 = MENTIONED 9 = UNKNOWN
43	POOR RELATIONSHIP WITH FATHER (DISLIKE, OVERLY MASCULINE, TOO STRICT, NOT STRICT ENOUGH, ABSENT, NO AFFECTION, UNHAPPY MARRIAGE, PREFERRED SIBLING, ETC.):  CODED SAME AS COLUMN 42

# MALE HOMOSEXUAL BEHAVIOR (CARD 4 OF 4) REASONS FOR SUBJECT'S HOMOSEXUAL HISTORY, ACCORDING TO SUBJECT

COLUMN	BJECT'S HOMOSEXUAL HISTORY, ACCORDING TO SUBJECT  CODE
44	POOR RELATIONSHIP WITH MOTHER (AS EXPLAINED IN COLUMN 43 PLUS ALSO: TOO CLOSE, FIXATION, OEDIPUS, OVER-IDENTIFY):  CODED SAME AS COLUMN 42
45	ANTI-HETEROSEXUAL TRAINING (MORALS, INHIBITION, ETC.):  CODED SAME AS COLUMN 42
46	FEMALES IDEALIZED (ON PEDESTAL, IDENTIFY FEMALES AS SISTER, MOTHER, TOO GOOD, ETC.):  CODED SAME AS COLUMN 42
47	FEMALES UNAVAILABLE:  1 = NOT MENTIONED  2 = KEPT FROM FEMALES BY FAMILY THOUGH FEMALES WERE AROUND  3 = MONOSEXUAL ENVIRONMENT (BOYS' SCHOOL, PRISON, HOSPITAL)  4 = 2+3 9 = UNKNOWN
48	SOCIALLY INEFFECTIVE (SHYNESS, FELT INFERIOR, NOT KNOW HOW TO MAKE UP TO FEMALE, SOCIAL MISFIT, NOT GET ALONG WITH FEMALE):  CODED SAME AS COLUMN 42
49	PREPUBERTAL AND EARLY HOMOSEXUAL CONTACTS:  1 = NOT MENTIONED  2 = GENERAL ATTRACTION TO MALES
50	NON MASCULINE DEVELOPMENT (SISSY, FASTIDIOUS, SENSITIVE, POETIC, NOT LIKE ROUGH PLAY, BROUGHT UP BY FEMALES, EXCLUDED FROM MALES, NOT GET ALONG WITH MALE PEERS, LOOK FEMININE AS CHILD):  CODED SAME AS COLUMN 42
51	DESIRE FOR LOVE, COMPANIONSHIP, AFFECTION: CODED SAME AS COLUMN 42

# MALE HOMOSEXUAL BEHAVIOR (CARD 4 OF 4) REASONS FOR SUBJECT'S HOMOSEXUAL HISTORY, ACCORDING TO SUBJECT

COLUMN	CODE
52	FEAR OF HETEROSEXUALITY (FEAR OF PREGNANCY, VD, AVOID MARITAL RESPONSIBILITY, FEAR OF FEMALE GENITALS, OF FAILURE IN HETEROSEXUALITY):  CODED SAME AS COLUMN 42
53	BORN HOMOSEXUAL:  1 = NOT MENTIONED  2 = BORN HOMOSEXUAL  3 = UNKNOWN IF BORN HOMOSEXUAL  4 = NOT BORN HOMOSEXUAL  9 = UNKNOWN
54	CIRCUMSTANCES OF ASSOCIATION (FELL IN WITH A HOMOSEXUAL GROUP, HOMOSEXUAL FRIENDS):  CODED SAME AS COLUMN 42
55	MORAL DEFECT (LAZY, EASY LIFE, WEAK CHARACTER, MONEY, IMMATURITY):  CODED SAME AS COLUMN 42
56	POOR SEX EDUCATION: CODED SAME AS COLUMN 42
57	OTHER REASONS:  CODED SAME AS COLUMN 42, EXCEPT  3 = HOMOSEXUALITY AVAILABLE (LESS  COMPLICATED, EASIER TO FIND)
58-59	PERCENTAGE OF MALES IN U.S. WITH HOMOSEXUAL HISTORY (REGARDLESS OF DEGREE OF EXPERIENCE):  00 = NONE 01 = 1% ETC. 97 = 97% OR GREATER 98 = SUBJECT DOES NOT KNOW 99 = UNKNOWN
60	ARE THERE MORE MALES OR FEMALES WITH HOMOSEXUAL HISTORIES:  1 = MALES MORE THAN FEMALES 2 = MALES EQUAL TO FEMALES 3 = MALES LESS THAN FEMALES 8 = SUBJECT DOES NOT KNOW 9 = UNKNOWN

### MALE HOMOSEXUAL BEHAVIOR (CARD 4 OF 4)

COLUMN	CODE
61	ARE THERE MORE BLACKS OR WHITES WITH HOMOSEXUAL HISTORIES:
	1 = WHITES MORE THAN BLACKS 2 = WHITES EQUAL BLACKS
	3 = WHITES LESS THAN BLACKS 8 = SUBJECT DOES NOT KNOW 9 = UNKNOWN

COLUMN	CODE
1-2	CARD NUMBER: 50 = FEMALE
3-7	CASE HISTORY NUMBER:
8	TYPE OF PROSTITUTION EXPERIENCE: TRANSFERRED FROM CARD 22, COLUMN 60
9	EXTENT OF RECORD:  1 = RECORD ON FIRST PAGE ONLY 2 = RECORD ON SEPARATE SHEET
10-11	AGE AT FIRST PROSTITUTION (POSTPUBERTAL):  CODE ACTUAL AGE  99 = UNKNOWN
12-13	MINIMUM RANGE OF PRICE (EXCLUDING GIFTS):  01 = \$1 OR LESS  98 = \$98 OR MORE  99 = UNKNOWN
14-15	MAXIMUM OF RANGE OF PRICE:  CODED SAME AS COLUMNS 12-13
GIVEN HERE, WAS AVERAGED AND RO	
18-19	AGE OF FIRST CLIENT:  CODE ACTUAL AGE  98 = UNKNOWN, BUT OLDER THAN SUBJECT  99 = UNKNOWN
20	CIRCUMSTANCES OF FIRST PROSTITUTION:  1 = ECONOMIC (NEEDED MONEY)  2 = ASSOCIATION (FRIENDS OR RELATIVES WERE PROSTITUTES OR MADAMS)  3 = MALE FRIEND ACTS AS PIMP  4 = MALE FRIEND PAID  5 = WENT INTO A HOUSE, WANTED TO BE A PROSTITUTE, UNSPECIFIED REASON  6 = FORCED  7 = DRUNK OR PARTIALLY DRUNK  8 = OTHER  9 = UNKNOWN

COLUMN	CODE	
21-22	AMOUNT OF MONEY RECEIVED FROM FIRST CLIENT (MUST BE CASH):  CODE SAME AS COLUMNS 12-13	
23	DURATION OF PROSTITUTION (COUNTED AS A FULL YEAR FOR ANY NUMBER OF TIMES IN ANY ONE YEAR):  0 = LESS THAN 12 MONTHS  1 = 1 YEAR  ETC.  8 = 8 OR MORE YEARS  9 = UNKNOWN	
24	TOTAL NUMBER EXPERIENCES AS A PROSTITUTE (IF YEARS NOT GIVEN, RECORDED WEEKLY AVERAGE):  0 = 1 - 99 TIMES  1 = 100 - 299 TIMES  2 = 300 - 599 TIMES  3 = 600 - 999 TIMES  4 = 1000 - 2999 TIMES  5 = 3000 - 5999 TIMES  6 = 6000 TIMES OR MORE  8 = EVIDENTLY EXTENSIVE, AMOUNT UNKNOWN  9 = UNKNOWN	
25-26	MAXIMUM FREQUENCY PER DAY: 98 = 98 OR MORE 99 = UNKNOWN	
27-28	MAXIMUM FREQUENCY PER WEEK:  CODED SAME AS COLUMNS 25-26	
29-30	MINIMUM AGE OF ALL CLIENTS:	
98 = UNKNOWN BUT OLDER THAN SUBJECT [FOR AGE CATEGORIES 99 = UNKNOWN LIKE "TEENS" OR "TWENTIES," CODED THE MIDPOINT]		
31-32	MAXIMUM AGE OF ALL CLIENTS:  CODED SAME AS COLUMNS 29-30	
33-34	MINIMUM AGE OF TYPICAL CLIENTS:  90 = MAXIMUM AGE GIVEN, BUT NO MINIMUM 98 = NO RANGE, BUT AVERAGE GIVEN	
35-36	MAXIMUM AGE OF TYPICAL CLIENTS:  CODED SAME AS COLUMNS 33-34, EXCEPT  90 = MINIMUM AGE GIVEN, BUT NO MAXIMUM	

COLUMN	CODE
37-38	PERCENTAGE OF CLIENTS WHO RETURN:  00 = NONE  01 = 1%  ETC.  98 = 98% OR MORE  99 = UNKNOWN
39	LONGEST RELATIONSHIP WITH ANY CLIENT:  0 = LESS THAN 6 MONTHS  1 = 6 MONTHS TO LESS THAN 1 YEAR  2 = 1 \leq YEARS \leq 2  3 = 2 \leq YEARS \leq 3  4 = 3 \leq YEARS \leq 4  5 = 4 \leq YEARS \leq 5  6 = 5 YEARS OR MORE  9 = UNKNOWN
40-41	PERCENTAGE OF CLIENTS MARRIED: CODED SAME AS COLUMNS 37-38
42-43	PERCENTAGE OF CLIENTS WITH WHOM SUBJECT HAD MUTUAL LIKING:  CODED SAME AS COLUMNS 37-38
44-45	PERCENTAGE OF CLIENTS WHO WERE VIRGINS: CODED SAME AS COLUMNS 37-38
46	DOES THE SUBJECT LIKE VIRGIN CLIENTS:  0 = NEVER VIRGIN CLIENT  1 = NO  2 = LITTLE  3 = SOME  4 = MUCH  5 = AMBIVALENT COMMENT  9 = UNKNOWN
47	PERCENTAGE OF CLIENTS IN GRADE SCHOOL AT THE TIME:  1 = 0% = NONE  2 = 1-19% = FEW  3 = 20-59% = SOME  4 = 60-100% = MOST  5 = AMBIVALENT COMMENT  8 = SOME, AMOUNT UNKNOWN  9 = UNKNOWN
48	PERCENTAGE OF CLIENTS IN HIGH SCHOOL AT THE TIME: CODED SAME AS COLUMN 47
49	PERCENTAGE OF CLIENTS IN COLLEGE AT THE TIME: CODED SAME AS COLUMN 47

COLUMN	CODE
50	PERCENTAGE OF CLIENTS WHO WERE HIGH SCHOOL OR COLLEGE TEACHERS:  CODED SAME AS COLUMN 47
51	PERCENTAGE OF CLIENTS WHO WERE PHYSICIANS OR DENTISTS:  CODED SAME AS COLUMN 47
52	PERCENTAGE OF CLIENTS WHO WERE LAWYERS OR JUDGES: CODED SAME AS COLUMN 47
53	PERCENTAGE OF CLIENTS WHO WERE CLERGY, PRIESTS, OR RABBIS:  CODED SAME AS COLUMN 47
54	PERCENTAGE OF CLIENTS WHO WERE ACTORS, ARTISTS, OR MUSICIANS:  CODED SAME AS COLUMN 47
55	PERCENTAGE OF CLIENTS WHO WERE BUSINESSMEN: CODED SAME AS COLUMN 47
56	PERCENTAGE OF CLIENTS WHO WERE UNSKILLED TO SKILLED LABOR (INCLUDE POLICE AND DETECTIVES):  CODED SAME AS COLUMN 47
57	PERCENTAGE OF CLIENTS WHO WERE IN MILITARY SERVICE: CODED SAME AS COLUMN 47
58	PERCENTAGE OF CLIENTS WHO WERE WHITE: CODED SAME AS COLUMN 47
59	PERCENTAGE OF CLIENTS WHO WERE BLACK: CODED SAME AS COLUMN 47
60	PERCENTAGE OF CLIENTS WHO WERE OF OTHER RACES: CODED SAME AS COLUMN 47
61	PERCENTAGE OF CLIENTS TO WHOM SUBJECT WAS INTRODUCED:
[AGENTS INCLUDE CALL-GIRL, CALI BELLHOP, AND OT	CODED SAME AS COLUMN 47
62	HAS SUBJECT EVER WORKED AS A MADAM:  1 = NO 2 = YES 3 = UNKNOWN

	( (
COLUMN	CODE
63	PERCENTAGE OF PROSTITUTION DONE IN AN ESTABLISHED BROTHEL:  CODED SAME AS COLUMN 47
64	PERCENTAGE OF PROSTITUTION DONE BY STREET SOLICITATION:
[INCLUDES TAVER AND SOLICITATIO OTHER PUBLIC PL	N CODED SAME AS COLUMN 47 N IN
65	PERCENTAGE OF THOSE SOLICITED WHO ACCEPTED: CODED SAME AS COLUMN 47
66	PERCENTAGE OF THOSE SOLICITED WHO CAUSED TROUBLE: CODED SAME AS COLUMN 47
Т	ECHNIQUES USED BY SUBJECT ON CLIENT
67	KISSING: CODED SAME AS COLUMN 47
68	DEEP KISSING:  CODED SAME AS COLUMN 47
69	KISSING OF BODY:  CODED SAME AS COLUMN 47
70	TONGUE BATH: CODED SAME AS COLUMN 47
71	HAND ON MALE BREAST: CODED SAME AS COLUMN 47
72	MOUTH ON MALE BREAST: CODED SAME AS COLUMN 47
73	HAND ON SCROTUM: CODED SAME AS COLUMN 47
74	MOUTH ON SCROTUM: CODED SAME AS COLUMN 47
75	HAND ON PENIS:  CODED SAME AS COLUMN 47
76	MOUTH ON PENIS: CODED SAME AS COLUMN 47

# FEMALE PROSTITUTE (CARD 1 OF 2) TECHNIQUES USED BY SUBJECT ON CLIENT

COLUMN	CODE
77	PERCENTAGE OF TIME SUBJECT SWALLOWS SEMEN:  CODED SAME AS COLUMN 47, EXCEPT  0 = NEVER "MOUTH ON PENIS"
78	PERCENTAGE OF TIME SUBJECT SPITS OUT SEMEN: CODED SAME AS COLUMN 47, EXCEPT 0 = NEVER "MOUTH ON PENIS"
79	ANALINCTUS:  CODED SAME AS COLUMN 47
80	FLAGELLATION: CODED SAME AS COLUMN 47

COLUMN	CODE
1-2	CARD NUMBER: 52 = FEMALE
3-7	CASE HISTORY NUMBER:
	TECHNIQUES USED BY CLIENT ON SUBJECT
8	BODY CONTACT:  1 = 0% = NONE  2 = 1-19% = LITTLE  3 = 20-59% = SOME  4 = 60-100% = MUCH  8 = SOME, AMOUNT UNKNOWN  9 = UNKNOWN
9	KISSING: CODED SAME AS COLUMN 8
10	DEEP KISSING: CODED SAME AS COLUMN 8
11	HAND ON FEMALE BREAST:  CODED SAME AS COLUMN 8
12	MOUTH ON FEMALE BREAST:  CODED SAME AS COLUMN 8
13	HAND ON FEMALE GENITALIA:  CODED SAME AS COLUMN 8
14	MOUTH ON FEMALE GENITALIA:  CODED SAME AS COLUMN 8
15	HOW OFTEN DOES MOUTH ON FEMALE GENITALIA CAUSE SUBJECT TO HAVE ORGASM:  0 = NEVER "MOUTH ON GENITALIA"  1 = 0% = NEVER  2 = 1-19% = SELDOM  3 = 20-59% = OCCASIONALLY  4 = 60-100% = OFTEN  8 = OCCURS, AMOUNT UNKNOWN  9 = UNKNOWN
16	ANAL COITUS: CODED SAME AS COLUMN 8
17	FLAGELLATION:  CODED SAME AS COLUMN 8

# FEMALE PROSTITUTE (CARD 2 OF 2) TECHNIQUES USED BY CLIENT ON SUBJECT

COLUMN	CODE
18-19	AVERAGE FREQUENCY OF SUBJECT'S ORGASM WITH CLIENT (PER WEEK):  00 = NONE, NEVER 01 = 1 PER WEEK ETC.  90 = 90 OR MORE PER WEEK 91 = 1-3 PER YEAR (RARE) 92 = 4-11 PER YEAR 93 = 1 PER MONTH 94 = MORE THAN 1 PER MONTH, BUT LESS THAN 1 PER WEEK 95 = SELDOM 96 = SOMETIMES 97 = OFTEN OR ALWAYS 98 = ORGASM, UNKNOWN AMOUNT 99 = UNKNOWN

#### POSITIONS USED

20	MALE AF		SAME	AS	COLUMN	8
21	FEMALE			AS	COLUMN	8
22	SIDE:	CODED	SAME	AS	COLUMN	8
23	SIT:	CODED	SAME	AS	COLUMN	8
24	STAND:	CODED	SAME	AS	COLUMN	8
25	MUTUAL				(69): COLUMN	8
26	OTHER:	CODED	SAME	AS	COLUMN	8

COLUMN	CODE
27	GROUP CONTACTS (DOES NOT INCLUDE EXHIBITIONS):  0 = NEVER  1 = MORE FEMALES THAN MALES  2 = MORE MALES THAN FEMALES  3 = SAME NUMBERS  4 = 1+2  5 = 1+2+3  8 = DID, UNKNOWN NUMBER OF PARTNERS  9 = UNKNOWN
28	NUMBER OF GROUP CONTACTS:  0 = NEVER  1 = 1 - 3 TIMES  2 = 4-10  3 = 11 OR MORE TIMES  8 = DID, UNKNOWN NUMBER OF TIMES  9 = UNKNOWN
29-30	AGE FIRST GAVE PAID EXHIBITION:  CODE ACTUAL AGE  98 = DID, AGE UNKNOWN  99 = UNKNOWN
31	EMBARRASSED AT FIRST EXHIBITION:  1 = NO 2 = LITTLE 3 = SOME 4 = MUCH 8 = EMBARRASSED, UNKNOWN AMOUNT 9 = UNKNOWN
32	EMBARRASSED AS A GENERAL RULE: CODE SAME AS COLUMN 31
33	TOTAL YEARS OF EXHIBITION:  0 = LESS THAN 1 YEAR  1 = 1 YEAR TO LESS THAN 2 YEARS  ETC.  9 = UNKNOWN
34-35	TOTAL NUMBER TIMES EXHIBIT:  01 = 1  ETC.  98 = 98 OR MORE  99 = UNKNOWN

### <u>COLUMN</u> <u>CODE</u>

[TAKE MIDPOINT OF RANGE IF NOT	AVERAGE PAY FOR EXHIBITION:  01 = \$1  ETC.  97 = \$97 OR MORE  98 = RANGE TOO LARGE TO AVERAGE  99 = UNKNOWN
38	TECHNIQUES EVER USED IN EXHIBITION:  0 = NUDITY OR MASTURBATE ONLY, INCLUDING SHOWS WHERE SEX ACTS WERE FAKED  1 = MALE MOUTH ON FEMALE GENITALIA  2 = COITUS  3 = FEMALE MOUTH ON FEMALE GENITALIA  4 = 1+2  5 = 1+3  6 = 2+3  7 = 1+2+3  8 = 1+2+3+ MALE HOMOSEXUALITY  9 = UNKNOWN
39	PERCENTAGE OF "HOUSE TAKE":  0 = NO PAY, OR NEVER HOUSE  1 = 1-9%  2 = 10-19%  3 = 20-39%  4 = 40-59%  5 = 60-69%  6 = 70% OR MORE  8 = PAID, UNKNOWN PERCENTAGE  9 = UNKNOWN IF PAID OR IF IN HOUSE
40	PERCENTAGE TO BOYFRIEND OR AGENT: CODED SAME AS COLUMN 39
41	EVER PAY POLICE:  1 = NEVER 2 = HOUSE OR PIMP PAID 3 = SUBJECT PAID LESS THAN 15 TIMES 4 = SUBJECT PAID 15 OR MORE TIMES 5 = SUBJECT PAID IN TRADE 6 = SUBJECT GAVE GIFTS OR OTHER GOODS 8 = SUBJECT PAID, TIMES UNKNOWN 9 = UNKNOWN
42	PERCENTAGE OF MALE CLIENTS ROBBED OR ROLLED: CODED SAME AS COLUMN 39

COLUMN	CODE
43	TROUBLE WITH FRIENDS:  1 = NONE 2 = LITTLE 3 = SOME 4 = MUCH 8 = SOME, AMOUNT UNKNOWN 9 = UNKNOWN
44	TROUBLE WITH RELATIVES:  CODED SAME AS COLUMN 43
45	TROUBLE WITH POLICE:  CODED SAME AS COLUMN 43
46	PERCENTAGE OF FEMALE FRIENDS WHO WERE HUSTLING: CODED SAME AS COLUMN 43
47	PERCENTAGE OF MALE FRIENDS WHO WERE FORMER CUSTOMERS:  CODED SAME AS COLUMN 43
48	EXAMINE PENIS BEFORE INTERCOURSE:  CODED SAME AS COLUMN 43
49	PERCENTAGE OF TIMES THE CUSTOMERS WORE CONDOMS: CODED SAME AS COLUMN 43
50	HOW OFTEN IS MALE PENIS WASHED AFTER INTERCOURSE: CODED SAME AS COLUMN 43
51	HOW OFTEN HAS SUBJECT BEEN PREGNANT BY CUSTOMER:  0 = NONE 1 = ONCE 2 = TWICE ETC. 7 = 7 OR MORE TIMES 8 = PREGNANT, TIMES UNKNOWN 9 = UNKNOWN
52	PRECAUTIONS TAKEN TO PREVENT VD:  1 = NONE 2 = DOUCHE (WITH CHEMICAL, NOT JUST WATER) 3 = CONDOM 4 = JELLY 5 = WASH (WITH OR WITHOUT CHEMICAL) 6 = OTHER 7 = COMBINATION 8 = CHEMICAL MENTIONED, UNKNOWN IF DOUCHE OR WASH 9 = UNKNOWN

COLUMN	<u>CODE</u>
53	DOES THE SUBJECT ENJOY THE VARIATIONS OF SEXUAL TECHNIQUES AND/OR PARTNERS:  CODED SAME AS COLUMN 43
54	DOES THE SUBJECT REGRET HER PROSTITUTION:  CODED SAME AS COLUMN 43
55	WILL THE SUBJECT CONTINUE TO HUSTLE IN THE FUTURE:  1 = NO 2 = DOUBT 3 = YES 4 = YES, WITH A QUALIFYING REMARK (FOR A CERTAIN TIME, AMOUNT OF MONEY, ETC.) 9 = UNKNOWN
56	ADVICE SUBJECT WOULD GIVE TO YOUNG GIRL WHO HAD BEGUN TO HUSTLE:  1 = SHOULD NOT DO, NEGATIVE COMMENT 2 = UP TO HER, INDIFFERENT 3 = SHOULD DO, POSITIVE COMMENT 9 = UNKNOWN

#### WHAT LED SUBJECT TO PROSTITUTION OR TO CONTINUE PROSTITUTION

57	MONEY:  1 = NOT MENTIONED  2 = NO OR NOT A VERY LARGE FACTOR  3 = YES  4 = YES WITH COMMENT, "EASY MONEY"
58	FRIENDS OR RELATIVES WERE PROSTITUTES OR MADAMS:  1 = NOT MENTIONED  2 = NO OR NOT A VERY LARGE FACTOR  3 = YES
59	LIKE LIFE AS PROSTITUTE (SEX, DIFFERENT MALES, SOCIAL CONTACT, FAST LIFE, ETC.):  CODED SAME AS COLUMN 58
60	BAD FAMILY ASSOCIATION:  CODED SAME AS COLUMN 58
61	TO LEARN, EXPERIMENTATION:  CODED SAME AS COLUMN 58
62	BECAUSE OF MALE FRIEND (PIMP, HUSBAND, ETC.):  1 = NOT MENTIONED  2 = MALE WANTED  3 = TO SPITE MALE

#### WHAT LED SUBJECT TO PROSTITUTION OR TO CONTINUE PROSTITUTION

COLUMN	CODE
63	FORCED INTO BY:  1 = NOT MENTIONED 2 = BOYFRIEND, PIMP 3 = HUSBAND 4 = POLICE 5 = FAMILY (INCLUDED ARE IMMEDIATE FAMILY - PARENTS AND SIBLINGS) 6 = GIRLFRIEND 8 = OTHER (INCLUDED ARE RELATIVES OTHER THAN IMMEDIATE FAMILY) 9 = COMBINATION OF ABOVE
64	OTHER MENTIONED:  1 = NOT MENTIONED  2 = OTHER
65	PARAPHILIA EXPERIENCE ASIDE FROM SADOMASOCHISM:  1 = NONE OR NOT MENTIONED  2 = FETISH (INCLUDE PARADE NUDE FOR MALE WHO DOES NOT HAVE CONTACT)  3 = SCATOLOGY (URINATION OR DEFECATION)  4 = OTHER  5 = COMBINATION
66	SADOMASOCHISM:  1 = NO, OR NONE MENTIONED  2 = YES

### **APPENDIX**

# INTERVIEW SOURCES: CONFIDENTIAL PERSONAL NAMES HAVE BEEN REDACTED IN THIS PUBLIC VERSION

001	Miderson
002	'Anderson High School'
004	'Anderson YWCA'
007	'Brooklyn PTA'
800	'Bloomington homosexuals'
009	'Brooklyn College students'
010	'Brooklyn College faculty and staff'
011	'Brooklyn College students, groups 1 and 2 ( 's experimental groups)'
012	'Brooklyn (unknown group)'
013	'Bloomington miscellaneous and problem cases who volunteered'
016	'Bloomington visitors (i.e. persons visiting the Institute or Kinsey)'
018	'Baltimore'
020	'Bradley students'
021	'Bradley (unknown group)'
022	'Bradley Lambda Chi Alpha fraternity'
023	'Bradley Sigma Phi fraternity'
024	'Buffalo'
025	'Buffalo psychologists'
026	'Bloomington interviews'
027	'Buffalo. Roswell Hospital cancer patients"
091	'Chicago. Roosevelt University faculty and staff'
102	'Chicago Clinic (probably psychologists)'
103	'Chicago homosexuals or from them'
105	'Chicago. U. of Illinois Medical School'
113	'Chicago miscellaneous'
116	'Chicago. Jewish philanthropic organization'
118	'Chicago. Psychiatric or psychology staff'
119	'Chicago Pestalozzi School'
120	'Chicago. Randall House, a home for delinquent Black youth'
122	'Chicago. (contact person)'
125	'Chicago Salvation Army'
126	'Chicago YWCA'
127	'Chicago social workers'
128	'Chicago social workers orphans home'
129	'Chicago University'
121	'Chicago. (contact person)'
133	'Chicago University sociology students'
135	'Chicago. Parent-Teachers Association of University of Chicago private school'
136	'Unknown'
137	'Chicago. (contact person)'
138	'Chicago. Science Research Associates'
139	'Chicago. (contact person)'

'Anderson'

001

140 'Chicago transvestites' 141 'Chicago. (contact person)' 'Chicago. Illinois Institute of Technology' 142 143 'Chicago. (contact person)' 145 'Chicago. Parkway (a settlement house for Blacks)' 146 'Chicago. (contact person)' 'Chicago. Personal (probably people with problems who volunteered)' 148 149 'Chicago. Urban League' 150 'Coldwater. (A mental institution in Coldwater, Michigan. Patients)' 152 'Coldwater Institution staff' 153 'Chicago Hi Y Club' 154 'Chicago. Francis Parker School' 155 'Cleveland miscellaneous' 'Cleveland Social Workers' 156 'Cleveland. The Health Museum of Cleveland' 157 159 'Chicago. Roosevelt College' 160 'Chicago. George Williams College' 'Chicago. George Williams College faculty' 161 169 'Cincinnati psychiatrists' 170 'Columbus, Indiana. Miscellaneous' 178 'Washington, D.C. Howard University students' 179 'Persons derived less directly from 178' 180 'Washington, D.C. Miscellaneous' 181 'Washington, D.C. Black nurses from Howard U. Medical School' 182 'Washington, D.C. press (journalists)' 183 'Edinburgh, Indiana. Miscellaneous' 185 'Elkhart, Indiana. Friends and relatives of 187 'Elkhart, Indiana YMCA' 188 'Persons who wrote, asking to be interviewed or counseled' 189 'District of Columbia. Radio studio staff' 191 'Franklin, Indiana' 192 'Elkhart, Indiana. Miscellaneous interviews' 194 'District of Columbia. National Research Council' 196 'District of Columbia. Howard University faculty' 200 'Gary, Indiana' 'Greystone. Patients in New York mental hospital (Greystone)' 203 204 'Greystone. Staff' 210 'Hitchhikers' 212 'Hays College, Kansas' 218 'Headmasters of private schools attending an annual convention in Princeton, N.J.' 230 'Indianapolis' 232 'Indianapolis. (contact person)' 233 'Indianapolis. (contact person)' 234 'Indianapolis. (contact person)' 'Indianapolis. Hiawatha (house for juvenile delinquents)' 236 239 'Indianapolis. Indiana University Extension' 245 'Indianapolis YMCA' 250 'Indiana State Farm. Penal farm, inmates'

253

301

302

'Indiana State Farm. Staff'

'Indiana University. Staff and wives'

'Indiana University. Students in Army program'

- 303 'Indiana University. Army medical students'
- 306 'Indiana University. Acacia fraternity'
- 307 'Indiana University. A fraternity'
- 314 'Indiana University. Chemistry students'
- 315 'Indiana University. Conscientious objectors'
- 316 'Indiana University. Girl's dormitory'
- 317 'Indiana University. Men's dormitory'
- 318 'Indiana University. Entomology class'
- 320 'Indiana University. 's class'
- 321 'Indiana University. Faculty and wives'
- 324 'Indiana University. Hillel Foundation'
- 325 'Indiana University. Home economics'
- 327 'Indiana University. House #4'
- 328 'Indiana University. House #5'
- 330 'Indiana University. Kappa Sigma'
- 'Indiana University. 's graduate students'
- 350 'Indiana University. Medical students'
- 351 'Indiana University. Methodist group'
- 352 'Indiana University. Black females (students)'
- 354 'Indiana University. (contact person)'
- 355 'Indiana University. 's marriage course students'
- 358 'Indiana University. National Youth Administration'
- 359 'Indiana University. Psychology classes'
- 360 'Indiana University. Campus police'
- 363 'Indiana University. Phi Psi fraternity'
- 365 'Indiana University. Pi Lambda Phi'
- 366 'Indiana University. (contact person)'
- 368 'Indiana University. Speech and hearing clinic'
- 370 'Indiana University. Sigma Alpha Mu fraternity'
- 371 'Indiana University. Sigma Delta Tau fraternity'
- 372 'Indiana University. Sigma Nu fraternity'
- 373 'Indiana University. Sigma Chi fraternity'
- 380 'Indiana University. Sigma Pi fraternity'
- 381 'Indiana University. Sociology students'
- 383 'Indiana University. (unknown)'
- 386 'Indiana University. Veterans'
- 388 'Indiana University. Zoology classes'
- 389 'Indiana University. Persons with problems who volunteered'
- 390 'Indiana University. Indiana Memorial Union'
- 391 'Indiana University. Kappa Delta Rho fraternity'
- 392 'Indiana University. Counselors'
- 400 'Indiana Women's Prison. Inmates'
- 401 'Indiana Women's Prison. Staff'
- 419 'Los Angeles artist group'
- 420 'Kansas University'
- 421 'Los Angeles miscellaneous interviews'
- 423 'Los Angeles photographers group'
- 425 'Los Angeles homosexual group'
- 426 'Los Angeles police'
- 427 'Los Angeles. (contact person)'
- 428 'Los Angeles transvestites'

```
429
       'Los Angeles Mattachine Society'
431
       'Louisville, Kentucky police academy'
439
       'Boston and Cincinnati miscellaneous interviews'
440
       'Miami, Florida. YWCA'
441
       'Mishewauka Orphans Home. Orphans and staff'
442
       'Miami, Florida. Unitarian Church'
443
       'Miami, Florida. PTA'
444
       'Miami, Florida. Methodist Church'
445
       'Miami, Florida. Miscellaneous interviews (mainly via YWCA)'
446
       'Miami, Florida. Marriage counselors'
447
       'Miami, Florida. YMCA'
448
       'Miami, Florida. YWCA. Business Women's Club'
449
       'Miami, Florida. YMCA. Special group (NS) (unknown)'
450
       'Nicodemus, Kansas. Rural Black group'
451
       'Miami, Florida. YWCA or YMCA. Special group (MT) (unknown)'
452
       'Miami, Florida. United Service Organization'
492
       'New York City. Women's Conference group'
493
       'New York City. Sex offenders'
497
       'New York City. Ethical Culture group'
498
       'New York City. Columbia University faculty'
500
       'New York City.
                                (contact person)'
       'New York City. American Museum of Natural History'
501
502
       'New York City. Artists'
503
       'New York City. Academy of Medicine'
504
       'New York City. Bellevue Hospital (patients)'
505
       'New York City. Bellevue Hospital medical students and staff'
507
       'New York City.
                                (contact person)'
508
       'New York City.
                                (contact person)'
514
       'New York City. Florence Crittenton Home for unwed mothers. Inmates'
515
       'New York City. Florence Crittenton Home. Staff'
518
       'New York City. Magazine editors and publishers'
519
       'New York City. Ladies Home Journal staff'
520
       'New York City. Communist group
521
       'New York City. Flowers Hospital'
525
       'New York City. Homosexuals'
540
       'New York City (and Chicago). Time-Life staff'
541
       'New York City. Unknown contact person'
543
       'New York City.
                                (contact person)'
544
       'New York City.
                                (contact person)'
                                (contact person). Patients'
547
       'New York City.
       'New York City. Miscellaneous interviews'
548
549
       'New York City. Marriage counselors'
559
       'New York City.
                               's patients'
551
       'New York City. National Research Council'
552
       'New York City.
                                (contact person)'
554
       'New York City.
                                (contact person). Mainly patients'
555
       'New York City.
                                (contact person). Mainly patients'
556
       'New York City.
                                Patients and staff
557
       'New York State Psychiatric Institute'
```

(contact person)'

(contact person)'

558

559

'New York.

'New York.

- 'New York City. Hamilton Nursery School'
- 'New York. Woman's Reformatory. Inmates'
- 'New York. Woman's Reformatory. Staff'
- 565 'New York University Medical School'
- 'New York. Rockland (mental hospital). Patients'
- 567 'New York. Rockland. Staff'
- 'New York City. (contact persons)'
- 569 'New York. (contact person)'
- 570 'New York. International Ladies Garment Workers Union'
- 'New York City. Julliard School of Music. Students. (Faculty = #598)'
- 573 'New York City. (Unknown)'
- 'New York City. Photographers'
- 575 'New York City. Theatrical group. Mainly casts of several plays'
- 576 'New York City. (contact person)'
- 578 'New York City. (contact person)'
- 579 'New York City. Transvestites'
- 581 'New York. Hospitals'
- 'New York City. (unknown contact person)'
- 586 'New York City. Psychiatrists'
- 589 'New York City. (female contact person)'
- 590 'New York City. Woman Pays Club (professional women's club)'
- 592 'New York City. Journalists'
- 593 'New York City. Interviews derived from marriage counselors (#549)'
- 596 'New York City. Psychologists'
- 597 'New York City. Salvation Army'
- 598 'New York City. Julliard School of Music. Faculty'
- 'Ohio Bureau of Juvenile Research. Juvenile detention inmates'
- 'Ohio Bureau of Juvenile Research. Staff'
- 609 'Paraplegics'
- Peoria. Chiefly high school students interviewed by
- 624 'Pennsylvania. Marriage Counselors'
- 632 'Philadelphia. Sheltering Arms (house for girls). Staff'
- 'Philadelphia. Sheltering Arms. Inmates'
- 634 'Philadelphia. Children's Hospital. Staff'
- 635 'Philadelphia. Conscientious objectors'
- 'Philadelphia. Homosexuals'
- 'Philadelphia. Bryn Mawr'
- 'Philadelphia. Drexel Institute'
- 651 'Philadelphia. (Unknown)'
- 653 'Philadelphia. Hahnemann Hospital'
- 655 'Philadelphia'
- 657 'Philadelphia'
- 'Philadelphia. Persons attending the first Wistar Institute meeting'
- 'Philadelphia. Black physicians'
- 'Philadelphia. Miscellaneous interviews'
- 666 'Philadelphia. Marriage counselors'
- 671 'Philadelphia. Psychologists'
- 672 'Philadelphia. Frederick Douglass Memorial Hospital [for Blacks, 1945]'
- 'Philadelphia. Pinehurst, conscientious objectors'
- 676 'Philadelphia. Pennsylvania State Hospital'
- 677 'Philadelphia. Pennsylvania State Hospital conscientious objectors'

- 'Philadelphia. Woman's Medical College'
  'Philadelphia. (unknown)'
  'Philadelphia. Problem cases who volunteered'
  'Philadelphia. Psychiatrists'
  'Philadelphia. Psychologists'
  'Philadelphia. Private High School, probably the Friends School'
- 693 'Philadelphia. Registered nurses'
- 'Philadelphia. Quakers marriage counselors''Philadelphia. Salvation Army Home. Staff'
- 'Philadelphia. Salvation Army Home. Staff''Philadelphia. Salvation Army Orphans Home. Includes staff'
- 701 'Philadelphia. Salvation Army Social Service Center. Clients' 'Philadelphia. Salvation Army Social Service Center. Staff'
- 703 'Philadelphia. (unknown)'
- 705 'Philadelphia. (female contact person)'
- 707 'Philadelphia. Swarthmore'
- 710 'Philadelphia. Temple University'
- 712 'Philadelphia. Temple University. Psychologists'
- 713 'Philadelphia. Temple University. Marriage counselors'
- 714 'Philadelphia. Temple University. Medical School'
- 715 'Philadelphia. Temple University. Faculty and staff'
- 716 'Philadelphia. University of Pennsylvania'
- 725 'Philadelphia'
- 727 'Philadelphia. University of Pennsylvania. Conscientious objectors'
- 728 'Philadelphia. University of Pennsylvania'
- 729 'Philadelphia. University of Pennsylvania'
- 730 'Philadelphia. University of Pennsylvania. Faculty and staff'
- 732 'Philadelphia. University of Pennsylvania Hospital. Includes staff'
- 734 'Philadelphia. University of Pennsylvania. Marriage counselors'
- 735 'Philadelphia. University of Pennsylvania Medical School'
- 736 'Philadelphia. University of Pennsylvania. Registered nurses'
- 738 'Philadelphia. University of Pennsylvania. Sociology students'
- 743 'Philadelphia. University of Pennsylvania. Zoology students'
- 745 'Philadelphia. VD Clinic'
- 747 'Philadelphia. Veterans Administration Clinic'
- 770 'Purdue University. Students'
- 771 'Purdue University. Faculty'
- 772 'Purdue University. Marriage counselors'
- 773 'Purdue University. (Unknown fraternity)'
- 794 'San Francisco. Police'
- 795 'San Francisco. Homosexuals'
- 796 'San Francisco. Sex offenders'
- 797 'San Francisco. Artists'
- 798 'San Francisco. 's patients and some friends and staff'
- 799 'San Francisco. Prostitutes (chiefly 's girls)'
- 801 'San Francisco. University of California. Education school'
- 802 'San Francisco. (contact person)'803 'San Francisco. Nursery school'
- 804 'San Francisco. Transvestites'
- 805 'San Francisco. Amputees'
- 807 'San Francisco. Actors (Chiefly cast of " ")
- 808 'San Francisco. Homosexuals. Mattachine Society'

- 809 'San Francisco. (contact person)'
- 810 'San Francisco. Miscellaneous interviews'
- 811 'St. Louis, Missouri. Homosexuals'
- 812 'St. Louis, Missouri'
- 820 'South Bend, Indiana'
- Persons interviewed as potential Institute staff members'
- 824 'Stanford University'
- 841 'Topeka, Kansas. Menninger Clinic'
- 'University of California, Berkeley. (Unknown fraternity)'
- 'University of California, Berkeley. Phi Kappa Tau fraternity'
- 844 'University of California, Berkeley. Marriage counselors'
- 345 'University of California, Berkeley. Students, general'
- 'University of California, Berkeley. Faculty'
- 'University of California, Berkeley. (unknown)'
- 348 'University of California, Berkeley. Cooperative house (for residence)'
- 'University of California, Berkeley. Home Economics'
- 851 'University of California, Berkeley. Social Work'
- University of California, Berkeley. Church group'
- 853 'University of California, Berkeley. Zeta Tau Alpha fraternity'
- 858 'University of North Carolina'
- Wilmington, Delaware. AAUW group (Am. Assn. Univ. Women)'
- Wilmington, Delaware. Psychiatrists'
- Wilmington, Delaware. Kruse School (delinquent Black girls). Inmates'
- Wilmington, Delaware. Kruse School. Staff
- 864 'Wilmington, Delaware'
- 868 'Wilmington, Delaware. Miscellaneous interviews'
- 880 'Yale University'
- 900 'San Quentin. Inmates'
- 901 'San Quentin. Staff'
- 902 'San Quentin. Inmate quarry workers (special random sample group)'
- 903 'San Quentin. (unknown sub-group)'
- 904 'Persons derived from San Quentin. Ex-inmates, wives, etc.'
- 905 'San Quentin. Psychopathic delinquents'
- 910 'Terminal Island, California. Prison inmates.'
- 911 'Persons derived from 910. Ex-inmates, wives, etc.'
- 915 'Folsom, California. Prison inmates'
- 920 'Chino, California. Prison inmates'
- 925 'Soledad, California. Prison inmates'
- 926 'Soledad, California. Inmates in Z wing = homosexual segregation'
- 930 'Norwalk, California. Sexual psychopaths'
- 931 'Persons derived from 930. Ex-inmates, wives, etc.'
- 934 'Persons derived from 935. Ex-inmates, wives, etc.'
- 935 'Atascadero, California. Sexual psychopaths'
- 936 'Atascadero, California. Psychopathic delinquents'
- 937 'Atascadero, California. Mentally abnormal sex offenders'
- 938 'Atascadero, California. Constitutionally inferior personality types'

#### INDEX

```
ABLE, 147
ABNORMAL, 53, 62
ABORTION, 21, 138, 145
ABSENCE, 146, 206, 218
ACADEMIC, 52, 62
ACCEPTED, 226
ACCIDENT, 22, 32, 73, 74, 82, 83, 161
ACHE, 48, 50, 59, 88, 97
ACNE, 57
ACQUAINTANCE, 71, 80, 81, 175, 182
ACTIVE, 55, 64, 67, 69, 76, 78, 79, 175, 176, 179, 182, 183, 184,
 189, 193, 197
ACTIVITY, 31, 40, 41, 42, 149, 152, 158, 161, 162, 163, 188, 190,
 196, 199, 205, 218
ACTORS, 225
ADEQUATE, 147, 148, 154
ADJUSTMENT, 10, 11, 125
ADOLESCENT, 13, 205, 218
ADOPT, 10, 148
ADVERSE, 90, 100, 183
ADVICE, 205, 218, 233
AESTHETIC, 211
AFFAIRS, 179, 194
AFFECTION, 122, 151, 155, 206, 207, 218, 219
AGENCIES, 49, 57
AGGRESSIVE, 151
ALCOHOL, 30, 39, 90, 100, 149
ALIENATION, 150
AMBIDEXTROUS, 45
AMBITIOUS, 151
AMBIVALENT, 224
AMPUTEE, 158
AMUSE, 72, 81
ANAL, 55, 59, 64, 77, 79, 82, 84, 93, 102, 130, 182, 183, 197, 198,
 228
ANALINCTUS, 227
ANGER, 21, 151
ANIMAL, 18, 19, 23, 24, 25, 26, 32, 41, 51, 54, 55, 60, 61, 63,
 64, 65, 162, 170, 173
ANNULMENT, 123
ANUS, 188, 196
APPEARANCE, 149
```

APPOSITION, 64, 68, 69, 76, 87, 96 APPROACH, 18, 25, 52, 53, 61, 63, 72, 80, 82, 174, 175, 179, 181, 182, 193 APPROVE, 52, 62, 137, 144 ARGUE, 155 ARMY, 3, 123, 166 AROUSAL, 17, 29, 30, 31, 32, 33, 38, 39, 40, 41, 52, 54, 61, 63, 67, 69, 70, 72, 76, 79, 81, 82, 90, 99, 162, 174, 181, 197, 206 ARREST, 167, 201, 205, 213, 217 ART, 2, 74, 83, 161 ARTISTS, 225 ASSAULT, 72, 80, 82 ASSOCIATION, 207, 220, 222, 233 ASYLUM, 150 ATHLETICS, 159 ATROPHY, 43, 158 ATTENTION, 148 ATTITUDES, 52, 53, 62, 217 ATTRACTION, 122, 153, 206, 219 AUNT, 9, 18, 25, 76, 80, 116 AUTHORITY, 200 AUTO, 160 AVOID, 207, 220 AWKWARD, 90, 99 BABY, 9, 42, 52, 73, 82 BARBER, 2 BARN, 110, 118, 209 BARS, 209 BARTER, 98, 121 BASEBALL, 159 BASKETBALL, 159 BASTARDY, 166 BATHS, 210, 212, 226 BEACH, 110, 118, 209, 212 BEAUTY, 2 BED, 49 BELL-HOP, 225 BEWILDERED, 21 BIBLE, 19, 25 BIGAMY, 154, 166 BINGO, 161 BIOLOGY, 19, 25 BIRTH, 1, 20, 26, 138, 145, 150, 158 BIRTHDAY, 1, 17 BIRTHPLACE, 12, 13 BITING, 31, 40, 41 BITTER, 198 BIZARRE, 50, 51, 55, 60, 61, 64, 166 BLACKMAIL, 201, 213 BLEEDING, 89, 98

```
BLIND, 158, 162
BLONDE, 210
BOAT, 110, 118, 210
BODY, 45, 55, 64, 66, 67, 159, 175, 176, 182, 184, 189, 190, 191,
198, 210, 226, 228
BOOKS, 19, 25, 48, 49, 57
BOSSY, 151
BOTTLE, 59
BOXING, 159
BRASH, 151
BREAK, 68, 70, 77, 79
BREAKDOWN, 151
BREAKUP, 138, 144
BREAST, 18, 31, 49, 86, 95, 128, 158, 175, 176, 183, 188, 192,
195, 196, 226, 228
BROTHEL, 226
BROTHER, 14, 18, 19, 25, 26, 70, 73, 74, 79, 108
BROTHER-IN-LAW, 108
BRUNETTE, 210
BUGBEE, 7
BUGGY, 110
BUILDINGS, 110, 118, 209
BULL, 64
BURLESQUE, 30, 38, 83
BURRO, 64
BUSINESS, 2, 14, 201, 213
BUSINESSMEN, 225
BUTTOCKS, 31, 40
CABIN, 110, 117, 209
CALF, 64
CALL-GIRL, 225
CALL-HOUSE, 225
CAMP, 19, 25, 74, 83, 160
CANDY, 121
CAR, 40, 109, 117, 191, 209
CAREER, 147
CARELESS, 146
CASH, 223
CAT, 55
CATHOLIC, 4, 13, 125
CENSUS, 5
CERVICAL, 111
CHANGE, 24, 112, 129, 130
CHAPLAIN, 19, 25
CHARACTER, 53, 62, 151, 205, 207, 217, 220
CHARACTERISTICS, 206, 218
CHEMICAL, 232
CHESS, 161
CHILDHOOD, 22, 28, 206, 218
CHILDREN, 125, 138, 145, 147, 148, 150, 155, 164, 167, 205, 217
```

```
CHOIR, 158
CHORES, 148
CHRISTENSON, 7
CHRISTIANS, 4
CHRONIC, 3
CHURCH, 110, 118, 148, 209
CIRCUMCISION, 42, 43, 211
CIRCUMFERENCE, 41, 42
CITY, 5
CLASS, 74, 83
CLEANLINESS, 211
CLERGY, 225
CLIENT, 175, 182, 222, 223, 224, 225, 226, 228, 229
CLIMAX, 59
CLITORIS, 49
CLOTHING, 59, 109, 117, 130, 190, 199
CLUBS, 19, 25, 159, 158, 161
COITAL, 85, 86, 88, 92, 94, 100, 104, 105, 106, 107, 113, 114, 130,
133, 137, 139, 143, 152, 153, 156, 157, 163
COITUS, 18, 23, 24, 32, 41, 42, 55, 64, 68, 69, 70, 72, 74, 75, 76,
 77, 80, 83, 84, 85, 88, 89, 90, 91, 92, 93, 94, 97, 98, 99, 100,
 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113,
 114, 115, 116, 117, 118, 119, 121, 122, 126, 127, 129, 130, 131,
 133, 134, 136, 137, 138, 139, 141, 142, 143, 144, 145, 152, 154,
 156, 157, 161, 162, 163, 165, 169, 170, 172, 173, 228
COLLEGE, 2, 14, 19, 20, 25, 26, 31, 32, 37, 73, 74, 82, 83, 126,
158, 159, 200, 212, 224, 225
COMFORT, 150
COMMERCIAL, 99, 122
COMPANIONSHIP, 207, 219
COMPLAINS, 151
COMPLEXION, 191, 210
CONDOMS, 21, 22, 27, 59, 111, 119, 135, 141, 232
CONFLICT, 90, 99, 151
CONFUSED, 21
CONGENITAL, 112, 135, 140
CONSCIENCE, 99
CONSCIENTIOUS, 166
CONSEQUENCES, 47, 56, 137, 144
CONSERVATIVE, 4, 126
CONTRACEPTION, 111, 112, 118, 119, 134, 135, 140, 141, 153
CONVEYANCES, 212
CONVICTIONS, 166, 167, 201, 213
COOKING, 147, 160
CORONA, 42
COSMETICS, 158, 216
COUNSELORS, 19, 25
COURTHOUSE, 110, 118, 209
COUSIN, 18, 25, 68, 70, 73, 76, 79, 82, 108, 116
COW, 64
CRAFT, 161
```

```
CRASS, 150
CRAZY, 48, 57
CRIMINAL, 3
CRIPPLE, 158, 206, 218
CRITICAL, 151
CROSSLEG, 49
CROSS-EYED, 158
CRUDE, 150
CRUEL, 152
CULTURAL, 148
CULTURE, 74, 83
CUNNILINGUS, 121, 152
CURIOUS, 72, 81, 82, 183
CURVATURE, 45
CUSTOMER, 88, 232
CYCLE, 33, 34, 35
DANCING, 18, 31, 40, 159
DARK, 1, 93, 103, 130, 131, 153, 190, 191, 199, 210
DAUGHTER, 82, 116
DEATH, 8, 9, 123, 146, 155
DEBATING, 159
DEBILITY, 48, 57
DECEIT, 150
DEDUCE, 18, 20, 21, 22, 25, 26, 27
DEFECATION, 234
DEFICIENCY, 147, 148
DELAY, 50, 59
DELIBERATE, 32
DENOMINATIONS, 148
DENTISTS, 225
DEPRESSED, 151
DEPRIVATION, 205, 217
DETECTIVES, 225
DETENTION, 166, 167
DEVIATION, 154
DEVOUTNESS, 4, 12, 13, 148
DIAPHRAGM, 111, 119, 135, 141
DIARIES, 167
DIFFICULTIES, 43, 154, 200, 205, 212, 217
DIM, 93, 103, 130
DIRECTION, 45, 67, 69, 76, 78, 79
DIRTY, 30, 39
DISAPPOINTMENT, 90, 99, 206
DISAPPROVAL, 53, 62
DISCHARGE, 200, 212
DISCORD, 148, 149
DISEASE, 19, 21, 25, 27, 48, 57, 122, 163
DISGUST, 29, 31, 38, 40, 48, 53, 57, 62, 86, 87, 90, 91, 92, 95,
96, 99, 101, 102, 122, 128, 129, 175, 183, 187, 195
DISLIKE, 206, 218
```

```
DISPOSITION, 151
DISTASTE, 53, 62
DIVORCE, 6, 9, 123, 146, 155
DOCTOR, 19, 25, 89, 98
DOG, 55, 64
DOGMATIC, 151
DOMINEERING, 151
DOUBT, 165, 233
DOUCHE, 49, 111, 119, 135, 141, 232
DRAG, 203, 215
DRAMA, 159, 161
DREAMS, 23, 24, 51, 52, 60, 61, 169, 172
DRESS, 203, 215
DRINK, 30, 39, 42, 149, 160
DRUGS, 149, 160
DRUMS, 30, 39
DRUNK, 90, 100, 150, 175, 182, 183, 222
DRYNESS, 33
DULL, 150
DUTIES, 147, 148
ECONOMIC, 8, 222
EDUCATION, 2, 13, 14, 18, 19, 24, 25, 26, 126, 148, 150, 207, 220
EGOTISTICAL, 150
EJACULATION, 23, 24, 42, 56, 89, 90, 92, 98, 99, 101, 129, 154,
197, 198
ELECTRA, 206
EMBARRASSED, 21, 90, 99, 183, 230
EMBEZZLER, 154
EMOTION, 52, 62, 99, 122, 151
EMPLOYEES, 3
EMPLOYMENT, 147
ENDOCRINE, 34, 36
ENEMA, 49
ENGAGED, 106, 114, 125, 132
ENVIRONMENT, 206, 219
ERECT, 40, 41, 42, 45, 76, 79
ERECTILE, 42, 154
ERECTION, 18, 22, 42, 45, 90, 99, 154
ERECTIONS, 42
EROTIC, 30, 39
ESCAPE, 150
EXECUTIVE, 3
EXHAUST, 50, 59
EXHIBITION, 72, 80, 82, 83, 161, 230, 231
EXHIBITIONIST, 74
EXPECTATION, 52, 61, 90, 99, 137, 144
EXPERIMENTATION, 153, 233
EXTRAMARITAL, 106, 108, 109, 110, 113, 116, 117, 118, 119, 120, 136,
137, 138, 141, 142, 143, 144, 145, 147, 152, 169, 170, 172, 173
EXTRAVAGANCE, 146
EXTROVERT, 1510
```

FAILURE, 111, 119, 135, 141, 206, 207, 220 FAKED, 231 FAMILY, 10, 147, 201, 206, 213, 219, 233, 234 FANTASY, 50, 51, 59, 60 FARM, 3, 161 FASTIDIOUS, 219 FATHER, 3, 8, 10, 11, 12, 13, 18, 19, 20, 25, 26, 48, 57, 74, 108, 147, 206, 218 FATIGUE, 42, 149 FEAR, 47, 48, 56, 90, 99, 122, 127, 154, 163, 175, 183, 205, 207, 218, 220 FEEBLE-MINDED, 48, 57 FELLATIO, 121, 152, 183, 197, 198 FELONY, 201, 213 FEMORAL, 182, 197 FENCING, 159 FERTILIZATION, 20, 27 FETISHISM, 154, 165, 234 FIGHT, 155 FISHING, 160 FIXATION, 206, 219 FLACCID, 41 FLAGELLATION, 227, 228 FOODSTUFFS, 121 FOOLISH, 53, 62 FOOT, 158 FOOTBALL, 159 FORCE, 166 FORESKIN, 42 FOWL, 64 FRATERNITY, 158 FRESHMAN, 2, 14, 126 FRICTATION, 66, 67, 176, 184 FUNCTION, 127 FUNDAMENTALIST, 4, 125 FURIOUS, 21 FUSSY, 151 GAGNON, 7 GAMBLING, 159 GAMES, 161 GARDENING, 161 GENETIC, 8, 9, 10, 11, 12, 13 GENITALIA, 29, 40, 68, 72, 73, 74, 79, 80, 82, 83, 86, 87, 90, 91, 92, 95, 96, 99, 101, 122, 128, 129, 136, 142, 188, 195, 196, 207, 220, 228, 231 GIFTS, 165, 214, 222, 231 GOATS, 64 GONORRHEA, 33, 44

```
GRAFENBURG, 111, 119
GRANDFATHER, 25
GRANDMOTHER, 18, 25
GRANDPARENTS, 9, 71, 80, 81
GREEDY, 150
GROIN, 88, 97
GROWTH, 18, 24
GUILT, 21, 48, 57, 90, 99, 152, 154, 167, 175, 183, 205, 217
GYMNASTICS, 159
HABIT, 57
HAIR, 17, 24, 165, 191, 203, 210, 216
HAIRLESS, 191, 210
HAIRY, 191, 210
HANDEDNESS, 45
HANGS, 43
HAPPY, 21, 125
HARD, 31, 32, 41
HARM, 50, 59
HARSH, 152
HEAD, 43
HEALTH, 149, 158
HEARING, 30, 39, 48, 56
HEIGHT, 24, 37, 45, 191, 210
HETEROSEXUALITY, 17, 21, 23, 50, 51, 60, 61, 68, 69, 70, 71, 72,
75, 76, 77, 80, 84, 85, 94, 112, 119, 162, 165, 204, 206, 207,
216, 220
HIKING, 160
HIPS, 203, 215
HITCHHIKING, 212
HOBBIES, 160, 161
HOCKEY, 159
HOMOSEXUALITY, 18, 21, 23, 24, 25, 27, 32, 50, 51, 52, 53, 60,
 61, 62, 63, 66, 67, 68, 71, 77, 78, 79, 81, 84, 154, 162, 163,
165, 170, 173, 174, 175, 176, 177, 178, 179, 181, 182, 183, 184,
185, 186, 187, 189, 190, 191, 193, 194, 197, 198, 199, 200, 201,
 202, 203, 204, 205, 206, 207, 208, 209, 212, 213, 214, 215, 216,
 217, 218, 219, 220, 221,231
HORIZONTAL, 45
HORMONALLY, 112
HORROR, 72, 81, 82
HORSE, 32, 64
HOSPITAL, 110, 118, 150, 151, 168, 171, 206, 219
HOTEL, 110, 117, 190, 209
HOUSEKEEPER, 147
HOUSEWORK, 160
HUG, 86, 95, 175, 182
HUNTING, 160
HUSBAND, 4, 9, 18, 88, 112, 137, 138, 139, 147, 233, 234
HUSTLING, 232
HYDROCELE, 44
HYGIENE, 19, 25
HYMEN, 32, 89, 98, 127
HYPOSPADIA, 43
```

ILLITERATE, 2, 126 ILLNESS, 149 IMMATURE, 53, 62, 150, 207, 220 IMMORAL, 53, 57, 62, 205, 217 IMPOTENCE, 42, 90, 99, 154 IMPRISONMENT, 166 INADEQUACY, 90, 99, 147, 151, 153 INANIMATE, 165 INCEST, 154, 166 INCOME, 147 INCOMPATIBLE, 151 INCOMPETENCE, 90, INCONSIDERATE, 150 INDIFFERENT, 72, 81, 82, 121, 137, 144, 163, 164, 191, 192, 198, 210, 211, 233 INDIVIDUAL, 159, 165 INEPT, 163 INFANTILE, 34 INFERIORITY, 122, 151, 206, 219 INHIBITIONS, 30, 39, 90, 99, 127, 206, 219 INITIATIVE, 175, 182 INJURY, 44 INSANITY, 48, 57 INSECURE, 151 INSENSITIVE, 150 INSTITUTION, 3, 5, 8, 10, 15, 19, 25, 49, 57, 151, 167, 168, 169, 171, 172, 191, 200, 210 INTELLIGENCE, 150, 167 INTERCOURSE, 20, 26, 93, 102, 130, 183, 184, 197, 198, 232 INTERFEMORAL, 184 INTROMISSION, 69, 76, 89, 92, 98, 101, 129 INTROVERT, 151 INVOLUNTARY, 123, 148, 155, 168, 171 IQ, 167 IRRESPONSIBLE, 150 IRRITABLE, 151 JAIL, 167, 201, 213 JEALOUSY, 150, 152 JEWELRY, 216 JEWISH, 4, 13, 125, 126 JOB, 3, 147, 150, 201, 205, 213, 217 JOKES, 30, 39 JUDGES, 225 JUVENILE, 166, 167, 200, 201 KINSEY, 7, 204, 216, 217 KISSING, 86, 95, 128, 175, 182, 187, 188, 195, 196, 226, 228

KNOWLEDGE, 20, 22, 26, 28, 47, 56

LABOR, 3, 225 LACROSSE, 159 LAW, 6, 123, 133, 139, 146 LAWYERS, 225 LAZY, 151, 207, 220 LEARNING, 18, 21, 25, 48, 56, 233 LEGAL, 6, 123, 133, 139, 146 LEGITIMATE, 30, 39 LENGTH, 34, 35, 36, 41, 89, 92, 98, 101, 125, 129, 131, 132, 194 LEVEL, 148 LIBERALS, 4, 125 LIMB, 158 LITERATURE, 30, 32, 39, 41 LOCATION, 43, 109, 110, 117, 118, 190, 191, 209, 211 LONELY, 205, 217 LOVE, 151, 179, 194, 197, 207, 219 LOYAL, 150 LUBRICATION, 33, 154 MADAM, 165, 222, 225, 233 MAGAZINES, 19, 25 MALADJUSTED, 152 MAMMALS, 55, 64 MANAGERIAL, 3 MARIJUANA, 160 MARINES, 166 MARRIAGE, 3, 4, 6, 9, 11, 15, 18, 48, 74, 83, 85, 88, 91, 92, 93, 94, 97, 100, 101, 102, 103, 106, 107, 108, 109, 110, 111, 112, 114, 115, 118, 119, 120, 122, 123, 124, 125, 126, 127, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 150, 155, 156, 157, 163, 164, 165, 169, 170, 172, 173, 178, 193, 205, 206, 207, 217, 218, 220, 224 MARTIN, 7 MASCULINE, 191, 207, 210, 218, 219 MASOCHISM, 154, 188, 196 MASTURBATION, 23, 24, 32, 40, 47, 48, 49, 50, 51, 54, 56, 57, 58, 59, 60, 63, 64, 65, 88, 97, 122, 169, 172, 175, 176, 182, 183, 189, 197, 198, 231 MEATUS, 43 MECHANIZATION, 3 MEDIA, 18, 19, 25 MEDICAL, 19, 74, 83, 89, 98 MEMBERSHIP, 158 MENOPAUSE, 34, 36, 112, 134, 135, 140 MENSTRUATION, 17, 20, 21, 27, 32, 33, 34, 35, 36, 127 MENTAL, 48, 57, 149, 151, 168, 171 MERCENARY, 150 MERCHANT, 166

MESSY, 90, 99 METICULOUS, 151 MILITARY, 19, 25, 137, 138, 144, 145, 150, 166, 168, 171, 200, 212, 225 MINISTER, 19, 25 MINOR, 200, 212 MIRROR, 31, 40 MISFIT, 206, 219 MONEY, 146, 207, 220, 222, 223, 233 MONOGAMY, 205, 218 MONOSEXUAL, 206, 219 MOODY, 151 MORALS, 29, 31, 38, 40, 47, 53, 56, 62, 90, 99, 163, 206, 207, 219, 220 MORBID, 53, 62 MORES, 53, 62 MOTEL, 110, 117, 191, 209 MOTHER, 8, 10, 11, 13, 14, 18, 19, 20, 25, 26, 48, 57, 83, 116, 147, 206, 219 MOTHER-IN-LAW, 116 MOUTH, 86, 87, 92, 95, 96, 101, 128, 136, 142, 188, 195, 196, 226, 227, 228, 231 MOUTH-GENITAL, 55, 64, 66, 67, 68, 69, 72, 75, 76, 77, 78, 80, 82, 84, 136, 142, 175, 176, 182, 189, 197, 198, 229 MOVIES, 19, 25, 30, 39 MUCUS, 43 MULE, 64 MUMPS, 44 MUSEUMS, 19, 25 MUSIC, 2, 30, 39, 158, 160 MUSICIANS, 225 MUSLIM, 4, 126 NARROW-MINDED, 152 NAVY, 166 BLACKS, 1, 12, 180, 194, 208, 221, 225 NEPHEW, 70, 108 NERVOUS, 88, 90, 97, 99, 151 NEUROTIC, 151 NIECE, 68, 116 NON-VIRGIN, 163 NOVELTY, 175, 183 NOWLIS, 7 NUDE, 22, 28, 29, 31, 38, 40, 80, 82, 86, 87, 95, 96, 109, 116, 117, 130, 190, 199, 234 NUDIST, 74, 83 NUDITY, 22, 28, 74, 83, 130, 153, 231 NURSING, 2, 19, 74 OBESE, 158 OCCUPATION, 3, 4

ODOR, 90, 99, 149, 211 OEDIPUS, 219 OFFENSE, 29, 31, 38, 40, 86, 87, 90, 91, 92, 95, 96, 99, 101, 102, 128, 129, 154, 166, 187, 195 OFFICE, 110, 118, 209 ONSET, 18, 24, 36 OPERATION, 3, 165 OPINION, 163 OPPORTUNITY, 127, 163 ORGASM, 23, 47, 50, 51, 52, 54, 58, 59, 60, 61, 63, 67, 70, 72, 76, 79, 81, 82, 87, 88, 89, 90, 92, 96, 97, 98, 99, 101, 102, 104, 105, 106, 128, 133, 134, 136, 139, 140, 142, 153, 169, 170, 172, 173, 174, 176, 181, 183, 184, 189, 190, 197, 198, 228, 229 ORIENTAL, 1, 180, 194 ORPHAN, 8, 10, 19, 25, 150, 162 ORTHODOX, 4, 126 OSTRACISM, 205, 217 OUTGOING, 151 OUTSIDE, 109, 117, 160, 190, 209 OVERT, 166, 206 OVERWORKED, 147 PAIN, 36, 90, 99, 154, 175, 183 PARALYSIS, 158 PARANOID, 151 PARAPHILIA, 234 PARENTS, 8, 9, 10, 11, 16, 19, 25, 71, 80, 81, 147, 150, 162, 234 PARKS, 211 PARTIES, 187, 194 PASSION, 122 PASSIVE, 55, 64, 67, 69, 76, 78, 79, 175, 176, 179, 182, 183, 184, 189, 193, 198 PATHOLOGY, 17, 34, 36, 44, 53, 62 PEEP, 74, 83, 166 PEERS, 18, 19, 24, 25, 26, 57, 200, 206, 207, 219 PENETRATION, 87, 96 PENIS, 22, 27, 40, 41, 42, 43, 45, 211, 226, 227, 232 PENSION, 3 PERFECTIONIST, 151 PERFUME, 216 PERIODICITY, 33 PERSONALITY, 150, 151 PERVERSE, 53, 62 PETTING, 18, 23, 24, 32, 70, 74, 77, 83, 85, 86, 87, 88, 91, 94, 95, 96, 97, 100, 101, 122, 127, 129, 136, 141, 142, 152, 157, 166, 169, 172, 175, 182 PHIMOSIS, 43 PHOTOGRAPHY, 30, 39, 160 PHYSICIANS, 225 PICKUPS, 192, 211 PICTURES, 19, 25, 29, 30, 32, 38, 39, 41, 159, 162

```
PIMP, 165, 222, 231, 233, 234
PLAY, 19, 25, 66, 67, 68, 69, 70, 73, 74, 75, 76, 77, 78, 79, 82,
83, 84, 128, 159, 160, 162, 175, 182, 207, 219
PLUCK, 216
POETRY, 161, 219
POKER, 162
POLICE, 201, 213, 225, 231, 232, 234
POLIO, 158
POLITICS, 159
POMEROY, 7
POOR, 3, 8, 11, 147, 158, 206, 207, 218, 219, 220
POPULAR, 30, 39
POPULATION, 5
PORNOGRAPHY, 19, 25, 162, 166
POSITIONS, 92, 102, 129, 130, 153, 157, 229
POSSESSIVE, 151
POSTMARITAL, 106, 108, 109, 110, 113, 116, 117, 118, 119, 120, 156,
157, 169, 170, 172, 173
POSTPUBERTAL, 17, 47, 48, 51, 52, 56, 61, 63, 66, 68, 70, 74, 75,
 77, 79, 83, 85, 87, 88, 94, 96, 97, 104, 108, 116, 166, 168,
171, 174, 175, 176, 177, 181, 182, 183, 184, 185, 206, 219, 222
PRACTICES, 134, 140
PRECAUTIONS, 232
PRECOITAL, 91, 100, 127, 128, 152
PREGNANCY, 20, 26, 90, 99, 110, 111, 118, 119, 127, 135, 141,
150, 154, 156, 163, 164, 207, 220, 232
PREMARITAL, 18, 74, 83, 86, 88, 91, 95, 96, 97, 100, 105, 106, 108,
109, 110, 111, 112, 113, 116, 117, 118, 119, 120, 134, 140, 147,
163, 165, 170, 173
PREMATURE, 89, 98, 129, 154
PREPUBERTAL, 23, 34, 47, 54, 56, 63, 66, 67, 68, 69, 70, 71, 72, 73,
74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 176, 183, 206, 219
PREVENT, 232
PRE-EJACULATORY, 43
PRIESTS, 19, 25, 225
PRIMITIVE, 74, 83
PRISON, 2, 10, 14, 18, 25, 42, 150, 167, 168, 169, 171, 172, 191,
200, 201, 206, 210, 212, 213, 219
PROBATION, 167, 201, 213
PROBLEMS, 148
PRODUCTION, 122
PROFESSIONAL, 3, 74, 83, 122, 147
PRONE, 49, 58
PROSTITUTION, 21, 27, 83, 96, 97, 98, 99, 100, 112, 113, 114,
115, 116, 117, 118, 119, 120, 121, 122, 141, 142, 143, 154, 156,
161, 165, 166, 169, 172, 175, 182, 222, 223, 226, 233
PROTESTANT, 4, 12, 13, 125
PSYCHIATRIST, 151
PSYCHOLOGICAL, 34, 90, 99,166
PSYCHOSIS, 151
```

PSYCHOTHERAPY, 167 PUBERTY, 6, 8, 17, 18, 23, 24, 50, 54, 56, 60, 63, 66, 68, 70, 75, 77, 79, 85, 94, 168, 171, 177, 184 PUBIC, 17, 24 PUBLIC, 19, 25, 110, 118, 158, 159, 163, 209, 210, 212, 226 PUBLICATIONS, 159 PUNITIVE, 53, 62 RABBIS, 225 RACES, 1, 180, 194, 225 RADIATION, 36 RADIO, 19, 160 RAMSEY, 7 REASONING, 49, 57 REBOUND, 150 RECIPROCAL, 159 RECONSTRUCT, 229 RECREATION, 158, 160, 161 REFORM, 4, 125 REGION, 5, 12 REGRET, 90, 99, 108, 116, 122, 175, 183, 204, 205, 217, 233 RELATIONSHIP, 68, 70, 71, 76, 79, 80, 81, 97, 175, 182, 206, 218, 219, 224 RELATIVES, 9, 10, 18, 25, 49, 53, 57, 62, 71, 74, 80, 81, 83, 88, 97, 108, 109, 116, 117, 129, 147, 150, 175, 182, 222, 232, 233, 234 RELIEF, 3 RELIGION, 4, 5, 12, 13, 57, 125, 126, 134, 140, 148 RELIGIOUS, 4, 5, 19, 25, 126, 148 REMARRY, 9 REPAIR, 160, 161 RESENTS, 147, 150, 155 RESERVATUS, 111, 119 RESERVED, 151 RESIDENCE, 5, 55, 65, 109, 117 RESPONSIBILITY, 122, 207, 220 RESPONSIVENESS, 122, 153 RESTRAINTS, 163 RETRACTABLE, 43 RHYTHM, 30, 39, 111, 119, 135, 141 RICH, 8 RIGID, 152 RISQUE, 30, 39 ROBBED, 201, 213, 231 ROLE, 160 ROOMMATE, 175, 182 ROWDY, 151 RUBBING, 49 RUDE, 150 **RULE**, 230 RURAL, 5, 6, 55, 65 RURAL-URBAN, 5, 6, 55, 65

```
SADISM, 154, 188, 196
SADOMASOCHISM, 32, 41, 51, 60, 61, 166, 234
SARCASTIC, 152
SATIATION, 163
SCARED, 90, 99
SCATOLOGY, 234
SCHOOL, 2, 3, 4, 15, 19, 20, 22, 25, 26, 28, 32, 37, 73, 74, 82,
83, 85, 86, 94, 95, 110, 118, 126, 147, 158, 159, 200, 206, 209,
212, 219, 224, 225
SCIENCE, 19, 25, 161
SCORES, 167
SCOUT, 19, 25
SCROTUM, 43, 195, 196, 226
SECRET, 150
SEGREGATED, 15
SELF, 31, 32, 40, 49, 57, 106, 134, 139, 178, 186
SELFISH, 150
SELF-DISCOVERY, 48, 56
SELF-FELLATIO, 59
SELF-MASTURBATION, 189, 197, 198
SELF-WILLED, 151
SEMEN, 198, 227
SEMISKILLED, 3
SEMI-CLASSICAL, 30, 39
SENIOR, 2, 14, 126
SENSATION, 50, 60
SENSITIVE, 151, 219
SERVANT, 3
SERVED, 167
SEWING, 160
SEX-ASSOCIATED, 166
SHAME, 48, 57, 90, 99, 122, 175, 183, 205, 217
SHEEP, 64
SHEET, 222
SHOCKED, 21, 90, 99, 175, 183
SHOWER, 59
SHREW, 151
SHYNESS, 151, 163, 206, 219
SIBLINGS, 71, 80, 81, 206, 218, 234
SICK, 53, 62
SINGLE, 15, 71, 72, 80, 81, 85, 91, 94, 100, 124, 164, 169, 172
SISSY, 219
SISTER, 14, 18, 19, 25, 26, 68, 76, 82, 83, 116, 219
SISTER-IN-LAW, 25, 116
SKILLED, 3, 122, 225
SLAP, 155
SLEEP, 22, 28
SLOPPY, 150
SLOW, 89, 98
```

```
SMELLS, 90, 99
SMOKING, 159
SOAP, 59
SOCCER, 159
SOCIABILITY, 149
SOCIAL, 53, 62, 149, 158, 159, 161, 205, 206, 217, 219, 233
SOCIALIZATION, 206, 218
SOCIO-SEXUAL, 42
SOLICITATION, 226
SOLITARY, 162
SON, 108
SOPHOMORE, 2, 14, 126
SORDID, 122
SORRY, 53, 62
SPANK, 155
SPAR, 166
SPASM, 127, 154
SPASTIC, 158
SPECTATOR, 160
SPEECH, 158, 206, 218
SPERM, 128
SPIT, 197, 227
SPITE, 150, 233
SPONGES, 111, 119
SPONTANEOUS, 23, 24, 138, 145, 189, 198
SPORADIC, 47, 56
SPORTS, 32, 159, 160
SPOUSE, 106, 114, 125, 126, 129, 130, 131, 147, 148, 149, 150, 151,
152, 155, 156, 162, 167, 168, 169, 171, 172
STATUS, 8, 14, 119, 123, 168, 169, 171, 172
STEPFATHER, 18, 25
STEPMOTHER, 18, 25
STERILITY, 112, 134, 135, 140, 148, 205, 217
STIMULATION, 49, 106, 134, 139, 176, 183
STORIES, 30, 39
STRAIGHT, 45
STREET, 211, 226
STRICT, 206, 218
STRIP, 83, 162
STUBBORN, 151
STUPID, 150
SUBMISSIVE, 151
SUPPOSITORIES, 111, 119, 135, 141
SURGERY, 32, 34, 36, 41, 43, 112, 135, 140
SURROGATE, 3, 4, 8, 10, 11, 12, 13, 14, 16, 20, 26, 68, 70, 79
SUSPECTS, 138, 144
SUSPICION, 166, 200, 212
SWALLOW, 128, 197, 227
SWELLING, 44
SWIMMING, 74, 83, 159
SWINE, 64
SYPHILIS, 33, 44
```

TACITURN, 151 TALL, 191, 210 TAMPONS, 32 TASTE, 148, 198 TAVERNS, 203, 212, 216, 226 TEACHER, 19, 25, 175, 182, 225 TECHNICAL, 160 TECHNIQUES, 49, 50, 58, 59, 64, 66, 67, 68, 69, 72, 75, 76, 77, 78, 80, 82, 84, 86, 91, 95, 96, 100, 101, 106, 111, 119, 129, 134, 135, 136, 139, 140, 141, 142, 152, 153, 157, 175, 182, 189, 190, 197, 198, 226, 228, 231, 233 TEENS, 223 TEMPER, 151 TEMPERAMENTAL, 151 TEMPERAMENTS, 151 TENNIS, 159 TENSE, 50, 59, 88, 97, 122, 151 TESTES, 43, 44, 97 THEATER, 211, 209 THERAPY, 167 THIEF, 154 THIGHS, 59 THREATENED, 155 TIMID, 163 TOILETS, 210, 212 TOMBOY, 207 TONGUE, 86, 95, 128, 188, 196, 226 TONGUE-KISSED, 188, 195, 196 TOOTHBRUSH, 49 TOUCHING, 66, 68, 72, 75, 77, 80, 82, 84, 136, 142 TOUGH, 127 TOURIST, 110, 117 TRAIN, 40, 110, 118, 210 TRAINING, 19, 25, 74, 83, 206, 219 TRANSITORY, 205, 217 TRANSSEXUALISM, 154, 165 TRANSVESTISM, 154, 165 TRAVEL, 147 TROUSERS, 45 TUTORED, 15 TWIN, 14 UGLY, 53, 62, 122, 158, 206, 218 UNAVAILABLE, 206, 219 UNCERTAIN, 164 UNCIRCUMCISED, 42, 43 UNCLE, 9, 18, 25, 71, 79, 81, 108 UNCLEANLINESS, 149 UNCLEAR, 134, 140

```
UNCONSCIOUS, 182
UNCULTURED, 150
UNDESCENDED, 43
UNEMPLOYED, 3
UNESTHETIC, 90, 99, 122
UNHAPPY, 125, 151, 206, 218
UNMARRIED, 4, 9
UNNATURAL, 53, 62, 205, 217
UNPLEASANT, 149
UNREASONABLE, 151
UNRELIABLE, 150
UNSKILLED, 3, 225
UNSTABLE, 150
UNSUCCESSFUL, 54, 63
UNTRUSTWORTHY, 150
UPSET, 72, 81, 82, 88, 90, 97, 99, 152, 153, 175, 183
URBAN, 5, 6, 55, 65
URETHRAL, 58, 77, 84
URINATION, 188, 196, 234
VAGINA, 33, 42, 49, 66, 68, 75, 84, 93, 102, 130, 154
VAIN, 150
VARICOCELE, 44
VD, 44, 207, 220, 232
VEHICLE, 109, 117, 191, 209
VENEREAL, 19, 21, 25, 27, 122, 163
VETERINARIAN, 19, 25
VIBRATOR, 59
VIOLENCE, 151, 155
VIRGINITY, 91, 98, 100, 107, 114, 163, 164, 179, 193, 224
VISION, 158
VISUAL, 19
VOCATIONAL, 2, 14, 25
VOICE, 24, 203, 215
VOYEURISM, 154
WAC, 166
WAF, 166
WAR, 150
WAREHOUSE, 110, 118, 209
WARNINGS, 48, 57
WAVE, 166
WEALTHY, 3
WEAPON, 155
WEDDINGS, 52
WEIGHT, 37, 45, 46, 191, 210
WET, 33
WIDOWED, 6
WIFE, 3, 9, 25, 97, 139, 144, 147
WITHDRAWAL, 111, 119, 135, 141
WRESTLING, 159
WRITING, 161
YMCA, 19, 25
YWCA, 19, 25
```